

Figure 1: Flow chart of selection of articles





Figure 2

Number of articles included in the review per year



Aalbers, M. W., Hommes, J., Rethans, J.-J., Imbos, T., Muijtjens, A. M. M., & Verwijnen, M.

G. M. (2013). Why should I prepare? A mixed method study exploring the motives of medical undergraduate students to prepare for clinical skills training sessions. *BMC Medical Education*, 13, 27. <https://doi.org/10.1186/1472-6920-13-27>

Aarons, G. A., Cafri, G., Lugo, L., & Sawitzky, A. (2012). Expanding the domains of attitudes towards evidence-based practice: The Evidence Based Practice Attitude Scale-50. *Administration and Policy in Mental Health and Mental Health Services Research*, 39(5), 331–340. <http://dx.doi.org/10.1007/s10488-010-0302-3>

Abetz, L., Rajagopalan, K., Mertzanis, P., Begley, C., Barnes, R., Chalmers, R., & Impact of Dry Eye on Everyday Life (IDEEL) Study Group. (2011). Development and validation of the impact of dry eye on everyday life (IDEEL) questionnaire, a patient-reported outcomes (PRO) measure for the assessment of the burden of dry eye on patients. *Health and Quality of Life Outcomes*, 9, 111. <https://doi.org/10.1186/1477-7525-9-111>

Abraham, L., Humphrey, L., Arbuckle, R., Dennerstein, L., Simon, J. A., Mirkin, S., ...

- Symonds, T. (2015). Qualitative cross-cultural exploration of breast symptoms and impacts associated with hormonal treatments for menopausal symptoms to inform the development of new patient-reported measurement tools. *Maturitas*, 80(3), 273–281. <https://doi.org/10.1016/j.maturitas.2014.11.019>
- Alhaqwi, A. I., van der Molen, H. T., Schmidt, H. G., & Magzoub, M. E. (2010). Determinants of effective clinical learning: a student and teacher perspective in Saudi Arabia. *Education for Health (Abingdon, England)*, 23(2), 369.
- Althof, S. E., Perelman, M. A., & Rosen, R. C. (2011). The Subjective Sexual Arousal Scale for Men (SSASM): preliminary development and psychometric validation of a multidimensional measure of subjective male sexual arousal. *The Journal of Sexual Medicine*, 8(8), 2255–2268. <https://doi.org/10.1111/j.1743-6109.2011.02319.x>
- Ameringer, S., Serlin, R. C., Hughes, S. H., Friedrich, S. A., & Ward, S. (2006). Concerns about pain management among adolescents with cancer: developing the Adolescent Barriers Questionnaire. *Journal of Pediatric Oncology Nursing: Official Journal of the Association of Pediatric Oncology Nurses*, 23(4), 220–232. <https://doi.org/10.1177/1043454206289736>
- Anderson, R. T., Baran, R. W., Dietz, B., Kallwitz, E., Erickson, P., & Revicki, D. A. (2014). Development and initial psychometric evaluation of the hepatitis C virus-patient-reported outcomes (HCV-PRO) instrument. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 23(2), 561–570. <https://doi.org/10.1007/s11136-013-0505-7>
- Arbuckle, R., Abetz, L., Durmer, J. S., Ivanenko, A., Owens, J. A., Croenlein, J., ... Picchietti, D. L. (2010). Development of the Pediatric Restless Legs Syndrome Severity Scale (P-RLS-SS): a patient-reported outcome measure of pediatric RLS

symptoms and impact. *Sleep Medicine*, 11(9), 897–906.

<https://doi.org/10.1016/j.sleep.2010.03.016>

Arbuckle, R., Atkinson, M. J., Clark, M., Abetz, L., Lohs, J., Kuhagen, I., ... Copley-

Merriman, K. (2008). Patient experiences with oily skin: the qualitative development of content for two new patient reported outcome questionnaires. *Health and Quality of Life Outcomes*, 6, 80. <https://doi.org/10.1186/1477-7525-6-80>

Arbuckle, R., Humphrey, L., Abraham, L., Dennerstein, L., Simon, J. A., Mirkin, S., ...

Symonds, T. (2014). Qualitative cross-cultural exploration of vaginal bleeding/spotting symptoms and impacts associated with hormone therapy in post-menopausal women to inform the development of new patient-reported measurement tools. *Maturitas*, 78(3), 219–227. <https://doi.org/10.1016/j.maturitas.2014.04.019>

Arraras, J. I., Wright, S., Greimel, E., Holzner, B., Kuljanic-Vlasic, K., Velikova, G., ...

EORTC Quality of Life Group. (2004). Development of a questionnaire to evaluate the information needs of cancer patients: the EORTC questionnaire. *Patient Education and Counseling*, 54(2), 235–241. [https://doi.org/10.1016/S0738-3991\(03\)00240-4](https://doi.org/10.1016/S0738-3991(03)00240-4)

Atkinson, M. J., Sinha, A., Hass, S. L., Colman, S. S., Kumar, R. N., Brod, M., & Rowland,

C. R. (2004). Validation of a general measure of treatment satisfaction, the Treatment Satisfaction Questionnaire for Medication (TSQM), using a national panel study of chronic disease. *Health and Quality of Life Outcomes*, 2(1), 12.

<https://doi.org/10.1186/1477-7525-2-12>

Atkinson, M. J., Stewart, W. C., Fain, J. M., Stewart, J. A., Dhawan, R., Mozaffari, E., &

Lohs, J. (2003). A new measure of patient satisfaction with ocular hypotensive medications: the Treatment Satisfaction Survey for Intraocular Pressure (TSS-IOP). *Health and Quality of Life Outcomes*, 1, 67. <https://doi.org/10.1186/1477-7525-1-67>

- Bachrach, R. L., Merrill, J. E., Bytschkow, K. M., & Read, J. P. (2012). Development and initial validation of a measure of motives for pregaming in college students. *Addictive Behaviors*, 37(9), 1038–1045. [10.1016/j.addbeh.2012.04.013](https://doi.org/10.1016/j.addbeh.2012.04.013)
- Badia, X., Arribas, F., Ormaetxe, J. M., Peinado, R., & de Los Terreros, M. S. (2007). Development of a questionnaire to measure health-related quality of life (HRQoL) in patients with atrial fibrillation (AF-QoL). *Health and Quality of Life Outcomes*, 5, 37. <https://doi.org/10.1186/1477-7525-5-37>
- Badia, X., Webb, S. M., Prieto, L., & Lara, N. (2004). Acromegaly Quality of Life Questionnaire (AcroQoL). *Health and Quality of Life Outcomes*, 2, 13. <https://doi.org/10.1186/1477-7525-2-13>
- Baker, A. M., & Brookins, C. C. (2014). Toward the development of a measure of sociopolitical consciousness: Listening to the voices of Salvadoran youth. *Journal of Community Psychology*, 42(8), 1015–1032. <https://doi.org/10.1002/jcop.21668>
- Barkin, J. L., Wisner, K. L., Bromberger, J. T., Beach, S. R., Terry, M. A., & Wisniewski, S. R. (2010). Development of the Barkin Index of Maternal Functioning. *Journal of Women's Health*, 19(12), 2239–2246. <https://doi.org/10.1089/jwh.2009.1893>
- Baró, E., Carulla, J., Cassinello, J., Colomer, R., Mata, J. G., Gascón, P., ... Valentín, V. (2009). Development of a New Questionnaire to Assess Patient Perceptions of Cancer-Related Fatigue: Item Generation and Item Reduction. *Value in Health*, 12(1), 130–138. <https://doi.org/10.1111/j.1524-4733.2008.00426.x>
- Barrett, G., Smith, S. C., & Wellings, K. (2004). Conceptualisation, development, and evaluation of a measure of unplanned pregnancy. *Journal of Epidemiology and Community Health*, 58(5), 426–433. <https://doi.org/10.1136/jech.2003.014787>
- Bastos, J. L., Faerstein, E., Celeste, R. K., & Barros, A. J. D. (2012). Explicit discrimination

- and health: development and psychometric properties of an assessment instrument. *Revista De Saúde Pública*, 46(2), 269–278. <http://dx.doi.org/10.1590/S0034-89102012000200009>
- Baxter, L., Mattick, K., & Kuyken, W. (2013). Assessing health care students' intentions and motivations for learning: the Healthcare Learning and Studying Inventory (HLSI). *Advances in Health Sciences Education: Theory and Practice*, 18(3), 451–462. <https://doi.org/10.1007/s10459-012-9383-y>
- Beck, S. L., Towsley, G. L., Berry, P. H., Brant, J. M., & Smith, E. M. L. (2010). Measuring the quality of care related to pain management: a multiple-method approach to instrument development. *Nursing Research*, 59(2), 85–92. <https://doi.org/10.1097/NNR.0b013e3181d1a732>
- Benhamou, M., Baron, G., Dalichampt, M., Boutron, I., Alami, S., Rannou, F., ... Poiraudreau, S. (2013). Development and validation of a questionnaire assessing fears and beliefs of patients with knee osteoarthritis: the Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). *PloS One*, 8(1), e53886. <https://doi.org/10.1371/journal.pone.0053886>
- Betancourt, T. S., Yang, F., Bolton, P., & Normand, S.-L. (2014). Developing an African youth psychosocial assessment: an application of item response theory. *International Journal of Methods in Psychiatric Research*, 23(2), 142–160. <https://doi.org/10.1002/mpr.1420>
- Bevans, K. B., Gardner, W., Pajer, K., Riley, A. W., & Forrest, C. B. (2013). Qualitative development of the PROMIS(R) pediatric stress response item banks. *Journal of Pediatric Psychology*, 38(2), 173–191. <https://doi.org/10.1093/jpepsy/jss107>
- Bhatti, Z. U., Salek, S. S., Bolton, C. E., George, L., Halcox, J. P., Jones, S. M., ... Finlay, A.

- Y. (2013). The development and validation of the major life changing decision profile (MLCDP). *Health and Quality of Life Outcomes*, 11, 78. <https://doi.org/10.1186/1477-7525-11-78>
- Bodger, K., Ormerod, C., Shackcloth, D., Harrison, M., & IBD Control Collaborative. (2014). Development and validation of a rapid, generic measure of disease control from the patient's perspective: the IBD-control questionnaire. *Gut*, 63(7), 1092–1102. <https://doi.org/10.1136/gutjnl-2013-305600>
- Boiko, O. V., Baker, S. R., Gibson, B. J., Locker, D., Sufi, F., Barlow, A. P. S., & Robinson, P. G. (2010). Construction and validation of the quality of life measure for dentine hypersensitivity (DHEQ). *Journal of Clinical Periodontology*, 37(11), 973–980. <https://doi.org/10.1111/j.1600-051X.2010.01618.x>
- Borteyrou, X., Truchot, D., & Rasclé, N. (2014). Development and validation of the Work Stressor Inventory for Nurses in Oncology: Preliminary findings. *Journal of Advanced Nursing*, 70(2), 443–453. DOI: 10.1111/jan.12231
- Bos, N., Sturms, L. M., Schrijvers, A. J., & van Stel, H. F. (2012). The Consumer Quality index (CQ-index) in an accident and emergency department: development and first evaluation. *BMC Health Services Research*, 12, 284. <https://doi.org/10.1186/1472-6963-12-284>
- Bourke-Taylor, H., Law, M., Howie, L., & Pallant, J. F. (2010). Development of the Child's Challenging Behaviour Scale (CCBS) for mothers of school-aged children with disabilities. *Child: Care, Health and Development*, 36(4), 491–498. <https://doi.org/10.1111/j.1365-2214.2009.01055.x>
- Bowles, A., Fisher, R., McPhail, R., Rosenstreich, D., & Dobson, A. (2014). Staying the distance: Students' perceptions of enablers of transition to higher education. *Higher*

Education Research & Development, 33(2), 212–225.

<https://doi.org/10.1080/07294360.2013.832157>

Brocklehurst, P., O'Malley, L., Hill, H., Ozaki, T., Nomura, M., & Matsuda, R. (2014). The development and piloting of a leadership questionnaire for general dental

practitioners: preliminary results from the North West of England and Tokyo. *British*

Dental Journal, 217(9), E17. <https://doi.org/10.1038/sj.bdj.2014.980>

Brown, B. C., McKenna, S. P., Solomon, M., Wilburn, J., McGrouther, D. A., & Bayat, A.

(2010). The patient-reported impact of scars measure: development and validation.

Plastic and Reconstructive Surgery, 125(5), 1439–1449.

<https://doi.org/10.1097/PRS.0b013e3181d4fd89>

Buck, D., Jacoby, A., Massey, A., Steen, N., Sharma, A., & Ford, G. A. (2004). Development

and validation of NEWSQOL, the Newcastle Stroke-Specific Quality of Life Measure.

Cerebrovascular Diseases (Basel, Switzerland), 17(2–3), 143–152.

<https://doi.org/10.1159/000075783>

Bullinger, M., Quitmann, J., Power, M., Herdman, M., Mimoun, E., DeBusk, K., ... Chaplin,

J. E. (2013). Assessing the quality of life of health-referred children and adolescents

with short stature: development and psychometric testing of the QoLISSY instrument.

Health and Quality of Life Outcomes, 11, 76. <https://doi.org/10.1186/1477-7525-11-76>

Butter, R., & Born, M. P. (2012). Enhancing criterion-related validity through bottom-up

contextualization of personality inventories: The construction of an ecological

conscientiousness scale for Ph.D. candidates. *Human Performance*, 25(4), 303–317.

<https://doi.org/10.1080/08959285.2012.703730>

Cano, S. J., Riazi, A., Schapira, A. H. V., Cooper, J. M., & Hobart, J. C. (2009). Friedreich's

ataxia impact scale: a new measure striving to provide the flexibility required by

- today's studies. *Movement Disorders: Official Journal of the Movement Disorder Society*, 24(7), 984–992. <https://doi.org/10.1002/mds.22420>
- Carlton, J. (2013). Identifying potential themes for the Child Amblyopia Treatment Questionnaire. *Optometry and Vision Science: Official Publication of the American Academy of Optometry*, 90(8), 867–873. <https://doi.org/10.1097/OPX.0b013e318290cd7b>
- Caro-Bautista, J., Martín-Santos, F. J., Villa-Estrada, F., Morilla-Herrera, J. C., Cuevas-Fernández-Gallego, M., & Morales-Asencio, J. M. (2014). Using qualitative methods in developing an instrument to identify barriers to self-care among persons with type 2 diabetes mellitus. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.12740>
- Carter, J. D., Crowe, M., Carlyle, D., Frampton, C. M., Jordan, J., McIntosh, V. V. W., ... Joyce, P. R. (2012). Patient change processes in psychotherapy: Development of a new scale. *Psychotherapy Research*, 22(1), 115–126. <https://doi.org/10.1080/10503307.2011.631195>
- Cella, D., Jensen, S. E., Webster, K., Hongyan, D., Lai, J.-S., Rosen, S., ... Yount, S. (2012). Measuring health-related quality of life in leukemia: The Functional Assessment of Cancer Therapy – Leukemia (FACT-Leu) questionnaire. *Value in Health*, 15(8), 1051–1058. <https://doi.org/10.1016/j.jval.2012.08.2210>
- Chang, Y.-P., Yen, C.-F., & Campbell-Heider, N. (2012). High-risk situations related to relapse of methamphetamine use among Taiwanese adolescents: An instrumentation study. *Journal of Addictions Nursing*, 23(1), 55–64. <https://doi.org/10.3109/10884602.2011.646340>
- Chavez, L., Mir, K., & Canino, G. (2012). Starting from scratch: the development of the Adolescent Quality of Life-Mental Health Scale (AQOL-MHS). *Culture, Medicine*

- and *Psychiatry*, 36(3), 465–479. <https://doi.org/10.1007/s11013-012-9264-0>
- Cheng, K. K. F., Leung, S. F., Thompson, D. R., Tai, J. W. M., Liang, R. H. S., Kan, A. S. T., ... Yeung, R. M. W. (2007). New measure of health-related quality of life for patients with oropharyngeal mucositis: development and preliminary psychometric evaluation. *Cancer*, 109(12), 2590–2599. <https://doi.org/10.1002/cncr.22730>
- Chiang, L.-C., Tzeng, L.-F., Fu, L.-S., & Huang, J.-L. (2006). Testing a Questionnaire to Measure Asthma-Related Quality of Life Among Children. *Journal of Nursing Scholarship*, 38(4), 383–386. <https://doi.org/10.1111/j.1547-5069.2006.00131.x>
- Cho, J., Choi, E. K., Kim, I. R., Im, Y. H., Park, Y. H., Lee, S., ... Nam, S. J. (2014). Development and validation of Chemotherapy-induced Alopecia Distress Scale (CADS) for breast cancer patients. *Annals of Oncology: Official Journal of the European Society for Medical Oncology / ESMO*, 25(2), 346–351. <https://doi.org/10.1093/annonc/mdt476>
- Choe, K. (2014). Development and preliminary testing of the Schizophrenia Hope Scale, a brief scale to measure hope in people with schizophrenia. *International Journal of Nursing Studies*, 51(6), 927–933. <https://doi.org/10.1016/j.ijnurstu.2013.10.018>
- Chow, M. Y. K., Morrow, A., Heron, L., Yin, J. K., Booy, R., & Leask, J. (2014). Quality of life for parents of children with influenza-like illness: development and validation of Care-ILI-QoL. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 23(3), 939–951. <https://doi.org/10.1007/s11136-013-0538-y>
- Clark, M. A., Michel, J. S., Early, R. J., & Baltes, B. B. (2014). Strategies for coping with work stressors and family stressors: Scale development and validation. *Journal of Business and Psychology*, 29(4), 617–638. <https://doi.org/10.1007/s10869-014-9356-7>

- Clerson, P., Graesslin, O., Gater, A., Taylor, F., Filonenko, A., Schellschmidt, I., & Rosen, K. (2014). EVAPIL-R Scale: Continuous development and validation of a tool to assess patient-reported tolerability of different contraceptive methods in longitudinal studies. *Clinical Therapeutics*, 36(5), 638–647.e3.
<https://doi.org/10.1016/j.clinthera.2014.04.008>
- Cooke, T., Watt, D., Wertzler, W., & Quan, H. (2006). Patient expectations of emergency department care: phase II--a cross-sectional survey. *CJEM*, 8(3), 148–157.
<https://doi.org/10.1017/S1481803500013658>
- Corrigan, P. W., Tsang, H. W. H., Shi, K., Lam, C. S., & Larson, J. (2010). Chinese and American employers' perspectives regarding hiring people with behaviorally driven health conditions: the role of stigma. *Social Science & Medicine* (1982), 71(12), 2162–2169. <https://doi.org/10.1016/j.socscimed.2010.08.025>
- Cott, C. A., Teare, G., McGilton, K. S., & Lineker, S. (2006). Reliability and construct validity of the Client-Centred Rehabilitation Questionnaire. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, 28(22), 1387–1397.
<https://doi.org/10.1080/09638280600638398>
- Cousineau, N., McDowell, I., Hotz, S., & Hébert, P. (2003). Measuring chronic patients' feelings of being a burden to their caregivers: development and preliminary validation of a scale. *Medical Care*, 41(1), 110–118.
<https://doi.org/10.1097/01.MLR.0000039832.32412.7D>
- Crawford, B., Piau, E., Gotlieb, W., & Joulain, F. (2012). Development and validation of the self-completed ascites impact measure to understand patient motivation for requesting a paracentesis. *Patient Related Outcome Measures*, 3, 21–30.
<https://doi.org/10.2147/PROM.S28179>

- Crawford, B., Stanford, R. H., Wong, A. Y., Dalal, A. A., & Bayliss, M. S. (2011). Development of a questionnaire to assess experience and preference of intranasal corticosteroids in patients with allergic rhinitis. *Patient Related Outcome Measures*, 2, 119–126. <https://doi.org/10.2147/PROM.S19195>
- Crist, J. D., Velazquez, H., Durnan, I., & Figueroa, D. R. (2006). Instrument development of the Confidence in Home Care Services Questionnaire for use with elders and caregivers of Mexican descent. *Public Health Nursing (Boston, Mass.)*, 23(3), 284–291. <https://doi.org/10.1111/j.1525-1446.2006.230312.x>
- Curtis, D., Cnaan, R. A., & Evans, V. (2014). An analysis of what motivates members of the church of Jesus Christ of Latter-day Saints to volunteer and donate. *Nonprofit Management and Leadership*, 25(2), 131–145. <https://doi.org/10.1002/nml.21113>
- Czuber-Dochan, W., Norton, C., Bassett, P., Berliner, S., Bredin, F., Darvell, M., ... Terry, H. (2014). Development and psychometric testing of inflammatory bowel disease fatigue (IBD-F) patient self-assessment scale. *Journal of Crohn's & Colitis*, 8(11), 1398–1406. <https://doi.org/10.1016/j.crohns.2014.04.013>
- Davidovic, A., Bell, K., Ferguson, C., Gorski, E., & Campbell, A. (2011). Impelling and inhibitory forces in aggression: Sex-of-target and relationship effects. *Journal of Interpersonal Violence*, 26(15), 3098–3126. <https://doi.org/10.1177/0886260510390953>
- De Almeida, J. R., Vescan, A. D., Gullane, P. J., Gentili, F., Lee, J. M., Lohfeld, L., ... Witterick, I. J. (2012). Development of a disease-specific quality-of-life questionnaire for anterior and central skull base pathology--the skull base inventory. *The Laryngoscope*, 122(9), 1933–1942. <https://doi.org/10.1002/lary.23426>
- de Witte, L., Schoot, T., & Proot, I. (2006). Development of the client-centred care

questionnaire. *Journal of Advanced Nursing*, 56(1), 62–68.

<https://doi.org/10.1111/j.1365-2648.2006.03980.x>

Dean, R. E., & Kennedy, P. (2009). Measuring appraisals following acquired spinal cord injury: a preliminary psychometric analysis of the appraisals of disability.

Rehabilitation Psychology, 54(2), 222–231. <https://doi.org/10.1037/a0015581>

Deb, S., Bryant, E., Morris, P. G., Prior, L., Lewis, G., & Haque, S. (2007a). Development and psychometric properties of the Carer - Head Injury Neurobehavioral Assessment Scale (C-HINAS) and the Carer - Head Injury Participation Scale (C-HIPS): patient and family determined outcome scales. *Neuropsychiatric Disease and Treatment*, 3(3), 389–408.

Deb, S., Bryant, E., Morris, P. G., Prior, L., Lewis, G., & Haque, S. (2007b). Development and psychometric properties of the Patient-Head Injury Participation Scale (P-HIPS) and the Patient-Head Injury Neurobehavioral Assessment Scale (P-HINAS): patient and family determined outcomes scales. *Neuropsychiatric Disease and Treatment*, 3(3), 373–388.

Deb, S., Hare, M., Prior, L., & Bhaumik, S. (2007). Dementia Screening Questionnaire for Individuals with Intellectual Disabilities. *The British Journal of Psychiatry*, 190, 440–444. <https://doi.org/10.1192/bjp.bp.106.024984>

Devonport, T. J., & Lane, A. M. (2006). Relationships between self-efficacy, coping and student retention. *Social Behavior and Personality*, 34(2), 127–138.

<https://doi.org/10.2224/sbp.2006.34.2.127>

Dickson-Spillmann, M., & Siegrist, M. (2011). Consumers' knowledge of healthy diets and its correlation with dietary behaviour. *Journal of Human Nutrition and Dietetics*, 24(1), 54–60. <https://doi.org/10.1111/j.1365-277X.2010.01124.x>

- Dixon, J. K., Hendrickson, K. C., Ercolano, E., Quackenbush, R., & Dixon, J. P. (2009). The environmental health engagement profile: what people think and do about environmental health. *Public Health Nursing (Boston, Mass.)*, 26(5), 460–473.
<https://doi.org/10.1111/j.1525-1446.2009.00804.x>
- Dolovich, L. R., Nair, K. M., Ciliska, D. K., Lee, H. N., Birch, S., Gafni, A., & Hunt, D. L. (2004). The Diabetes Continuity of Care Scale: the development and initial evaluation of a questionnaire that measures continuity of care from the patient perspective. *Health & Social Care in the Community*, 12(6), 475–487.
<https://doi.org/10.1111/j.1365-2524.2004.00517.x>
- Dorn, S. D., Morris, C. B., Schneck, S. E., Hopper, T. M., Hu, Y. J. B., Kelapure, R., ... Drossman, D. A. (2011). Development and validation of the irritable bowel syndrome satisfaction with care scale. *Clinical Gastroenterology and Hepatology: The Official Clinical Practice Journal of the American Gastroenterological Association*, 9(12), 1065-1071.e1–2. <https://doi.org/10.1016/j.cgh.2011.08.009>
- Dörr, C. S., Bock, C., Fischer, J. E., & De Bock, F. (2014). Preschools' friendliness toward physical activity: Item battery and two scores developed by mixed methods. *American Journal of Preventive Medicine*, 46(6), 593–604.
<https://doi.org/10.1016/j.amepre.2014.01.015>
- Doward, L. C., McKenna, S. P., Meads, D. M., Twiss, J., & Eckert, B. J. (2009). The development of patient-reported outcome indices for multiple sclerosis (PRIMUS). *Multiple Sclerosis (Houndmills, Basingstoke, England)*, 15(9), 1092–1102.
<https://doi.org/10.1177/1352458509106513>
- Doyle, P. J., McNeil, M. R., Mikolic, J. M., Prieto, L., Hula, W. D., Lustig, A. P., ... Elman, R. J. (2004). The Burden of Stroke Scale (BOSS) provides valid and reliable score

- estimates of functioning and well-being in stroke survivors with and without communication disorders. *Journal of Clinical Epidemiology*, 57(10), 997–1007. <https://doi.org/10.1016/j.jclinepi.2003.11.016>
- Duncan, P. W., Wallace, D., Studenski, S., Lai, S. M., & Johnson, D. (2001). Conceptualization of a new stroke-specific outcome measure: the stroke impact scale. *Topics in Stroke Rehabilitation*, 8(2), 19–33. <https://doi.org/10.1310/BRHX-PKTA-0TUJ-UYWT>
- Dür, M., Steiner, G., Fialka-Moser, V., Kautzky-Willer, A., Dejaco, C., Prodinger, B., ... Stamm, T. A. (2014). Development of a new occupational balance-questionnaire: incorporating the perspectives of patients and healthy people in the design of a self-reported occupational balance outcome instrument. *Health and Quality of Life Outcomes*, 12, 45. <https://doi.org/10.1186/1477-7525-12-45>
- Eckerström, M., Skoogh, J., Rolstad, S., Göthlin, M., Steineck, G., Johansson, B., & Wallin, A. (2013). Sahlgrenska Academy Self-reported Cognitive Impairment Questionnaire (SASCI-Q)—A research tool discriminating between subjectively cognitively impaired patients and healthy controls. *International Psychogeriatrics*, 25(3), 420–430. <https://doi.org/10.1017/S1041610212001846>
- Eghlileb, A. M., Basra, M. K. A., & Finlay, A. Y. (2009). The psoriasis family index: preliminary results of validation of a quality of life instrument for family members of patients with psoriasis. *Dermatology (Basel, Switzerland)*, 219(1), 63–70. <https://doi.org/10.1159/000209234>
- Eizenberg, M. M., Desivilya, H. S., & Hirschfeld, M. J. (2009). Moral distress questionnaire for clinical nurses: Instrument development. *Journal of Advanced Nursing*, 65(4), 885–892. <https://doi.org/10.1111/j.1365-2648.2008.04945.x>

- Ekiz, E. H., Bavik, A., & Arasli, H. (2009). RENTQUAL: A new measurement scale for car rental services. *Tourism: An International Interdisciplinary Journal*, 57(2), 135–153.
- Elliott, J. C., Carey, K. B., & Scott-Sheldon, L. A. J. (2011). Development of a decisional balance scale for young adult marijuana use. *Psychology of Addictive Behaviors: Journal of the Society of Psychologists in Addictive Behaviors*, 25(1), 90–100. <https://doi.org/10.1037/a0021743>
- Endo, Y., Miyachi, Y., & Arakawa, A. (2012). Development of a disease-specific instrument to measure quality of life in patients with alopecia areata. *European Journal of Dermatology: EJD*, 22(4), 531–536. <https://doi.org/10.1684/ejd.2012.1752>
- Espie, C. A., Watkins, J., Duncan, R., Espie, A., Sterrick, M., Brodie, M. J., ... Curtice, L. (2001). Development and validation of the Glasgow Epilepsy Outcome Scale (GEOS): a new instrument for measuring concerns about epilepsy in people with mental retardation. *Epilepsia*, 42(8), 1043–1051. <https://doi.org/10.1046/j.1528-1157.2001.0420081043.x>
- Etter, J. F., Bergman, M. M., & Perneger, T. V. (2000). On quitting smoking: development of two scales measuring the use of self-change strategies in current and former smokers (SCS-CS and SCS-FS). *Addictive Behaviors*, 25(4), 523–538. [https://doi.org/10.1016/S0306-4603\(00\)00068-X](https://doi.org/10.1016/S0306-4603(00)00068-X)
- Etter, J. F., Humair, J. P., Bergman, M. M., & Perneger, T. V. (2000). Development and validation of the Attitudes Towards Smoking Scale (ATS-18). *Addiction (Abingdon, England)*, 95(4), 613–625. <https://doi.org/10.1046/j.1360-0443.2000.95461312.x>
- Etter, J.-F. (2005). A self-administered questionnaire to measure cigarette withdrawal symptoms: the Cigarette Withdrawal Scale. *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, 7(1), 47–57.

<https://doi.org/10.1080/14622200412331328501>

- Evans, S., Gately, C., Huxley, P., Smith, A., & Banerjee, S. (2005). Assessment of quality of life in later life: development and validation of the QuiLL. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 14(5), 1291–1300. DOI 10.1007/s11136-004-5532-y
- Falzon, C., Sabiston, C., Bergamaschi, A., Corrion, K., Chalabaev, A., & D'Arripe-Longueville, F. (2014). Development and validation of the Cancer Exercise Stereotypes Scale. *Journal of Psychosocial Oncology*, 32(6), 708–726. <https://doi.org/10.1080/07347332.2014.955237>
- Farin, E., Ullrich, A., & Hauer, J. (2013). Participation and social functioning in patients with fibromyalgia: development and testing of a new questionnaire. *Health and Quality of Life Outcomes*, 11, 135. <https://doi.org/10.1186/1477-7525-11-135>
- Farnik, M., Brożek, G., Pierzchała, W., Zejda, J. E., Skrzypek, M., & Walczak, Ł. (2010). Development, evaluation and validation of a new instrument for measurement quality of life in the parents of children with chronic disease. *Health and Quality of Life Outcomes*, 8. <https://doi.org/10.1186/1477-7525-8-151>
- Flynn, K. E., Jeffery, D. D., Keefe, F. J., Porter, L. S., Shelby, R. A., Fawzy, M. R., ... Weinfurt, K. P. (2011). Sexual Functioning Along the Cancer Continuum: Focus Group Results from the Patient-Reported Outcomes Measurement Information System (PROMISTM). *Psycho-Oncology*, 20(4), 378–386. <https://doi.org/10.1002/pon.1738>
- Fogg, C. J., Mawn, B. E., & Porell, F. (2011). Development of the Fogg Intent-to-Screen for HIV (ITS HIV) questionnaire. *Research in Nursing & Health*, 34(1), 73–84. <https://doi.org/10.1002/nur.20412>
- Forrest, S., Eatough, V., & Shevlin, M. (2005). Measuring Adult Indirect Aggression: The

- Development and Psychometric Assessment of the Indirect Aggression Scales. *Aggressive Behavior*, 31(1), 84–97. <https://doi.org/10.1002/ab.20074>
- Franciosi, J. P., Hommel, K. A., DeBrosse, C. W., Greenberg, A. B., Greenler, A. J., Abonia, J. P., ... Varni, J. W. (2011). Development of a validated patient-reported symptom metric for pediatric eosinophilic esophagitis: qualitative methods. *BMC Gastroenterology*, 11, 126. <https://doi.org/10.1186/1471-230X-11-126>
- Franciosi, J. P., Hommel, K. A., Greenberg, A. B., DeBrosse, C. W., Greenler, A. J., Abonia, J. P., ... Varni, J. W. (2012). Development of the Pediatric Quality of Life InventoryTM Eosinophilic Esophagitis module items: qualitative methods. *BMC Gastroenterology*, 12, 135. <https://doi.org/10.1186/1471-230X-12-135>
- Franz, M., Fritz, M., Gallhofer, B., & Meyer, T. (2012). QLiS--development of a schizophrenia-specific quality-of-life scale. *Health and Quality of Life Outcomes*, 10, 61. <https://doi.org/10.1186/1477-7525-10-61>
- Frongillo, E. A., & Nanama, S. (2006). Development and validation of an experience-based measure of household food insecurity within and across seasons in northern Burkina Faso. *The Journal of Nutrition*, 136(5), 1409S–1419S. <https://doi.org/10.1093/jn/136.5.1409S>
- Gasquet, I., Villemainot, S., Estaquio, C., Durieux, P., Ravaud, P., & Falissard, B. (2004). Construction of a questionnaire measuring outpatients' opinion of quality of hospital consultation departments. *Health and Quality of Life Outcomes*, 2, 43. <https://doi.org/10.1186/1477-7525-2-43>
- George, J., Mackinnon, A., Kong, D. C. M., & Stewart, K. (2006). Development and validation of the Beliefs and Behaviour Questionnaire (BBQ). *Patient Education and Counseling*, 64(1–3), 50–60. <https://doi.org/10.1016/j.pec.2005.11.010>

- Gibbons, C. J., Kenning, C., Coventry, P. A., Bee, P., Bundy, C., Fisher, L., & Bower, P. (2013). Development of a multimorbidity illness perceptions scale (MULTIPLeS). *PloS One*, 8(12), e81852. <https://doi.org/10.1371/journal.pone.0081852>
- Gilworth, G., Bhakta, B., Eyres, S., Carey, A., Anne Chamberlain, M., & Tennant, A. (2007). Keeping nurses working: development and psychometric testing of the Nurse-Work Instability Scale (Nurse-WIS). *Journal of Advanced Nursing*, 57(5), 543–551. <https://doi.org/10.1111/j.1365-2648.2006.04142.x>
- Gilworth, G., Carey, A., Eyres, S., Sloan, J., Rainford, B., Bodenham, D., ... Tennant, A. (2006). Screening for job loss: development of a work instability scale for traumatic brain injury. *Brain Injury*, 20(8), 835–843. <https://doi.org/10.1080/02699050600832221>
- Gilworth, G., Chamberlain, M. A., Bhakta, B., Haskard, D., Silman, A., & Tennant, A. (2004). Development of the BD-QoL: a quality of life measure specific to Behçet's disease. *The Journal of Rheumatology*, 31(5), 931–937.
- Gilworth, G., Chamberlain, M. A., Harvey, A., Woodhouse, A., Smith, J., Smyth, M. G., & Tennant, A. (2003). Development of a work instability scale for rheumatoid arthritis. *Arthritis and Rheumatism*, 49(3), 349–354. <https://doi.org/10.1002/art.11114>
- Golics, C. J., Basra, M. K. A., Finlay, A. Y., & Salek, S. (2014). The development and validation of the Family Reported Outcome Measure (FROM-16)© to assess the impact of disease on the partner or family member. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 23(1), 317–326. <https://doi.org/10.1007/s11136-013-0457-y>
- González-de Paz, L., Devant-Altimir, M., Kostov, B., Mitjavila-López, J., Navarro-Rubio, M. D., & Sisó-Almirall, A. (2013). A new questionnaire to assess endorsement of

- normative ethics in primary health care: development, reliability and validity study. *Family Practice*, 30(6), 724–733. <https://doi.org/10.1093/fampra/cmt044>
- Goodwin, I., Holmes, G., Cochrane, R., & Mason, O. (2003). The ability of adult mental health services to meet clients' attachment needs: the development and implementation of the Service Attachment Questionnaire. *Psychology and Psychotherapy*, 76(Pt 2), 145–161. <https://doi.org/10.1348/147608303765951186>
- Greenwood, K. E., Sweeney, A., Williams, S., Garety, P., Kuipers, E., Scott, J., & Peters, E. (2010). CHoice of Outcome In Cbt for psychosEs (CHOICE): the development of a new service user-led outcome measure of CBT for psychosis. *Schizophrenia Bulletin*, 36(1), 126–135. <https://doi.org/10.1093/schbul/sbp117>
- Grimmer, K., & Moss, J. (2001). The development, validity and application of a new instrument to assess the quality of discharge planning activities from the community perspective. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / ISQua*, 13(2), 109–116. <https://doi.org/10.1093/intqhc/13.2.109>
- Gucciardi, D. F., & Gordon, S. (2009). Development and preliminary validation of the Cricket Mental Toughness Inventory (CMTI). *Journal of Sports Sciences*, 27(12), 1293–1310. <https://doi.org/10.1080/02640410903242306>
- Hadjibalassi, M., Papastavrou, E., Lambrinou, E., Tsangari, H., Athini, E., Georgiou, E., ... Merkouris, A. (2012). Development of an instrument to determine competencies of postgraduate ICU nurses in Cyprus. *Nursing in Critical Care*, 17(5), 255–264. <https://doi.org/10.1111/j.1478-5153.2012.00503.x>
- Haidet, P., O'Malley, K. J., Sharf, B. F., Gladney, A. P., Greisinger, A. J., & Street, R. L. (2008). Characterizing explanatory models of illness in healthcare: development and

- validation of the CONNECT instrument. *Patient Education and Counseling*, 73(2), 232–239. <https://doi.org/10.1016/j.pec.2008.07.007>
- Halgunseth, L. C., & Ispa, J. M. (2012). Mexican Parenting Questionnaire (MPQ). *Hispanic Journal of Behavioral Sciences*, 34(2), 232–250. <https://doi.org/10.1177/0739986312437010>
- Harding, G., Schein, J. R., Nelson, W. W., Vallow, S., Olson, W. H., Hewitt, D. J., & Polomano, R. C. (2010). Development and validation of a new instrument to evaluate the ease of use of patient-controlled analgesic modalities for postoperative patients. *Journal of Medical Economics*, 13(1), 42–54. <https://doi.org/10.3111/13696990903484637>
- Hay, J. L., Baser, R., Weinstein, N. D., Li, Y., Primavera, L., & Kemeny, M. M. (2014). Examining intuitive risk perceptions for cancer in diverse populations. *Health, Risk & Society*, 16(3), 227–242. <https://doi.org/10.1080/13698575.2014.911822>
- Hayes, R. P., Henne, J., & Kinchen, K. S. (2014). Establishing the content validity of the Sexual Arousal, Interest, and Drive Scale and the Hypogonadism Energy Diary. *International Journal of Clinical Practice*. <https://doi.org/10.1111/ijcp.12542>
- Hazuda, H. P., Gerety, M. B., Lee, S., Mulrow, C. D., & Lichtenstein, M. J. (2002). Measuring subclinical disability in older mexican americans. *Psychosomatic Medicine*, 64(3), 520–530. DOI: 10.1097/00006842-200205000-00017
- Helliwell, P., Reay, N., Gilworth, G., Redmond, A., Slade, A., Tennant, A., & Woodburn, J. (2005). Development of a foot impact scale for rheumatoid arthritis. *Arthritis and Rheumatism*, 53(3), 418–422. <https://doi.org/10.1002/art.21176>
- Hermann, C. (2006). Development and testing of the spiritual needs inventory for patients near the end of life. *Oncology Nursing Forum*, 33(4), 737–744.

<https://doi.org/10.1188/06.ONF.737-744>

Hobart, J. C., Riazi, A., Thompson, A. J., Styles, I. M., Ingram, W., Vickery, P. J., ... Zajicek, J. P. (2006). Getting the measure of spasticity in multiple sclerosis: the Multiple Sclerosis Spasticity Scale (MSSS-88). *Brain: A Journal of Neurology*, 129(Pt 1), 224–234. <https://doi.org/10.1093/brain/awh675>

Holmgren, K., Hensing, G., & Dahlin-Ivanoff, S. (2009). Development of a questionnaire assessing work-related stress in women - identifying individuals who risk being put on sick leave. *Disability and Rehabilitation*, 31(4), 284–292. <https://doi.org/10.1080/09638280801931287>

Holmqvist, K., Kamwendo, K., & Ivarsson, A.-B. (2012). Occupational therapists' practice patterns for clients with cognitive impairment following acquired brain injury: development of a questionnaire. *Scandinavian Journal of Occupational Therapy*, 19(2), 150–163. <https://doi.org/10.3109/11038128.2011.576428>

Holt, C. L., Schulz, E., Caplan, L., Blake, V., Southward, V. L., & Buckner, A. V. (2012). Assessing the role of spirituality in coping among African Americans diagnosed with cancer. *Journal of Religion and Health*, 51(2), 507–521. <https://doi.org/10.1007/s10943-011-9453-0>

Holzemer, W. L., Uys, L. R., Chirwa, M. L., Greeff, M., Makoae, L. N., Kohi, T. W., ... Durrheim, K. (2007). Validation of the HIV/AIDS Stigma Instrument - PLWA (HASI-P). *AIDS Care*, 19(8), 1002–1012. <https://doi.org/10.1080/09540120701245999>

Hoppe, A., Heaney, C. A., Fujishiro, K., Gong, F., & Baron, S. (2014). Psychosocial work characteristics of personal care and service occupations: a process for developing meaningful measures for a multiethnic workforce. *Ethnicity & Health*, 1–19. <https://doi.org/10.1080/13557858.2014.925095>

- Horvat, N., & Kos, M. (2011). Slovenian pharmacy performance: a patient-centred approach to patient satisfaction survey content development. *International Journal of Clinical Pharmacy*, 33(6), 985–996. <https://doi.org/10.1007/s11096-011-9572-4>
- Hou, W. K., Lam, W. W. T., Law, C. C., Fu, Y. T., & Fielding, R. (2009). Measuring social relational quality in colorectal cancer: the Social Relational Quality Scale (SRQS). *Psycho-Oncology*, 18(10), 1097–1105. <https://doi.org/10.1002/pon.1500>
- Howard, K., Berry, P., Petrillo, J., Wiklund, I., Roberts, L., Watkins, M., ... Wilcox, T. (2012). Development of the Shortness of Breath with Daily Activities questionnaire (SOBDA). *Value in Health*, 15(8), 1042–1050. <https://doi.org/10.1016/j.jval.2012.06.018>
- Howells, A., Morris, R., & Darwin, C. (2012). A questionnaire to assess carers' experience of stroke rehabilitation. *Topics in Stroke Rehabilitation*, 19(3), 256–266. <https://doi.org/10.1310/tsr1903-256>
- Hsiao, A.-F., Hays, R. D., Ryan, G. W., Coulter, I. D., Andersen, R. M., Hardy, M. L., ... Wenger, N. S. (2005). A Self-Report Measure of Clinicians' Orientation toward Integrative Medicine. *Health Services Research*, 40(5, Pt 1), 1553–1559. <https://doi.org/10.1111/j.1475-6773.2005.00425.x>
- Hsu, W.-T., Pan, Y.-H., Chou, H.-S., Lee, W.-P., & Lu, F. J.-H. (2014). Measuring students' responsibility in physical education: Instrument development and validation. *International Journal of Sport Psychology*, 45(5), 487–503. DOI: 10.7352/IJSP.2014.45.487
- Hsu, Y.-W., & Lu, F. J.-H. (2013). The development and validation of the Physical Self-Concept Scale for Older Adults. *Educational Gerontology*, 39(7), 501–513. <https://doi.org/10.1080/03601277.2012.701149>

- Huang, T.-T. (2006). Geriatric fear of falling measure: development and psychometric testing. *International Journal of Nursing Studies*, 43(3), 357–365.
<https://doi.org/10.1016/j.ijnurstu.2005.04.006>
- Humphrey, L., Arbuckle, R., Moldwin, R., Nordling, J., van de Merwe, J. P., Meunier, J., ... Abraham, L. (2012). The bladder pain/interstitial cystitis symptom score: development, validation, and identification of a cut score. *European Urology*, 61(2), 271–279. <https://doi.org/10.1016/j.eururo.2011.10.004>
- Humphrey, L., Kulich, K., Deschaseaux, C., Blackburn, S., Maguire, L., & Strömberg, A. (2013). The Caregiver Burden Questionnaire for Heart Failure (CBQ-HF): face and content validity. *Health and Quality of Life Outcomes*, 11, 84.
<https://doi.org/10.1186/1477-7525-11-84>
- Humphreys, T., & Herold, E. (2003). Should Universities and Colleges Mandate Sexual Behavior? Student Perceptions of Antioch College's Consent Policy. *Journal of Psychology & Human Sexuality*, 15(1), 35–51. https://doi.org/10.1300/J056v15n01_04
- Hunter, M. S., Ayers, B., & Smith, M. (2011). The Hot Flush Behavior Scale: a measure of behavioral reactions to menopausal hot flushes and night sweats. *Menopause (New York, N.Y.)*, 18(11), 1178–1183. <https://doi.org/10.1097/gme.0b013e318219d791>
- Hunter, M., & O'Dea, I. (2001). Cognitive appraisal of the menopause: The Menopause Representations Questionnaire (MRQ). *Psychology, Health & Medicine*, 6(1), 65–76.
<https://doi.org/10.1080/13548500020021937>
- Ingersoll-Dayton, B. (2011). The development of culturally-sensitive measures for research on ageing. *Ageing and Society*, 31(3), 355–370.
<https://doi.org/10.1017/S0144686X10000917>
- Ingersoll-Dayton, B., Saengtienchai, C., Kespichayawattana, J., & Aungsuroch, Y. (2004).

- Measuring psychological well-being: Insights from Thai elders. *The Gerontologist*, 44(5), 596–604. <https://doi.org/10.1093/geront/44.5.596>
- Jago, R., Fox, K. R., Page, A. S., Brockman, R., & Thompson, J. L. (2009). Development of scales to assess children's perceptions of friend and parental influences on physical activity. *The International Journal of Behavioral Nutrition and Physical Activity*, 6, 67. <https://doi.org/10.1186/1479-5868-6-67>
- Jap, T., Tiatri, S., Jaya, E. S., & Suteja, M. S. (2013). The development of indonesian online game addiction questionnaire. *PloS One*, 8(4), e61098. <https://doi.org/10.1371/journal.pone.0061098>
- Jones, G. L., Morrell, C. J., Cooke, J. M., Speier, D., Anumba, D., & Stewart-Brown, S. (2011). The development of two postnatal health instruments: One for mothers (M-PHI) and one for fathers (F-PHI) to measure health during the first year of parenting. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 20(7), 1011–1022. <https://doi.org/10.1007/s11136-010-9832-0>
- Jones, P. W., Harding, G., Berry, P., Wiklund, I., Chen, W.-H., & Kline Leidy, N. (2009). Development and first validation of the COPD Assessment Test. *The European Respiratory Journal*, 34(3), 648–654. <https://doi.org/10.1183/09031936.00102509>
- Jozkowski, K. N., & Peterson, Z. D. (2014). Assessing the validity and reliability of the perceptions of the Consent To Sex Scale. *Journal of Sex Research*, 51(6), 632–645. <https://doi.org/10.1080/00224499.2012.757282>
- Justícia, J. L., Baró, E., Cardona, V., Guardia, P., Ojeda, P., Olaguibel, J. M., ... Vidal, C. (2011). Development of a questionnaire to assess patient satisfaction with allergen-specific immunotherapy in adults: item generation, item reduction, and preliminary

- validation. *Patient Preference and Adherence*, 5, 239–250.
<https://doi.org/10.2147/PPA.S19219>
- Kaewsarn, P., Moyle, W., & Creedy, D. (2003). Thai nurses' beliefs about breastfeeding and postpartum practices. *Journal of Clinical Nursing*, 12(4), 467–475.
<https://doi.org/10.1046/j.1365-2702.2003.00719.x>
- Kagee, A., & de Bruin, G. P. (2007). The South African Former Detainees Distress Scale: Results of a Rasch item response theory analysis. *South African Journal of Psychology*, 37(3), 518–529. <https://doi.org/10.1177/008124630703700309>
- Kano, T., & Kanda, K. (2013). Development and validation of a chemotherapy-induced taste alteration scale. *Oncology Nursing Forum*, 40(2), E79–85.
<https://doi.org/10.1188/13.ONF.E79-E85>
- Kelishadi, R., Majdzadeh, R., Motlagh, M.-E., Heshmat, R., Aminaee, T., Ardalan, G., ... Baraz, S. (2012). Development and Evaluation of a Questionnaire for Assessment of Determinants of Weight Disorders among Children and Adolescents: The Caspian-IV Study. *International Journal of Preventive Medicine*, 3(10), 699–705.
- Kertesz, S. G., Pollio, D. E., Jones, R. N., Steward, J., Stringfellow, E. J., Gordon, A. J., ... Holt, C. L. (2014). Development of the Primary Care Quality-Homeless (PCQ-H) instrument: a practical survey of homeless patients' experiences in primary care. *Medical Care*, 52(8), 734–742. <https://doi.org/10.1097/MLR.0000000000000160>
- Khalid, T. (2013). Faculty perceptions about roles and functions of a department of medical education. *Journal of the College of Physicians and Surgeons--Pakistan: JCPSP*, 23(1), 56–61. <https://doi.org/10.2147/PPA.S19219>
- Kim, J., Keininger, D. L., Becker, S., & Crawley, J. A. (2005). Simultaneous development of the Pediatric GERD Caregiver Impact Questionnaire (PGCIQ) in American English

and American Spanish. *Health and Quality of Life Outcomes*, 3, 5.

<https://doi.org/10.1186/1477-7525-3-5>

King, M., Dinos, S., Shaw, J., Watson, R., Stevens, S., Passetti, F., ... Serfaty, M. (2007). The Stigma Scale: development of a standardised measure of the stigma of mental illness. *The British Journal of Psychiatry: The Journal of Mental Science*, 190, 248–254.

<https://doi.org/10.1192/bjp.bp.106.024638>

King, M., Jones, L., Barnes, K., Low, J., Walker, C., Wilkinson, S., ... Tookman, A. (2006). Measuring spiritual belief: Development and standardization of a Beliefs and Values Scale. *Psychological Medicine*, 36(3), 417–425.

<https://doi.org/10.1017/S003329170500629X>

Kintner, E. K. (2008). Development and preliminary evaluation of the participation in life activities scale for children and adolescents with asthma: an instrument development study. *Health and Quality of Life Outcomes*, 6, 37. <https://doi.org/10.1186/1477-7525-6-37>

Klassen, A. F., Rosenberg-Yunger, Z. R. S., D'Agostino, N. M., Cano, S. J., Barr, R., Syed, I., ... Nathan, P. C. (2014). The development of scales to measure childhood cancer survivors' readiness for transition to long-term follow-up care as adults. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy*. <https://doi.org/10.1111/hex.12241>

Kleinman, L., Benjamin, K., Viswanathan, H., Mattera, M. S., Bosserman, L., Blayney, D. W., & Revicki, D. A. (2012). The Anemia Impact Measure (AIM): Development and content validation of a patient-reported outcome measure of anemia symptoms and symptom impacts in cancer patients receiving chemotherapy. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care &*

- Rehabilitation*, 21(7), 1255–1266. <https://doi.org/10.1007/s11136-011-0034-1>
- Knight, G. P., Gonzales, N. A., Saenz, D. S., Bonds, D. D., Germán, M., Deardorff, J., ... Updegraff, K. A. (2010). The Mexican American Cultural Values Scale for adolescents and adults. *The Journal of Early Adolescence*, 30(3), 444–481. <https://doi.org/10.1177/0272431609338178>
- Kondo-Endo, K., Ohashi, Y., Nakagawa, H., Katsunuma, T., Ohya, Y., Kamibeppu, K., & Masuko, I. (2009). Development and validation of a questionnaire measuring quality of life in primary caregivers of children with atopic dermatitis (QPCAD). *The British Journal of Dermatology*, 161(3), 617–625. <https://doi.org/10.1111/j.1365-2133.2009.09177.x>
- Krass, I., Delaney, C., Glaubitz, S., & Kanjanarach, T. (2009). Measuring patient satisfaction with diabetes disease state management services in community pharmacy. *Research in Social & Administrative Pharmacy*, 5(1), 31–39. <https://doi.org/10.1016/j.sapharm.2008.05.006>
- Krause, N. (2002). A comprehensive strategy for developing closed-ended survey items for use in studies of older adults. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 57(5), S263–274. <https://doi.org/10.1093/geronb/57.5.S263>
- Krespi, M. R., Bone, M., Ahmad, R., Worthington, B., & Salmon, P. (2009). The development of the Life Evaluation Questionnaire for Hemodialysis Patients. *Türk Psikiyatri Dergisi*, 20(1), 1–11.
- Krevers, B., & Milberg, A. (2014). The instrument ‘Sense of Security in Care--Patients’ Evaluation’: its development and presentation. *Psycho-Oncology*, 23(8), 914–920. <https://doi.org/10.1002/pon.3502>

- Krishna, G. S., Ramam, M., Mehta, M., Sreenivas, V., Sharma, V. K., & Khandpur, S. (2013). Vitiligo impact scale: an instrument to assess the psychosocial burden of vitiligo. *Indian Journal of Dermatology, Venereology and Leprology*, 79(2), 205–210.
<https://doi.org/10.4103/0378-6323.107637>
- Krukowski, R. A., McSweeney, J., Sparks, C., & West, D. S. (2012). Qualitative study of influences on food store choice. *Appetite*, 59(2), 510–516.
<https://doi.org/10.1016/j.appet.2012.06.019>
- Kuo, C.-L., Turton, M. A., Lee-Hsieh, J., Tseng, H.-F., & Hsu, C.-L. (2007). Measuring peer caring behaviors of nursing students: Scale development. *International Journal of Nursing Studies*, 44(1), 105–114. <https://doi.org/10.1016/j.ijnurstu.2006.07.025>
- Labbe, A. K., & Maisto, S. A. (2010). Development of the Stimulant Medication Outcome Expectancies Questionnaire for college students. *Addictive Behaviors*, 35(7), 726–729.
<https://doi.org/10.1016/j.addbeh.2010.03.010>
- Labun, E., Yurkovich, E., & Ide, B. A. (2012). Satisfaction with and benefits of a psych-social club: development of a mixed method evaluation instrument. *Archives of Psychiatric Nursing*, 26(6), 457–463. <https://doi.org/10.1016/j.apnu.2012.06.001>
- Lai, J.-S., Stucky, B. D., Thissen, D., Varni, J. W., DeWitt, E. M., Irwin, D. E., ... DeWalt, D. A. (2013). Development and psychometric properties of the PROMIS(®) pediatric fatigue item banks. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 22(9), 2417–2427.
<https://doi.org/10.1007/s11136-013-0357-1>
- Lai, Y.-H., Dalton, J. A., Belyea, M., Chen, M.-L., Tsai, L.-Y., & Chen, S.-C. (2003). Development and Testing of the Pain Opioid Analgesics Beliefs Scale in Taiwanese Cancer Patients. *Journal of Pain and Symptom Management*, 25(4), 376–385.

[https://doi.org/10.1016/S0885-3924\(02\)00681-4](https://doi.org/10.1016/S0885-3924(02)00681-4)

- Lam, T. P., Wong, J. G. W. S., Ip, M. S. M., Lam, K. F., & Pang, S. L. (2010). Psychological well-being of interns in Hong Kong: What causes them stress and what helps them. *Medical Teacher*, 32(3), e120–e126. <https://doi.org/10.3109/01421590903449894>
- Lambert, N. M., & Dollahite, D. C. (2010). Development of the Faith Activities in the Home Scale (FAITHS). *Journal of Family Issues*, 31(11), 1442–1464. <https://doi.org/10.1177/0192513X10363798>
- Lasch, K. E., Hassan, M., Endicott, J., Piau-Luis, E. C., Locklear, J., Fitz-Randolph, M., ... Jernigan, K. (2012). Development and content validity of a patient reported outcomes measure to assess symptoms of major depressive disorder. *BMC Psychiatry*, 12, 34. <https://doi.org/10.1186/1471-244X-12-34>
- Law, R.-J., Breslin, A., Oliver, E. J., Mawn, L., Markland, D. A., Maddison, P., & Thom, J. M. (2010). Perceptions of the effects of exercise on joint health in rheumatoid arthritis patients. *Rheumatology (Oxford, England)*, 49(12), 2444–2451. <https://doi.org/10.1093/rheumatology/keq299>
- Lebwohl, M., Swensen, A. R., Nyirady, J., Kim, E., Gwaltney, C. J., & Strober, B. E. (2014). The Psoriasis Symptom Diary: development and content validity of a novel patient-reported outcome instrument. *International Journal of Dermatology*, 53(6), 714–722. <https://doi.org/10.1111/j.1365-4632.2012.05798.x>
- Lee, M. J., Whitehead, J., & Ntoumanis, N. (2007). Development of the Attitudes to Moral Decision-making in Youth Sport Questionnaire (AMDYSQ). *Psychology of Sport and Exercise*, 8(3), 369–392. <https://doi.org/10.1016/j.psychsport.2006.12.002>
- Lehane, E., McCarthy, G., Collender, V., Deasy, A., & O’Sullivan, K. (2013). The Reasoning and Regulating Medication Adherence Instrument for patients with coronary artery

- disease: Development and psychometric evaluation. *Journal of Nursing Measurement*, 21(1), 64–79. <https://doi.org/10.1891/1061-3749.21.1.64>
- Lei, R.-L., Wang, S.-L., Cheng, C.-P., Chen, P. K.-T., & Chin, C.-C. (2010). Psychometric evaluation of the stress scale for parents with cleft lip and/or palate children--a preliminary study. *The Cleft Palate-Craniofacial Journal: Official Publication of the American Cleft Palate-Craniofacial Association*, 47(5), 482–490. <https://doi.org/10.1597/08-214>
- Leidy, N. K., Mathias, S. D., Parasuraman, B. M., Patrick, D. L., & Pathak, D. (2008). Development and validation of an onset of effect questionnaire for patients with asthma. *Allergy and Asthma Proceedings: The Official Journal of Regional and State Allergy Societies*, 29(6), 590–599. <https://doi.org/10.2500/aap.2008.29.3164>
- Leidy, N. K., Wilcox, T. K., Jones, P. W., Murray, L., Winnette, R., Howard, K., ... EXACT-PRO Study Group. (2010). Development of the EXAcerbations of Chronic Obstructive Pulmonary Disease Tool (EXACT): a patient-reported outcome (PRO) measure. *Value in Health: The Journal of the International Society for Pharmacoeconomics and Outcomes Research*, 13(8), 965–975. <https://doi.org/10.1111/j.1524-4733.2010.00772.x>
- Lempa, M., Goodman, R. M., Rice, J., & Becker, A. B. (2008). Development of scales measuring the capacity of community-based initiatives. *Health Education & Behavior: The Official Publication of the Society for Public Health Education*, 35(3), 298–315. <https://doi.org/10.1177/1090198106293525>
- Lévy, P., Elies, D., Dithmer, O., Gil-Campos, I., Benmedjahed, K., Berdeaux, G., & Arnould, B. (2010). Development of a new subjective questionnaire: the Freedom from Glasses Value Scale (FGVS). *Journal of Refractive Surgery (Thorofare, N.J.: 1995)*, 26(6),

- 438–446. <https://doi.org/10.3928/1081597X-20090728-03>
- Li, J. C. M., Lo, T. W., Cheng, C. H. K., & Wu, J. (2012). Measuring the subjective perceptions of risks and rewards of Chinese juvenile thieves. *Psychology, Crime & Law*, 18(8), 689–701. <https://doi.org/10.1080/1068316X.2010.534479>
- Lin, J.-S. C., & Hsieh, P.-L. (2011). Assessing the self-service technology encounters: Development and validation of SSTQUAL scale. *Journal of Retailing*, 87(2), 194–206. <https://doi.org/10.1016/j.jretai.2011.02.006>
- Lindberg, J., Kreuter, M., Person, L.-O., & Taft, C. (2013). Patient Participation in Rehabilitation Questionnaire (PPRQ)-development and psychometric evaluation. *Spinal Cord*, 51(11), 838–842. <https://doi.org/10.1038/sc.2013.98>
- Liu, X.-Y., Härtel, C. E. J., & Sun, J. J.-M. (2014). The Workgroup Emotional Climate Scale: Theoretical development, empirical validation, and relationship with workgroup effectiveness. *Group & Organization Management*, 39(6), 626–663. <https://doi.org/10.1177/1059601114554453>
- Luquiens, A., Whalley, D., Crawford, S. R., Laramée, P., Doward, L., Price, M., ... Aubin, H. J. (2014). Development of the Alcohol Quality of Life Scale (AQoLS): a new patient-reported outcome measure to assess health-related quality of life in alcohol use disorder. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*. <https://doi.org/10.1007/s11136-014-0865-7>
- Lynch, J., Moore, M., Moss-Morris, R., & Kendrick, T. (2011). Are patient beliefs important in determining adherence to treatment and outcome for depression? Development of the beliefs about depression questionnaire. *Journal of Affective Disorders*, 133(1–2), 29–41. <https://doi.org/10.1016/j.jad.2011.03.019>
- Lynn, M. R., McMillen, B. J., & Sidani, S. (2007). Understanding and measuring patients'

- assessment of the quality of nursing care. *Nursing Research*, 56(3), 159–166.
<https://doi.org/10.1097/01.NNR.0000270025.52242.70>
- Lynn, M. R., Morgan, J. C., & Moore, K. A. (2009). Development and testing of the Satisfaction in Nursing Scale. *Nursing Research*, 58(3), 166–174.
<https://doi.org/10.1097/NNR.0b013e3181a308ba>
- Lyonette, C., & Yardley, L. (2003). The influence on carer wellbeing of motivations to care for older people and the relationship with the care recipient. *Ageing & Society*, 23(4), 487–506. <https://doi.org/10.1017/S0144686X03001284>
- MacDonagh, R. P., Porter, T., Pontin, D., & Ewings, P. (2004). The ED-EQoL: The development of a new quality of life measure for patients with erectile dysfunction. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 13(2), 361–368.
<https://doi.org/10.1023/B:QURE.0000018471.04066.4c>
- Magowe, M. K. M. (2012). Procedures for an instrument development study: the Botswana experience. *International Nursing Review*, 59(2), 281–288.
<https://doi.org/10.1111/j.1466-7657.2011.00950.x>
- Mao, J. J., Armstrong, K., Farrar, J. T., & Bowman, M. A. (2007). Acupuncture expectancy scale: development and preliminary validation in China. *Explore (New York, N.Y.)*, 3(4), 372–377. <https://doi.org/10.1016/j.explore.2006.12.003>
- Marant, C., Arnould, B., Marrel, A., Spizak, C., Colombel, J.-F., Faure, P., ... Goldfarb, G. (2011). Assessing patients' satisfaction with anti-TNF α treatment in Crohn's disease: qualitative steps of the development of a new questionnaire. *Clinical and Experimental Gastroenterology*, 4, 173–180. <https://doi.org/10.2147/CEG.S18585>
- Marcinowicz, L., Rybaczuk, M., Grebowski, R., & Chlabicz, S. (2010). A short questionnaire

- for measuring the quality of patient visits to family practices. *International Journal for Quality in Health Care*, 22(4), 294–301. <https://doi.org/10.1093/intqhc/mzq034>
- Marquis, P., Lasch, K. E., Delgado-Herrera, L., Kothari, S., Lembo, A., Lademacher, C., ... Zeiher, B. (2014). Qualitative development of a patient-reported outcome symptom measure in diarrhea-predominant irritable bowel syndrome. *Clinical and Translational Gastroenterology*, 5, e59. <https://doi.org/10.1038/ctg.2014.7>
- Martin, M. L., Patrick, D. L., Bushnell, D. M., Meltzer, E. O., Gutierrez, B., & Parasuraman, B. (2009). Development of the asthma treatment satisfaction measure. *Current Medical Research and Opinion*, 25(10), 2495–2506. <https://doi.org/10.1185/03007990903158430>
- Mason, V. L., Skevington, S. M., & Osborn, M. (2008). A measure for quality of life assessment in chronic pain: preliminary properties of the WHOQOL-pain. *Journal of Behavioral Medicine*, 32(2), 162–173. <https://doi.org/10.1007/s10865-008-9187-y>
- Maybery, D., & Reupert, A. (2006). Workforce capacity to respond to children whose parents have a mental illness. *Australian and New Zealand Journal of Psychiatry*, 40(8), 657–664. <https://doi.org/10.1111/j.1440-1614.2006.01865.x>
- Mbuagbaw, L., Bonono Momnougui, R. C., Thabane, L., & Ongolo-Zogo, P. (2014). The health competence measurement tool (HCMT): developing a new scale to measure self-rated ‘health competence’. *Patient Education and Counseling*, 97(3), 396–402. <https://doi.org/10.1016/j.pec.2014.09.013>
- Mbuba, C. K., Abubakar, A., Odermatt, P., Newton, C. R., & Carter, J. A. (2012). Development and validation of the Kilifi Stigma Scale for Epilepsy in Kenya. *Epilepsy & Behavior: E&B*, 24(1), 81–85. <https://doi.org/10.1016/j.yebeh.2012.02.019>
- Mc Sharry, J., Bishop, F. L., Moss-Morris, R., Holt, R. I. G., & Kendrick, T. (2015). A new

measure of multimorbid illness and treatment representations: The example of diabetes and depression. *Journal of Affective Disorders*, 174, 192–200.

<https://doi.org/10.1016/j.jad.2014.11.050>

McFadden, E., Horton, M. C., Ford, H. L., Gilworth, G., McFadden, M., & Tennant, A.

(2012). Screening for the risk of job loss in multiple sclerosis (MS): development of an MS-specific Work Instability Scale (MS-WIS). *Multiple Sclerosis (Houndmills, Basingstoke, England)*, 18(6), 862–870. <https://doi.org/10.1177/1352458511428463>

McGuire-Snieckus, R., McCabe, R., Catty, J., Hansson, L., & Priebe, S. (2007). A new scale to assess the therapeutic relationship in community mental health care: STAR.

Psychological Medicine, 37(1), 85–95. <https://doi.org/10.1017/S0033291706009299>

McHorney, C. A. (2009). The Adherence Estimator: A brief, proximal screener for patient propensity to adhere to prescription medications for chronic disease. *Current Medical Research and Opinion*, 25(1), 215–238. <https://doi.org/10.1185/03007990802619425>

McKenna, S. P., Cook, S. A., Whalley, D., Doward, L. C., Richards, H. L., Griffiths, C. E. M., & Van Assche, D. (2003). Development of the PSORIQoL, a psoriasis-specific measure of quality of life designed for use in clinical practice and trials. *The British Journal of Dermatology*, 149(2), 323–331. <https://doi.org/10.1046/j.1365-2133.2003.05492.x>

McKenna, S. P., Doughty, N., Meads, D. M., Doward, L. C., & Pepke-Zaba, J. (2006). The Cambridge Pulmonary Hypertension Outcome Review (CAMPHOR): A measure of health-related quality of life and quality of life for patients with pulmonary hypertension. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 15(1), 103–115.

<https://doi.org/10.1007/s11136-005-3513-4>

- McKenna, S. P., Doward, L. C., Whalley, D., Tennant, A., Emery, P., & Veale, D. J. (2004). Development of the PsAQoL: a quality of life instrument specific to psoriatic arthritis. *Annals of the Rheumatic Diseases*, 63(2), 162–169.
<https://doi.org/10.1136/ard.2003.006296>
- McKenna, S. P., Meads, D. M., Doward, L. C., Twiss, J., Pokrzywinski, R., Revicki, D., ... Glendenning, G. A. (2011). Development and validation of the living with chronic obstructive pulmonary disease questionnaire. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 20(7), 1043–1052. <https://doi.org/10.1007/s11136-011-9850-6>
- McKenna, S. P., Whalley, D., Dewar, A. L., Erdman, R. A. M., Kohlmann, T., Niero, M., ... van Assche, D. (2005). International development of the Parents' Index of Quality of Life in Atopic Dermatitis (PIQoL-AD). *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 14(1), 231–241. <https://doi.org/10.1007/s11136-004-4231-z>
- McLafferty, E. (2007). Developing a questionnaire to measure nurses' attitudes towards hospitalized older people. *International Journal of Older People Nursing*, 2(2), 83–92.
<https://doi.org/10.1111/j.1748-3743.2007.00073.x>
- McTaggart-Cowan, H. M., O'Cathain, A., Tsuchiya, A., & Brazier, J. E. (2012). Using mixed methods research to explore the effect of an adaptation exercise on general population valuations of health states. *Quality of Life Research*, 21(3), 465–473.
<https://doi.org/10.1007/s11136-011-9994-4>
- Merriman, B., Guerin, S., Horgan, F., & Maguire, B. (2011). Developing a brief tool for anger assessment in clinical settings. *Irish Journal of Psychological Medicine*, 28(1), 13–20.
<https://doi.org/10.1017/S079096670001185X>

- Michalak, E. E., & Murray, G. (2010). Development of the QoL.BD: A disorder-specific scale to assess quality of life in bipolar disorder. *Bipolar Disorders*, 12(7), 727–740. <https://doi.org/10.1111/j.1399-5618.2010.00865.x>
- Mills, R. J., Young, C. A., Pallant, J. F., & Tennant, A. (2010). Development of a patient reported outcome scale for fatigue in multiple sclerosis: The Neurological Fatigue Index (NFI-MS). *Health and Quality of Life Outcomes*, 8, 22. <https://doi.org/10.1186/1477-7525-8-22>
- Mincey, K., Alfonso, M., Hackney, A., & Luque, J. (2014). Being a Black man: Development of the Masculinity Inventory Scale (MIS) for black men. *The Journal of Men's Studies*, 22(3), 167–179. <https://doi.org/10.3149/jms.2203.167>
- Mishali, M., Vaknin, Y. S., Omer, H., & Heymann, A. D. (2007). Conceptualization and measurement of resistance to treatment: The resistance to treatment questionnaire for people with diabetes. *Family Practice*, 24(6), 610–615. <https://doi.org/10.1093/fampra/cmm057>
- Mitchell, K. R., Ploubidis, G. B., Datta, J., & Wellings, K. (2012). The Natsal-SF: a validated measure of sexual function for use in community surveys. *European Journal of Epidemiology*, 27(6), 409–418. <https://doi.org/10.1007/s10654-012-9697-3>
- Miyashita, M., Yamaguchi, A., Kayama, M., Narita, Y., Kawada, N., Akiyama, M., ... Fukuhara, S. (2006). Validation of the Burden Index of Caregivers (BIC), a multidimensional short care burden scale from Japan. *Health and Quality of Life Outcomes*, 4. Retrieved from miyasita-tyk@umin.net <https://doi.org/10.1186/1477-7525-4-52>
- Molaeinezhad, M., Khoei, E. M., Salehi, M., Yousfy, A., & Roudsari, R. L. (2014). Validation of the partner version of the multidimensional vaginal penetration disorder

- questionnaire: A tool for clinical assessment of lifelong vaginismus in a sample of Iranian population. *Journal of Education and Health Promotion*, 3, 114.
<https://doi.org/10.4103/2277-9531.145913>
- Molassiotis, A., Lowe, M., Ellis, J., Wagland, R., Bailey, C., Lloyd-Williams, M., ... Smith, J. (2011). The experience of cough in patients diagnosed with lung cancer. *Supportive Care in Cancer: Official Journal of the Multinational Association of Supportive Care in Cancer*, 19(12), 1997–2004. <https://doi.org/10.1007/s00520-010-1050-3>
- Moret, L., Anthoine, E., Aubert-Wastiaux, H., Le Rhun, A., Leux, C., Mazereeuw-Hautier, J., ... Barbarot, S. (2013). TOPICOP©: a new scale evaluating topical corticosteroid phobia among atopic dermatitis outpatients and their parents. *PloS One*, 8(10), e76493. <https://doi.org/10.1371/journal.pone.0076493>
- Morris, A. E., Lutman, M. E., & Yardley, L. (2008). Measuring outcome from Vestibular Rehabilitation, Part I: Qualitative development of a new self-report measure. *International Journal of Audiology*, 47(4), 169–177.
<https://doi.org/10.1080/14992020701843129>
- Mui, W.-C., Chang, C.-M., Cheng, K.-F., Lee, T.-Y., Lui, P.-W., & Hwang, F.-M. (2009). Patient satisfaction with anesthesia care in Taiwan: development and validation of a pilot version of a psychometric questionnaire. *Acta Anaesthesiologica Taiwanica: Official Journal of the Taiwan Society of Anesthesiologists*, 47(4), 180–188.
[https://doi.org/10.1016/S1875-4597\(09\)60052-7](https://doi.org/10.1016/S1875-4597(09)60052-7)
- Mukherjee, S., Beresford, B., & Tennant, A. (2014). Staff burnout in paediatric oncology: new tools to facilitate the development and evaluation of effective interventions. *European Journal of Cancer Care*, 23(4), 450–461. <https://doi.org/10.1111/ecc.12176>
- Munir, F., Yarker, J., Hicks, B., & Donaldson-Feilder, E. (2012). Returning employees back

- to work: Developing a measure for Supervisors to Support Return to Work (SSRW). *Journal of Occupational Rehabilitation*, 22(2), 196–208.
<https://doi.org/10.1007/s10926-011-9331-3>
- Muriel, A. C., Moore, C. W., Baer, L., Park, E. R., Kornblith, A. B., Pirl, W., ... Rauch, P. K. (2012). Measuring psychosocial distress and parenting concerns among adults with cancer: the Parenting Concerns Questionnaire. *Cancer*, 118(22), 5671–5678.
<https://doi.org/10.1002/cncr.27572>
- Myers, M. G., & MacPherson, L. (2008). Adolescent reasons for quitting smoking: Initial psychometric evaluation. *Psychology of Addictive Behaviors*, 22(1), 129–134.
<https://doi.org/10.1037/0893-164X.22.1.129>
- Nahidi, F., Tavafian, S. S., Heidarzadeh, M., Hajzadeh, E., & Montazeri, A. (2014). The Mother-Newborn Skin-to-Skin Contact Questionnaire (MSSCQ): development and psychometric evaluation among Iranian midwives. *BMC Pregnancy and Childbirth*, 14, 85. <https://doi.org/10.1186/1471-2393-14-85>
- Neff, J. A. (2008). A new multidimensional measure of spirituality-religiosity for use in diverse substance abuse treatment populations. *Journal for the Scientific Study of Religion*, 47(3), 393–409. <https://doi.org/10.1111/j.1468-5906.2008.00417.x>
- Neilands, T. B., Chakravarty, D., Darbes, L. A., Beougher, S. C., & Hoff, C. C. (2010). Development and validation of the Sexual Agreement Investment Scale. *Journal of Sex Research*, 47(1), 24–37. <https://doi.org/10.1080/00224490902916017>
- Nelson, B., & Rawlings, D. (2009). How does it feel? The development of the Experience of Creativity Questionnaire. *Creativity Research Journal*, 21(1), 43–53.
<https://doi.org/10.1080/10400410802633442>
- Ng-Mak, D. S., Fitzgerald, K. A., Norquist, J. M., Banderas, B. F., Nelsen, L. M., Evans, C.

- J., ... Bigal, M. (2011). Key concepts of migraine postdrome: a qualitative study to develop a post-migraine questionnaire. *Headache*, 51(1), 105–117.
<https://doi.org/10.1111/j.1526-4610.2010.01817.x>
- Ni Riordain, R., Meaney, S., & McCreary, C. (2011). A patient-centered approach to developing a quality-of-life questionnaire for chronic oral mucosal diseases. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics*, 111(5), 578–586, 586.e1–2. <https://doi.org/10.1016/j.tripleo.2010.12.011>
- Niero, M., Martin, M., Finger, T., Lucas, R., Mear, I., Wild, D., ... Patrick, D. L. (2002). A new approach to multicultural item generation in the development of two obesity-specific measures: The Obesity and Weight Loss Quality of Life (OWLQOL) Questionnaire and the Weight-Related Symptom Measure (WRSM). *Clinical Therapeutics: The International Peer-Reviewed Journal of Drug Therapy*, 24(4), 690–700. [https://doi.org/10.1016/S0149-2918\(02\)85144-X](https://doi.org/10.1016/S0149-2918(02)85144-X)
- Nordmann, J.-P., Denis, P., Vigneux, M., Trudeau, E., Guillemin, I., & Berdeaux, G. (2007). Development of the conceptual framework for the Eye-Drop Satisfaction Questionnaire (EDSQ) in glaucoma using a qualitative study. *BMC Health Services Research*, 7, 124. <https://doi.org/10.1186/1472-6963-7-124>
- O'Shaughnessy, P. K., Ireland, C., Pelentsov, L., Thomas, L. A., & Esterman, A. J. (2013). Impaired sexual function and prostate cancer: A mixed method investigation into the experiences of men and their partners. *Journal of Clinical Nursing*, 22(23–24), 3492–3502. <https://doi.org/10.1111/jocn.12190>
- Ogedegbe, G., Mancuso, C. A., Allegrante, J. P., & Charlson, M. E. (2003). Development and evaluation of a medication adherence self-efficacy scale in hypertensive African-American patients. *Journal of Clinical Epidemiology*, 56(6), 520–529. DOI:

10.1016/S0895-4356(03)00053-2

- Ono, S., & Manabe, Y. (2014). Development of the Parental Self-Efficacy Scale for Child Autonomy toward Minor Surgery (PSESCAMS): based on results of questionnaire surveys of parents raising children between 3 and 6 years old. *Japan Journal of Nursing Science: JJNS*, 11(3), 151–159. <https://doi.org/10.1111/jjns.12016>
- Oosterheert, I. E., Vermunt, J. D., & Denessen, E. (2002). Assessing orientations to learning to teach. *The British Journal of Educational Psychology*, 72(Pt 1), 41–64. <https://doi.org/10.1348/000709902158766>
- Opel, D. J., Mangione-Smith, R., Taylor, J. A., Korfatis, C., Wiese, C., Catz, S., & Martin, D. P. (2011). Development of a survey to identify vaccine-hesitant parents: the parent attitudes about childhood vaccines survey. *Human Vaccines*, 7(4), 419–425. <https://doi.org/10.4161/hv.7.4.14120>
- Oransky, M., & Fisher, C. (2009). The development and validation of the meanings of adolescent masculinity scale. *Psychology of Men & Masculinity*, 10(1), 57–72. <https://doi.org/10.1037/a0013612>
- Pachter, L. M., Szalacha, L. A., Bernstein, B. A., & Coll, C. G. (2010). Perceptions of Racism in Children and Youth (PRaCY): Properties of a self-report instrument for research on children's health and development. *Ethnicity & Health*, 15(1), 33–46. <https://doi.org/10.1080/13557850903383196>
- Panchapakesan, V., Klassen, A. F., Cano, S. J., Scott, A. M., & Pusic, A. L. (2013). Development and psychometric evaluation of the FACE-Q Aging Appraisal Scale and Patient-Perceived Age Visual Analog Scale. *Aesthetic Surgery Journal / the American Society for Aesthetic Plastic Surgery*, 33(8), 1099–1109. <https://doi.org/10.1177/1090820X13510170>

- Panepinto, J. A., Torres, S., & Varni, J. W. (2012). Development of the PedsQL™ Sickle Cell Disease Module items: qualitative methods. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 21(2), 341–357. <https://doi.org/10.1007/s11136-011-9941-4>
- Paradis, K., Carron, A., & Martin, L. (2014). Development and validation of an inventory to assess conflict in sport teams: the Group Conflict Questionnaire. *Journal of Sports Sciences*, 32(20), 1966–1978. <https://doi.org/10.1080/02640414.2014.970220>
- Perrin, C., Perrin, P. B., Blauth, C., Apthorp, E., Duffy, R. D., Bonterre, M., & Daniels, S. (2012). Factor analysis of global trends in twenty-first century leadership. *Leadership & Organization Development Journal*, 33(2), 175–199. <https://doi.org/10.1108/01437731211203474>
- Perwien, A. R., Kratochvil, C. J., Faries, D., Vaughan, B., Busner, J., Saylor, K. E., ... Swindle, R. (2008). Emotional expression in children treated with ADHD medication: development of a new measure. *Journal of Attention Disorders*, 11(5), 568–579. <https://doi.org/10.1177/1087054707306117>
- Pilkonis, P. A., Choi, S. W., Reise, S. P., Stover, A. M., Riley, W. T., Cella, D., & PROMIS Cooperative Group. (2011). Item banks for measuring emotional distress from the Patient-Reported Outcomes Measurement Information System (PROMIS®): depression, anxiety, and anger. *Assessment*, 18(3), 263–283. <https://doi.org/10.1177/1073191111411667>
- Plastow, N. A., Spiliotopoulou, G., Atwal, A., & Gilhooly, M. (2014). The Occupational Performance Measure of Food Activities: Item pool development and measurement properties. *The British Journal of Occupational Therapy*, 77(2), 111–120. <https://doi.org/10.4276/030802214X13916969447353>

- Poghosyan, L., Nannini, A., Finkelstein, S. R., Mason, E., & Shaffer, J. A. (2013). Development and psychometric testing of the Nurse Practitioner Primary Care Organizational Climate Questionnaire. *Nursing Research*, 62(5), 325–334. <https://doi.org/10.1097/NNR.0b013e3182a131d2>
- Pokrzywinski, R. F., Meads, D. M., McKenna, S. P., Glendenning, G. A., & Revicki, D. A. (2009). Development and psychometric assessment of the COPD and Asthma Sleep Impact Scale (CASIS). *Health and Quality of Life Outcomes*, 7, 98. <https://doi.org/10.1186/1477-7525-7-98>
- Poole, H. M., Murphy, P., & Nurmikko, T. J. (2009). Development and preliminary validation of the NePIQoL: a quality-of-life measure for neuropathic pain. *Journal of Pain and Symptom Management*, 37(2), 233–245. <https://doi.org/10.1016/j.jpainsymman.2008.01.012>
- Porst, H., Gilbert, C., Collins, S., Huang, X., Symonds, T., Stecher, V., & Hvidsten, K. (2007). Development and validation of the quality of erection questionnaire. *The Journal of Sexual Medicine*, 4(2), 372–381. <https://doi.org/10.1111/j.1743-6109.2006.00422.x>
- Praditsathaporn, C., Chandanasotthi, P., Amnatsatsuee, K., Nityasudd, D., & Sunsern, R. (2011). Mental health assessment tool for older thai adults: development and psychometric testing. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 42(3), 744–753.
- Prior, N., Remor, E., Gómez-Traseira, C., López-Serrano, C., Cabañas, R., Contreras, J., ... Caballero, T. (2012). Development of a disease-specific quality of life questionnaire for adult patients with hereditary angioedema due to C1 inhibitor deficiency (HAE-QoL): Spanish multi-centre research project. *Health and Quality of Life Outcomes*, 10,

82. <https://doi.org/10.1186/1477-7525-10-82>

Pulerwitz, J., & Barker, G. (2008). Measuring attitudes toward gender norms among young men in Brazil: Development and psychometric evaluation of the GEM scale. *Men and Masculinities*, 10(3), 322–338. <https://doi.org/10.1177/1097184X06298778>

Rahmani, A., Merghati-Khoei, E., Moghadam-Banaem, L., Hajizadeh, E., Hamdieh, M., & Montazeri, A. (2014). Development and psychometric evaluation of the Premarital Sexual Behavior Assessment Scale for Young Women (PSAS-YW): an exploratory mixed method study. *Reproductive Health*, 11, 43. <https://doi.org/10.1186/1742-4755-11-43>

Ramirez, M., Watkins, B., Teresi, J. A., Silver, S., Sukha, G., Bortagis, G., ... Pillemer, K. (2013). Using qualitative methods to develop a measure of resident-to-resident elder mistreatment in nursing homes. *International Psychogeriatrics / IPA*, 25(8), 1245–1256. <https://doi.org/10.1017/S1041610213000264>

Rantz, M. J., Zwygart-Stauffacher, M., Mehr, D. R., Petroski, G. F., Owen, S. V., Madsen, R. W., ... Maas, M. (2006). Field testing, refinement, and psychometric evaluation of a new measure of nursing home care quality. *Journal of Nursing Measurement*, 14(2), 129–148. DOI: 10.1891/jnm-v14i2a005

Rashidian, A., & Russell, I. (2011). Intentions and statins prescribing: can the Theory of Planned Behaviour explain physician behaviour in following guideline recommendations? *Journal of Evaluation in Clinical Practice*, 17(4), 749–757. <https://doi.org/10.1111/j.1365-2753.2011.01690.x>

Read, J. R., Perz, J., & Ussher, J. M. (2014). Ways of coping with premenstrual change: development and validation of a premenstrual coping measure. *BMC Women's Health*, 14, 1. <https://doi.org/10.1186/1472-6874-14-1>

Redman, R. W., & Lynn, M. R. (2005). Assessment of Patient Expectations for Care.

Research and Theory for Nursing Practice: An International Journal, 19(3), 275–285.

<https://doi.org/10.1891/rtnp.2005.19.3.275>

Reissmann, D. R., Hacker, T., Farhan, D., & Heydecke, G. (2013). The Burdens in Prosthetic

Dentistry Questionnaire (BiPD-Q): development and validation of a patient-based

measure for process-related quality of care in prosthetic dentistry. *The International*

Journal of Prosthodontics, 26(3), 250–259. DOI: 10.11607/ijp.3266

Remor, E. (2013). Development and psychometric testing of the Hemophilia Well-being

Index. *International Journal of Behavioral Medicine*, 20(4), 609–617. DOI:

10.1007/s12529-012-9261

Remor, E., Fuster, M. J., Ballester-Arnal, R., Gómez-Martínez, S., Fumaz, C. R., González-

Garcia, M., ... Molero, F. (2012). Development of a new instrument for the

assessment of psychological predictors of well-being and quality of life in people with

HIV or AIDS. *AIDS and Behavior*, 16(8), 2414–2423. [https://doi.org/10.1007/s10461-](https://doi.org/10.1007/s10461-012-0230-1)

012-0230-1

Revah-Levy, A., Birmaher, B., Gasquet, I., & Falissard, B. (2007). The Adolescent

Depression Rating Scale (ADRS): A validation study. *BMC Psychiatry*, 7.

<https://doi.org/10.1186/1471-244X-7-2>

Richards, K. M. (2008). RAP Project—An Instrument Development Study to Determine

Common Attributes for Pain Assessment among Men and Women Who Represent

Multiple Pain-Related Diagnoses. *Pain Management Nursing*, 9(1), 33–43.

<https://doi.org/10.1016/j.pmn.2007.05.001>

Roberts, L. D., & Povee, K. (2014a). A brief measure of attitudes toward mixed methods

research in psychology. *Frontiers in Psychology*, 5, 1312.

<https://doi.org/10.3389/fpsyg.2014.01312>

Roberts, L. D., & Povee, K. (2014b). A brief measure of attitudes towards qualitative research in psychology. *Australian Journal of Psychology*, 66(4), 249–256.

<https://doi.org/10.1111/ajpy.12059>

Robinson, S., Gunderson, A., Rosher, R., & Tomkowiak, J. (2003). Development of an instrument to measure health professionals' beliefs and opinions about the elderly (HPBOE). *Gerontology & Geriatrics Education*, 23(3), 39–50.

https://doi.org/10.1300/J021v23n03_03

Ronen, G. M., Rosenbaum, P., Law, M., & Streiner, D. L. (2001). Health-related quality of life in childhood disorders: a modified focus group technique to involve children. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 10(1), 71–79. DOI: 10.1023/A:1016659917227

Roque, F., Soares, S., Breitenfeld, L., Gonzalez-Gonzalez, C., Figueiras, A., & Herdeiro, M. T. (2014). Portuguese community pharmacists' attitudes to and knowledge of antibiotic misuse: questionnaire development and reliability. *PloS One*, 9(3), e90470. <https://doi.org/10.1371/journal.pone.0090470>

Rosen, R. C., Araujo, A. B., Connor, M. K., Elstad, E. A., McGraw, S. A., Guay, A. T., ... Miner, M. M. (2009). Assessing symptoms of hypogonadism by self-administered questionnaire: qualitative findings in patients and controls. *The Aging Male: The Official Journal of the International Society for the Study of the Aging Male*, 12(2–3), 77–85. <https://doi.org/10.1080/13685530903184043>

Rosen, R. C., Catania, J., Pollack, L., Althof, S., O'Leary, M., & Seftel, A. D. (2004). Male Sexual Health Questionnaire (MSHQ): scale development and psychometric validation. *Urology*, 64(4), 777–782. <https://doi.org/10.1016/j.urology.2004.04.056>

- Rosenfeld, B., Pessin, H., Lewis, C., Abbey, J., Olden, M., Sachs, E., ... Breitbart, W. (2011). Assessing hopelessness in terminally ill cancer patients: development of the Hopelessness Assessment in Illness Questionnaire. *Psychological Assessment*, 23(2), 325–336. <https://doi.org/10.1037/a0021767>
- Rossen, E. K., & Gruber, K. J. (2007). Development and psychometric testing of the relocation self-efficacy scale. *Nursing Research*, 56(4), 244–251. <https://doi.org/10.1097/01.NNR.0000280609.16244.de>
- Royal, S., Macdonald, D. E., & Dionne, M. M. (2013). Development and validation of the Fat Talk Questionnaire. *Body Image*, 10(1), 62–69. <https://doi.org/10.1016/j.bodyim.2012.10.003>
- Rubio-Aurioles, E., Sand, M., Terrein-Roccatti, N., Dean, J., Longworth, J., Eardley, I., ... Rampazzo-Bonaldo, C. (2009). Female Assessment of Male Erectile dysfunction detection scale (FAME): development and validation. *The Journal of Sexual Medicine*, 6(8), 2255–2270. <https://doi.org/10.1111/j.1743-6109.2009.01348.x>
- Rushton, P. W., Miller, W. C., Lee Kirby, R., Eng, J. J., & Yip, J. (2011). Development and content validation of the Wheelchair Use Confidence Scale: a mixed-methods study. *Disability and Rehabilitation. Assistive Technology*, 6(1), 57–66. <https://doi.org/10.3109/17483107.2010.512970>
- Ryan, C., Russell, S. T., Huebner, D., Diaz, R., & Sanchez, J. (2010). Family acceptance in adolescence and the health of LGBT young adults. *Journal of Child and Adolescent Psychiatric Nursing*, 23(4), 205–213. <https://doi.org/10.1111/j.1744-6171.2010.00246.x>
- Şad, S. N. (2012). An attitude scale for smart board use in education: Validity and reliability studies. *Computers & Education*, 58(3), 900–907.

<https://doi.org/10.1016/j.compedu.2011.10.017>

Sadlo, A., Altevers, J., Peplies, J., Kaltz, B., Claßen, M., Bauer, A., ... Timmer, A. (2014).

Measuring satisfaction with health care in young persons with inflammatory bowel disease--an instrument development and validation study. *BMC Health Services Research*, 14, 97. <https://doi.org/10.1186/1472-6963-14-97>

Sailors, M. H., Bodurka, D. C., Gning, I., Ramondetta, L. M., Williams, L. A., Mendoza, T.

R., ... Cleeland, C. S. (2013). Validating the M. D. Anderson Symptom Inventory (MDASI) for use in patients with ovarian cancer. *Gynecologic Oncology*, 130(2), 323–328. <https://doi.org/10.1016/j.ygyno.2013.05.009>

Saingam, D., Assanangkornchai, S., Geater, A. F., & Lerkiatbundit, S. (2014). Validation of Krathom (*Mitragyna speciosa* Korth.) Dependence Scale (KDS): a dependence screen for internationally emerging psychoactive substance. *Substance Abuse: Official Publication of the Association for Medical Education and Research in Substance Abuse*, 35(3), 276–283. <https://doi.org/10.1080/08897077.2014.924464>

Salsman, J. M., Victorson, D., Choi, S. W., Peterman, A. H., Heinemann, A. W., Nowinski, C., & Cella, D. (2013). Development and validation of the positive affect and well-being scale for the neurology quality of life (Neuro-QOL) measurement system. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 22(9), 2569–2580.

<https://doi.org/10.1007/s11136-013-0382-0>

Sartori, R., Ceschi, A., Cubico, S., & Favretto, G. (2014). Quality and quantity in the construction and validation of a psychological test for the assessment and selection of aspiring volunteer rescuers: The action-research in an Italian health association. *Quality & Quantity: International Journal of Methodology*, 48(6), 3037–3051.

<https://doi.org/10.1007/s11135-013-9939-9>

Sayles, J. N., Hays, R. D., Sarkisian, C. A., Mahajan, A. P., Spritzer, K. L., & Cunningham, W. E. (2008). Development and psychometric assessment of a multidimensional measure of internalized HIV stigma in a sample of HIV-positive adults. *AIDS and Behavior*, 12(5), 748–758. <https://doi.org/10.1007/s10461-008-9375-3>

Scarinci, N., Worrall, L., & Hickson, L. (2009). The effect of hearing impairment in older people on the spouse: development and psychometric testing of the significant other scale for hearing disability (SOS-HEAR). *International Journal of Audiology*, 48(10), 671–683. <https://doi.org/10.1080/14992020902998409>

Schuck, K., & Liddle, B. J. (2004). The Female Manager's Experience: A Concept Map and Assessment Tool. *Consulting Psychology Journal: Practice and Research*, 56(2), 75–87. <https://doi.org/10.1037/1061-4087.56.2.75>

Serpell, L., Teasdale, J. D., Troop, N. A., & Treasure, J. (2004). The development of the P-CAN, a measure to operationalize the pros and cons of anorexia nervosa. *The International Journal of Eating Disorders*, 36(4), 416–433. <https://doi.org/10.1002/eat.20040>

Shanahan, M.-C., & Nieswandt, M. (2011). Science student role: Evidence of social structural norms specific to school science. *Journal of Research in Science Teaching*, 48(4), 367–395. <https://doi.org/10.1002/tea.20406>

Shellenberg, K. M., Hessini, L., & Levandowski, B. A. (2014). Developing a scale to measure stigmatizing attitudes and beliefs about women who have abortions: results from Ghana and Zambia. *Women & Health*, 54(7), 599–616. <https://doi.org/10.1080/03630242.2014.919982>

Shih, S.-N., Gau, M.-L., Lo, C.-H. K., & Shih, F.-J. (2005). Health Needs Instrument for

- hospitalized single-living Taiwanese elders with heart disease: Triangulation research design. *Journal of Clinical Nursing*, 14(10), 1210–1222.
<https://doi.org/10.1111/j.1365-2702.2005.01201.x>
- Siu, O., Spector, P. E., & Cooper, C. L. (2006). A three-phase study to develop and validate a Chinese coping strategies scales in Greater China. *Personality and Individual Differences*, 41(3), 537–548. <https://doi.org/10.1016/j.paid.2006.02.012>
- Sixma, H. J., van Campen, C., Kerssens, J. J., & Peters, L. (2000). Quality of care from the perspective of elderly people: the QUOTE-elderly instrument. *Age and Ageing*, 29(2), 173–178. <https://doi.org/10.1093/ageing/29.2.173>
- Slater, P., McCormack, B., & Bunting, B. (2009). The development and pilot testing of an instrument to measure nurses' working environment: the Nursing Context Index. *Worldviews on Evidence-Based Nursing / Sigma Theta Tau International, Honor Society of Nursing*, 6(3), 173–182. <https://doi.org/10.1111/j.1741-6787.2009.00159.x>
- Small, N., Bower, P., Chew-Graham, C. A., Whalley, D., & Protheroe, J. (2013). Patient empowerment in long-term conditions: development and preliminary testing of a new measure. *BMC Health Services Research*, 13, 263. <https://doi.org/10.1186/1472-6963-13-263>
- Snipes, S. A., Thompson, B., O'Connor, K., Godina, R., & Ibarra, G. (2007). Anthropological and psychological merge: Design of a stress measure for Mexican farmworkers. *Culture, Medicine and Psychiatry*, 31(3), 359–388. <https://doi.org/10.1007/s11013-007-9054-2>
- Snir, S., & Regev, D. (2013). ABI—Art-based Intervention Questionnaire. *The Arts in Psychotherapy*, 40(3), 338–346. <https://doi.org/10.1016/j.aip.2013.06.005>
- Stewart, J. L., Lynn, M. R., & Mishel, M. H. (2010). Psychometric evaluation of a new

- instrument to measure uncertainty in children and adolescents with cancer. *Nursing Research*, 59(2), 119–126. <https://doi.org/10.1097/NNR.0b013e3181d1a8d5>
- Strand, P., Sjöborg, K., Stalmeijer, R., Wichmann-Hansen, G., Jakobsson, U., & Edgren, G. (2013). Development and psychometric evaluation of the Undergraduate Clinical Education Environment Measure (UCEEM). *Medical Teacher*, 35(12), 1014–1026. <https://doi.org/10.3109/0142159X.2013.835389>
- Su, X., Lau, J. T. F., Mak, W. W. S., Chen, L., Feng, T., Chen, X., ... Cheng, J. (2008). Development of the perceived stress scale for people living with HIV/AIDS in China. *AIDS Patient Care and STDs*, 22(12), 989–998. <https://doi.org/10.1089/apc.2008.0095>
- Suryani, A. O., Van de Vijver, F. J. R., Poortinga, Y. H., & Setiadi, B. N. (2012). Indonesian leadership styles: A mixed-methods approach. *Asian Journal of Social Psychology*, 15(4), 290–303. <https://doi.org/10.1111/j.1467-839X.2012.01384.x>
- Sweeney, J. C., Hausknecht, D., & Soutar, G. N. (2000). Cognitive dissonance after purchase: A multidimensional scale. *Psychology & Marketing*, 17(5), 369–385. [https://doi.org/10.1002/\(SICI\)1520-6793\(200005\)17:5<369::AID-MAR1>3.0.CO;2-G](https://doi.org/10.1002/(SICI)1520-6793(200005)17:5<369::AID-MAR1>3.0.CO;2-G)
- Swords, L., Hennessy, E., & Heary, C. (2011). Development of the Children's Attributions about Psychological Problems in their Peers Scale. *Child: Care, Health and Development*, 37(3), 446–455. <https://doi.org/10.1111/j.1365-2214.2010.01151.x>
- Symonds, T., Perelman, M. A., Althof, S., Giuliano, F., Martin, M., May, K., ... Morris, M. (2007). Development and validation of a premature ejaculation diagnostic tool. *European Urology*, 52(2), 565–573. <https://doi.org/10.1016/j.eururo.2007.01.028>
- Tadić, V., Cooper, A., Cumberland, P., Lewando-Hundt, G., Rahi, J. S., & Vision-related Quality of Life Group. (2013). Development of the functional vision questionnaire for children and young people with visual impairment: the FVQ_CYP. *Ophthalmology*,

120(12), 2725–2732. <https://doi.org/10.1016/j.ophttha.2013.07.055>

Tan, H. M., O'Connor, M. M., Miles, G., Klein, B., & Schattner, P. (2009). GP and nurses' perceptions of how after hours care for people receiving palliative care at home could be improved: a mixed methods study. *BMC Palliative Care*, 8, 13. <https://doi.org/10.1186/1472-684X-8-13>

Tebb, K. P., Pollack, L. M., Millstein, S., Otero-Sabogal, R., & Wibbelsman, C. J. (2014). Mothers' attitudes toward adolescent confidential services: development and validation of scales for use in English- and Spanish-speaking populations. *The Journal of Adolescent Health: Official Publication of the Society for Adolescent Medicine*, 55(3), 341–346. <https://doi.org/10.1016/j.jadohealth.2014.03.010>

Tennant, R., Hiller, L., Fishwick, R., Platt, S., Joseph, S., Weich, S., ... Stewart-Brown, S. (2007). The Warwick-Edinburgh Mental Well-being Scale (WEMWBS): development and UK validation. *Health and Quality of Life Outcomes*, 5, 63. <https://doi.org/10.1186/1477-7525-5-63>

Thewes, B., Butow, P., Girgis, A., & Pendlebury, S. (2004). Assessment of Unmet Needs Among Survivors of Breast Cancer. *Journal of Psychosocial Oncology*, 22(1), 51–73. https://doi.org/10.1300/J077v22n01_04

Thom, D. H., Wong, S. T., Guzman, D., Wu, A., Penko, J., Miaskowski, C., & Kushel, M. (2011). Physician Trust in the Patient: Development and Validation of a New Measure. *The Annals of Family Medicine*, 9(2), 148–154. <https://doi.org/10.1370/afm.1224>

Tol, W. A., Komproe, I. H., Jordans, M. J. D., Susanty, D., & de Jong, J. T. V. M. (2011). Developing a function impairment measure for children affected by political violence: a mixed methods approach in Indonesia. *International Journal for Quality in Health*

- Care: Journal of the International Society for Quality in Health Care / ISQua*, 23(4), 375–383. <https://doi.org/10.1093/intqhc/mzr032>
- Tomlinson, P. S., & Harbaugh, B. L. (2004). Assessing ambiguity at the family-nurse boundary interface in pediatric health crisis. *Journal of Pediatric Nursing*, 19(6), 399–410. <https://doi.org/10.1016/j.pedn.2004.11.004>
- Tran, V.-T., Montori, V. M., Eton, D. T., Baruch, D., Falissard, B., & Ravaud, P. (2012). Development and description of measurement properties of an instrument to assess treatment burden among patients with multiple chronic conditions. *BMC Medicine*, 10, 68. <https://doi.org/10.1186/1741-7015-10-68>
- Travess, H. C., Newton, J. T., Sandy, J. R., & Williams, A. C. (2004). The development of a patient-centered measure of the process and outcome of combined orthodontic and orthognathic treatment. *Journal of Orthodontics*, 31(3), 220-234; discussion 201–202. <https://doi.org/10.1179/146531204225022434>
- Tsai, G., & Curbow, B. (2001). The development and validation of the Taiwanese Ethnic Identity Scale (TEIS): a ‘derived etic’ approach. *Journal of Immigrant Health*, 3(4), 199–212. <https://doi.org/10.1023/A:1012279628385>
- Tsai, H.-H., Tsai, Y.-F., & Huang, T.-S. (2012). Development and validation of the Family Meaning of Nursing-Home Visits Scale. *Journal of Clinical Nursing*, 21(15–16), 2108–2117. <https://doi.org/10.1111/j.1365-2702.2012.04150.x>
- Tsai, T.-I., Lee, S.-Y. D., Tsai, Y.-W., & Kuo, K. N. (2011). Methodology and validation of health literacy scale development in Taiwan. *Journal of Health Communication*, 16(1), 50–61. <https://doi.org/10.1080/10810730.2010.529488>
- Tschann, J. M., Gregorich, S. E., Penilla, C., Pasch, L. A., de Groat, C. L., Flores, E., ... Butte, N. F. (2013). Parental feeding practices in Mexican American families: initial

- test of an expanded measure. *The International Journal of Behavioral Nutrition and Physical Activity*, 10, 6. <https://doi.org/10.1186/1479-5868-10-6>
- Tse, F. Y. K., & Fok, M. S. M. (2003). Development of an instrument to measure the responses and management of Chinese primary caregivers in caring of children with minor upper respiratory disorders. *International Journal of Nursing Studies*, 40(8), 863–871. [https://doi.org/10.1016/S0020-7489\(03\)00072-5](https://doi.org/10.1016/S0020-7489(03)00072-5)
- Tuffrey, C., Bateman, B. J., & Colver, A. C. (2013). The Questionnaire of Young People's Participation (QYPP): A new measure of participation frequency for disabled young people. *Child: Care, Health and Development*, 39(4), 500–511. <https://doi.org/10.1111/cch.12060>
- Tulsky, D. S., Kisala, P. A., Victorson, D., Tate, D., Heinemann, A. W., Amtmann, D., & Cella, D. (2011). Developing a contemporary patient-reported outcomes measure for spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 92(10 Suppl), S44-51. <https://doi.org/10.1016/j.apmr.2011.04.024>
- Turner-Bowker, D. M., Saris-Baglama, R. N., Derosa, M. A., Paulsen, C. A., & Bransfield, C. P. (2009). Using qualitative research to inform the development of a comprehensive outcomes assessment for asthma. *The Patient*, 2(4), 269–282. <https://doi.org/10.2165/11313840-000000000-00000>
- Uijen, A. A., Schellevis, F. G., van den Bosch, W. J. H. M., Mokkink, H. G. A., van Weel, C., & Schers, H. J. (2011). Nijmegen Continuity Questionnaire: development and testing of a questionnaire that measures continuity of care. *Journal of Clinical Epidemiology*, 64(12), 1391–1399. <https://doi.org/10.1016/j.jclinepi.2011.03.006>
- Van den Broeck, U., Spiessens, C., Dancet, E., Bakelants, E., Vrancken, A., Demyttenaere, K., ... D'Hooghe, T. (2012). Patient evaluation of infertility management in an ISO

- 9001:2008-certified centre for reproductive medicine. *Reproductive Biomedicine Online*, 24(3), 293–300. <https://doi.org/10.1016/j.rbmo.2011.11.020>
- Van der Molen, T., Willemse, B. W. M., Schokker, S., ten Hacken, N. H. T., Postma, D. S., & Juniper, E. F. (2003). Development, validity and responsiveness of the Clinical COPD Questionnaire. *Health and Quality of Life Outcomes*, 1, 13. <https://doi.org/10.1186/1477-7525-1-13>
- Varni, J. W., Kay, M. T., Limbers, C. A., Franciosi, J. P., & Pohl, J. F. (2012). PedsQL gastrointestinal symptoms module item development: qualitative methods. *Journal of Pediatric Gastroenterology and Nutrition*, 54(5), 664–671. <https://doi.org/10.1097/MPG.0b013e31823c9b88>
- Vernooij-Dassen, M. J. F. J., Osse, B. H. P., Schadé, E., & Grol, R. P. T. M. (2005). Patient Autonomy Problems in Palliative Care: Systematic Development and Evaluation of a Questionnaire. *Journal of Pain and Symptom Management*, 30(3), 264–270. <https://doi.org/10.1016/j.jpainsymman.2005.03.010>
- Vessey, J. A., Horowitz, J. A., Carlson, K. L., & Duffy, M. (2008). Psychometric Evaluation of the Child-Adolescent Teasing Scale. *Journal of School Health*, 78(6), 344–350. <https://doi.org/10.1111/j.1746-1561.2008.00312.x>
- Vitale, M. G., Corona, J., Matsumoto, H., Avendano, J., Pinder, D., Miller, D. J., & Roye, D. P. (2010). Development and initial validation of a disease specific outcome measure for early onset scoliosis. *Studies in Health Technology and Informatics*, 158, 172–176. DOI: 10.3233/978-1-60750-573-0-172
- Volicer, L., DeRuvo, L., Hyer, K., Piechniczek-Buczek, J., & Riordan, M. E. (2008). Development of a scale to measure quality of visits with relatives with dementia. *Journal of the American Medical Directors Association*, 9(5), 327–331.

<https://doi.org/10.1016/j.jamda.2008.01.012>

Wackerbarth, S. B., Streams, M. E., & Smith, M. K. (2002). Capturing the insights of family caregivers: Survey item generation with a coupled interview/focus group process.

Qualitative Health Research, 12(8), 1141–1154. DOI: 10.1177/104973202236582

Wang, G., & Netemeyer, R. G. (2004). Salesperson creative performance: Conceptualization, measurement, and nomological validity. *Journal of Business Research*, 57(8), 805–812. [https://doi.org/10.1016/S0148-2963\(02\)00483-6](https://doi.org/10.1016/S0148-2963(02)00483-6)

Wang, K.-C., Ma, A.-P., Hsu, M.-T., Jao, P.-C., & Lin, C.-W. (2013). Seniors' perceptions of service features on outbound group package tours. *Journal of Business Research*, 66(8), 1021–1027. <https://doi.org/10.1016/j.jbusres.2011.12.026>

Wang, X. S., Williams, L. A., Eng, C., Mendoza, T. R., Shah, N. A., Kirkendoll, K. J., ... Cleeland, C. S. (2010). Validation and application of a module of the M. D. Anderson Symptom Inventory for measuring multiple symptoms in patients with gastrointestinal cancer (the MDASI-GI). *Cancer*, 116(8), 2053–2063.

<https://doi.org/10.1002/cncr.24920>

Waschler, K., Ruiz-Hernández, J. A., Llor-Esteban, B., & García-Izquierdo, M. (2013).

Patients' aggressive behaviours towards nurses: Development and psychometric properties of the Hospital Aggressive Behaviour Scale - Users. *Journal of Advanced Nursing*, 69(6), 1418–1427. <https://doi.org/10.1111/jan.12016>

Waschler, K., Ruiz-Hernández, J. A., Llor-Esteban, B., & Jiménez-Barbero, J. A. (2013).

Vertical and lateral workplace bullying in nursing: development of the hospital aggressive behaviour scale. *Journal of Interpersonal Violence*, 28(12), 2389–2412. <https://doi.org/10.1177/0886260513479027>

Watkins, J., Espie, C. A., Curtice, L., Mantala, K., Corp, A., & Foley, J. (2006). Development

of a measure to assess the impact of epilepsy on people with an intellectual disability: the Glasgow Epilepsy Outcome Scale - Client version (GEOS-C). *Journal of Intellectual Disability Research: JIDR*, 50(Pt 3), 161–171.
<https://doi.org/10.1111/j.1365-2788.2005.00714.x>

Webb, S. M., Prieto, L., Badia, X., Albareda, M., Catalá, M., Gaztambide, S., ... Astorga, R. (2002). Acromegaly Quality of Life Questionnaire (ACROQOL) a new health-related quality of life questionnaire for patients with acromegaly: development and psychometric properties. *Clinical Endocrinology*, 57(2), 251–258.
<https://doi.org/10.1046/j.1365-2265.2002.01597.x>

Welk, B., Morrow, S. A., Madarasz, W., Potter, P., & Sequeira, K. (2013). The conceptualization and development of a patient-reported neurogenic bladder symptom score. *Research and Reports in Urology*, 5, 129–137.
<https://doi.org/10.2147/RRU.S51020>

Werner, P., Goldstein, D., & Heinik, J. (2011). Development and validity of the Family Stigma in Alzheimer's disease Scale (FS-ADS). *Alzheimer Disease and Associated Disorders*, 25(1), 42–48. <https://doi.org/10.1097/WAD.0b013e3181f32594>

Whalley, D., McKenna, S. P., Dewar, A. L., Erdman, R. A., Kohlmann, T., Niero, M., ... Van Assche, D. (2004). A new instrument for assessing quality of life in atopic dermatitis: international development of the Quality of Life Index for Atopic Dermatitis (QoLIAD). *The British Journal of Dermatology*, 150(2), 274–283.
<https://doi.org/10.1111/j.1365-2133.2004.05783.x>

White, P., Bishop, F., Hardy, H., Abdollahian, S., White, A., Park, J., ... Lewith, G. T. (2008). Southampton needle sensation questionnaire: development and validation of a measure to gauge acupuncture needle sensation. *Journal of Alternative and*

Complementary Medicine (New York, N.Y.), 14(4), 373–379.

<https://doi.org/10.1089/acm.2007.0714>

Wilcox, T. K., Chen, W.-H., Howard, K. A., Wiklund, I., Brooks, J., Watkins, M. L., ...

Crim, C. (2013). Item selection, reliability and validity of the Shortness of Breath with Daily Activities (SOBDA) questionnaire: a new outcome measure for evaluating dyspnea in chronic obstructive pulmonary disease. *Health and Quality of Life Outcomes*, 11, 196. <https://doi.org/10.1186/1477-7525-11-196>

Wincze, J., Rosen, R., Carson, C., Korenman, S., Niederberger, C., Sadovsky, R., ...

Merchant, S. (2004). Erection quality scale: initial scale development and validation. *Urology*, 64(2), 351–356. <https://doi.org/10.1016/j.urology.2004.03.041>

Wong, E. L. Y., Coulter, A., Cheung, A. W. L., Yam, C. H. K., Yeoh, E.-K., & Griffiths, S.

(2013). Item generation in the development of an inpatient experience questionnaire: a qualitative study. *BMC Health Services Research*, 13, 265. <https://doi.org/10.1186/1472-6963-13-265>

Wong, R., Wu, R., Guo, C., Lam, J. K., & Snowden, L. R. (2012). Culturally sensitive depression assessment for Chinese American Immigrants: Development of a comprehensive measure and a screening scale using an item response approach. *Asian American Journal of Psychology*, 3(4), 230–253. <https://doi.org/10.1037/a0025628>

Wressle, E., Eriksson, L., Fahlander, A., Rasmusson, I.-M., Tedemalm, U., & Tängmark, K.

(2006). Patient perspective on quality of geriatric care and rehabilitation--development and psychometric testing of a questionnaire. *Scandinavian Journal of Caring Sciences*, 20(2), 135–142. <https://doi.org/10.1111/j.1471-6712.2006.00390.x>

Wu, H.-S., & McSweeney, M. (2004). Assessing fatigue in persons with cancer: an instrument development and testing study. *Cancer*, 101(7), 1685–1695.

<https://doi.org/10.1002/cncr.20540>

Yamamoto, T., Sakai, I., Takahashi, Y., Maeda, T., Kunii, Y., & Kurokuchi, K. (2014).

Development of a new measurement scale for interprofessional collaborative competency: A pilot study in Japan. *Journal of Interprofessional Care*, 28(1), 45–51.

<https://doi.org/10.3109/13561820.2013.851070>

Yeh, C. H., Lee, T. T., Chen, M. L., & Li, W. (2000). Adaptational process of parents of pediatric oncology patients. *Pediatric Hematology and Oncology*, 17(2), 119–131.

<https://doi.org/10.1080/088800100276479>

Yen, D. A., Barnes, B. R., & Wang, C. L. (2011). The measurement of guanxi: Introducing the GRX scale. *Industrial Marketing Management*, 40(1), 97–108.

<https://doi.org/10.1016/j.indmarman.2010.09.014>

Yoshida, I., Kobayashi, T., Sapkota, S., & Akkhavong, K. (2013). A scale to evaluate music for health promotion in Lao PDR: Initial development and assessment. *Arts & Health: An International Journal of Research, Policy and Practice*, 5(2), 120–131.

<https://doi.org/10.1080/17533015.2012.736395>

Young, J. M., Walsh, J., Butow, P. N., Solomon, M. J., & Shaw, J. (2011). Measuring cancer care coordination: development and validation of a questionnaire for patients. *BMC Cancer*, 11, 298. <https://doi.org/10.1186/1471-2407-11-298>

Yount, K. M., VanderEnde, K., Zureick-Brown, S., Minh, T. H., Schuler, S. R., & Anh, H. T. (2014). Measuring attitudes about women's recourse after exposure to intimate partner violence: The ATT-RECOURSE scale. *Journal of Interpersonal Violence*, 29(9), 1579–1605. <https://doi.org/10.1177/0886260513511536>

Yueh, B., McDowell, J. A., Collins, M., Souza, P. E., Loovis, C. F., & Deyo, R. A. (2005).

Development and validation of the effectiveness of [corrected] auditory rehabilitation

- scale. *Archives of Otolaryngology--Head & Neck Surgery*, 131(10), 851–856.
<https://doi.org/10.1001/archotol.131.10.851>
- Zebrack, B. J., Ganz, P. A., Bernaards, C. A., Petersen, L., & Abraham, L. (2006). Assessing the impact of cancer: development of a new instrument for long-term survivors. *Psycho-Oncology*, 15(5), 407–421. <https://doi.org/10.1002/pon.963>
- Zhang, D., Wang, D., Yang, Y., & Teng, F. (2007). Do personality traits predict work values of Chinese college students? *Social Behavior and Personality*, 35(9), 1281–1293.
<https://doi.org/10.2224/sbp.2007.35.9.1281>
- Zhang, S.-Y., Edwards, H., Yates, P., Ruth, E., & Guo, Q. H. (2012). Development of Self-Efficacy Questionnaire for Chinese Family Caregivers. *International Journal of Mental Health Nursing*, 21(4), 358–365. <https://doi.org/10.1111/j.1447-0349.2011.00791.x>
- Zhang, X., & Wang, A. (2011). Development of a psychosocial adaptation questionnaire for Chinese patients with visual impairments. *Journal of Clinical Nursing*, 20(19–20), 2822–2829. <https://doi.org/10.1111/j.1365-2702.2011.03813.x>
- Zhou, W., Sun, J., Guan, Y., Li, Y., & Pan, J. (2013). Criteria of career success among Chinese employees: Developing a multidimensional scale with qualitative and quantitative approaches. *Journal of Career Assessment*, 21(2), 265–277.
<https://doi.org/10.1177/1069072712471302>
- Zhu, F., Wang, Z., Yu, Q., Hu, T., Wen, Y., & Liu, Y. (2014). Reconsidering the dimensionality and measurement of employer brand in the Chinese Context. *Social Behavior and Personality*, 42(6), 933–948. <https://doi.org/10.2224/sbp.2014.42.6.933>
- Zomorodi, M., & Lynn, M. R. (2010). Instrument development measuring critical care nurses' attitudes and behaviors with end-of-life care. *Nursing Research*, 59(4), 234–240.

<https://doi.org/10.1097/NNR.0b013e3181dd25ef>