

Supplemental Material

Randomized Controlled Trials Included in the Meta-Analysis

- Abbott-Feinfield, K., & Baker, B. L. (2004). Empirical support for a treatment program for families of young children with externalizing problems. *Journal of Clinical Child and Adolescent Psychology*, 33(1), 182–195.
- Abedi, M., & Vostanis, P. (2010). Evaluation of quality of life therapy for parents of children with obsessive-compulsive disorders in Iran. *European Child & Adolescent Psychiatry*, 19(7), 605–613. doi:10.1007/s00787-010-0098-4
- Abikoff, H. B., Thompson, M., Laver-Bradbury, C., Long, N., Forehand, R. L., Miller Brotman, L., . . . Sonuga-Barke, E. (2015). Parent training for preschool ADHD: a randomized controlled trial of specialized and generic programs. *Journal of Child Psychology and Psychiatry*, 56(6), 618–631. doi:10.1111/jcpp.12346
- Ackerson, J., Scogin, F., McKendree-Smith, N., & Lyman, R. (1998). Cognitive bibliotherapy for mild and moderate adolescent depressive symptomatology. *Journal of Consulting & Clinical Psychology*, 66(4), 685–690.
- Ahmad, A., Larsson, B., & Sundelin-Wahlsten, V. (2007). EMDR treatment for children with PTSD: Results of a randomized controlled trial. *Nordic Journal of Psychiatry*, 61(5), 349–354.
- Ahrens, J., & Rexford, L. (2002). Cognitive processing therapy for incarcerated adolescents with PTSD. *Journal of Aggression, Maltreatment & Trauma*, 6(1), 201–216.
- Alper, T. G., & Kranzler, G. D. (1970). Comparison of effectiveness of behavioral and client-centered approaches for behavior problems of elementary school children. *Elementary School Guidance & Counseling*, 5(1), 35–43.
- Andrews, W. R. (1971). Behavioral and client-centered counseling of high school underachievers. *Journal of Counseling Psychology*, 18(2), 93–96.
- Arbuthnot, J., & Gordon, D. A. (1986). Behavioral and cognitive effects of a moral reasoning development intervention for high-risk behavior-disordered adolescents. *Journal of Consulting & Clinical Psychology*, 54(2), 208–216.
- Asarnow, J. R., Baraff, L. J., Berk, M., Grob, C. S., Devich-Navarro, M., Suddath, R., . . . Tang, L. (2011). An emergency department intervention for linking pediatric suicidal patients to follow-up mental health treatment. *Psychiatric Services*, 62(11), 1303–1309. doi:10.1176/ps.62.11.pss6211_1303
- Asarnow, J. R., Hughes, J. L., Babeva, K. N., & Sugar, C. A. (2017). Cognitive-behavioral family treatment for suicide attempt prevention: a randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 56(6), 506–514.
- Asarnow, J. R., Jaycox, L. H., Duan, N., LaBorde, A. P., Rea, M. M., Murray, P., . . . Wells, K. B. (2005). Effectiveness of a quality improvement intervention for adolescent depression in primary care clinics: A randomized controlled trial. *JAMA: Journal of the American Medical Association*, 293(3), 311–319. doi:10.1001/jama.293.3.311
- Asarnow, J. R., Scott, C. V., & Mintz, J. (2002). A combined cognitive-behavioral family education intervention for depression in children: A treatment development study. *Cognitive Therapy and Research*, 26(2), 221–229.

- Asscher, J., Deković, M., Manders, W., Laan, P., & Prins, P. (2013). A randomized controlled trial of the effectiveness of multisystemic therapy in the Netherlands: post-treatment changes and moderator effects. *J Exp Criminol*, 9(2), 169–187. doi:10.1007/s11292-012-9165-9
- Augimeri, L. K., Farrington, D. P., Koegl, C. J., & Day, D. M. (2007). The SNAP™ Under 12 Outreach Project: Effects of a community based program for children with conduct problems. *Journal of Child and Family Studies*, 16(6), 799–807. doi:10.1007/s10826-006-9126-x
- Axberg, U., & Broberg, A. G. (2012). Evaluation of “The Incredible Years” in Sweden: The transferability of an American parent-training program to Sweden. *Scandinavian Journal of Psychology*, 53(3), 224–232. doi:10.1111/j.1467-9450.2012.00955.x
- Aydin, G., & Yerin, O. (1994). The effect of a story-based cognitive behavior modification procedure on reducing children’s test anxiety before and after cancellation of an important examination. *International Journal for the Advancement of Counselling*, 17(2), 149–161.
- Baer, S., & Garland, E. J. (2005). Pilot study of community-based cognitive behavioral group therapy for adolescents with social phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, 44(3), 258–264.
- Bandura, A., & Menlove, F. L. (1968). Factors determining vicarious extinction of avoidance behavior through symbolic modeling. *Journal of Personality and Social Psychology*, 8(2, Pt. 1), 99–108.
- Barkley, R. A., Shelton, T. L., Crosswait, C., Moorehouse, M., Fletcher, K., Barrett, S., . . . Metevia, L. (2000). Multi-method psycho-educational intervention for preschool children with disruptive behavior: Preliminary results at post-treatment. *Journal of Child Psychology & Psychiatry & Allied Disciplines*, 41(3), 319–332.
- Barrett, P., Healy-Farrell, L., & March, J. S. (2004). Cognitive-behavioral family treatment of childhood obsessive-compulsive disorder: A controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43(1), 46–62.
- Barrett, P., Turner, C., Rombouts, S., & Duffy, A. (2000). Reciprocal skills training in the treatment of externalising behaviour disorders in childhood: A preliminary investigation. *Behaviour Change*, 17(4), 221–234.
- Barrett, P. M. (1998). Evaluation of cognitive-behavioral group treatments for childhood anxiety disorders. *Journal of Clinical Child Psychology*, 27(4), 459–468.
- Barrington, J., Prior, M., Richardson, M., & Allen, K. (2005). Effectiveness of CBT versus standard treatment for childhood anxiety disorders in a community clinic setting. *Behaviour Change*, 22(1), 29–43.
- Basile, V. C., Motta, R. W., & Allison, D. B. (1995). Antecedent exercise as a treatment for disruptive behavior: Testing hypothesized mechanisms of action. *Behavioral Interventions*, 10(3), 119–140.
- Bean, A. W., & Roberts, M. W. (1981). The effect of time-out release contingencies on changes in child noncompliance. *Journal of Abnormal Child Psychology*, 9(1), 95–105.
- Beck, S. J., Hanson, C. A., Puffenberger, S. S., Benninger, K. L., & Benninger, W. B. (2010). A controlled trial of working memory training for children and adolescents with ADHD. *Journal of Clinical Child and Adolescent Psychology*, 39(6), 825–836. doi:10.1080/15374416.2010.517162
- Beidel, D. C., Turner, S. M., & Morris, T. L. (2000). Behavioral treatment of childhood social phobia. *Journal of Consulting & Clinical Psychology*, 68(6), 1072–1080.
- Beidel, D. C., Turner, S. M., Sallee, F. R., Ammerman, R. T., Crosby, L. A., & Pathak, S. (2007). SET-C versus fluoxetine in the treatment of childhood social phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(12), 1622–1632. doi:10.1097/chi.0b013e318154bb57

- Bender, N. N. (1976). Self-verbalization versus tutor verbalization in modifying impulsivity. *Journal of Educational Psychology*, 68(3), 347–354.
- Bigorra, A., Garolera, M., Guijarro, S., & Hervás, A. (2016). Long-term far-transfer effects of working memory training in children with ADHD: a randomized controlled trial. *European child & adolescent psychiatry*, 25(8), 853–867.
- Bleck, R. T., & Bleck, B. L. (1982). The disruptive child's play group. *Elementary School Guidance & Counseling*, 17(2), 137–141.
- Block, J. (1978). Effects of a rational-emotive mental health program on poorly achieving, disruptive high school students. *Journal of Counseling Psychology*, 25(1), 61–65.
- Bolton, D., & Perrin, S. (2008). Evaluation of exposure with response-prevention for obsessive compulsive disorder in childhood and adolescence. *Journal of Behavior Therapy and Experimental Psychiatry*, 39(1), 11–22. doi:10.1016/j.jbtep.2006.11.002
- Bolton, D., Williams, T., Perrin, S., Atkinson, L., Gallop, C., Waite, P., & Salkovskis, P. (2011). Randomized controlled trial of full and brief cognitive-behaviour therapy and wait-list for paediatric obsessive-compulsive disorder. *Journal of Child Psychology and Psychiatry*, 52(12), 1269–1278.
- Bolton, P., Bass, J., Betancourt, T., Speelman, L., Onyango, G., Clougherty, K. F., . . . Verdeli, H. (2007). Interventions for depression symptoms among adolescent survivors of war and displacement in northern Uganda: A randomized controlled trial. *JAMA: Journal of the American Medical Association*, 298(5), 519–527.
- Bradley, S. J., Jadaa, D.-A., Brody, J., Landy, S., Tallett, S. E., Watson, W., . . . Stephens, D. (2003). Brief psychoeducational parenting program: An evaluation and 1-year follow-up. *Journal of the American Academy of Child & Adolescent Psychiatry*, 42(10), 1171–1178.
- Brent, D. A., Holder, D., Kolko, D., Birmaher, B., Baugher, M., Roth, C., . . . Johnson, B. A. (1997). A clinical psychotherapy trial for adolescent depression comparing cognitive, family, and supportive therapy. *Archives of General Psychiatry*, 54(9), 877–885. doi:10.1001/archpsyc.1997.01830210125017
- Brown, R. T. (1980). Impulsivity and psychoeducational intervention in hyperactive children. *Journal of Learning Disabilities*, 13(5), 249–254.
- Brown, R. T., & Conrad, K. J. (1982). Impulse control or selective attention: Remedial programs for hyperactivity. *Psychology in the Schools*, 19(1), 92–97.
- Burke, J. D., & Loeber, R. (2015). The effectiveness of the stop now and plan (SNAP) program for boys at risk for violence and delinquency. *Prevention Science*, 16(2), 242–253.
- Butler, R. W., Copeland, D. R., Fairclough, D. L., Mulhern, R. K., Katz, E. R., Kazak, A. E., . . . Sahler, O. J. Z. (2008). A multicenter, randomized clinical trial of a cognitive remediation program for childhood survivors of a pediatric malignancy. *Journal of Consulting and Clinical Psychology*, 76(3), 367–378. doi:10.1037/0022-006x.76.3.367
- Butler, S., Baruch, G., Hickey, N., & Fonagy, P. (2011). A randomized controlled trial of multisystemic therapy and a statutory therapeutic intervention for young offenders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 50(12), 1220–1235.e1222. doi:http://dx.doi.org/10.1016/j.jaac.2011.09.017
- Bywater, T., Hutchings, J., Linck, P., Whitaker, C., Daley, D., Yeo, S. T., & Edwards, R. T. (2010). Incredible Years parent training support for foster carers in Wales: A multi-centre feasibility study. *Child: Care, Health and Development*, 37(2), 233–243. doi:10.1111/j.1365-2214.2010.01155.x

- Camp, B. W., Blom, G. E., Herbert, F., & Van Doorninck, W. J. (1977). "Think aloud": A program for developing self-control in young aggressive boys. *Journal of Abnormal Child Psychology*, 5, 157–169.
- Campbell, D. S., Neill, J., & Dudley, P. (1989). Computer-aided self-instruction training with hearing-impaired impulsive students. *American Annals of the Deaf*, 134(3), 227–231.
- Carbonell, D. M., & Partelano-Barehmi, C. (1999). Psychodrama groups for girls coping with trauma. *International Journal of Group Psychotherapy*, 49(3), 285–306.
- Cardinale, P., & Fish, J. M. (1994). Treating children's writing apprehension with word processing. Special section: Relaxation techniques and psychological management. *Journal of Personality & Clinical Studies*, 10(1–2), 1–15.
- Carnes-Holt, K. (2012). Child–parent relationship therapy for adoptive families. *The Family Journal*, 20(4), 419–426. doi:10.1177/1066480712451242
- Cartwright-Hatton, S., McNally, D., Field, A. P., Rust, S., Laskey, B., Dixon, C., . . . Woodham, A. (2011). A new parenting-based group intervention for young anxious children: Results of a randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 50(3), 242–251. doi:10.1016/j.jaac.2010.12.015
- Cavell, T. A., & Hughes, J. N. (2000). Secondary prevention as context for assessing change processes in aggressive children. *Journal of School Psychology*, 38(3), 199–235.
- Chacko, A., Wymbs, B. T., Wymbs, F. A., Pelham, W. E., Swanger-Gagne, M. S., Girio, E., . . . O'Connor, B. (2009). Enhancing traditional behavioral parent training for single mothers of children with ADHD. *Journal of Clinical Child and Adolescent Psychology*, 38(2), 206–218.
- Chalfant, A. M., Rapee, R., & Carroll, L. (2007). Treating anxiety disorders in children with high functioning autism spectrum disorders: A controlled trial. *Journal of Autism and Developmental Disorders*, 37(10), 1842–1857. doi:10.1007/s10803-006-0318-4
- Chamberlain, P., & Reid, J. B. (1998). Comparison of two community alternative to incarceration for chronic juvenile offenders. *Journal of Consulting & Clinical Psychology*, 66(4), 624–633.
- Charkhandeh, M., Talib, M. A., & Hunt, C. J. (2016). The clinical effectiveness of cognitive behavior therapy and an alternative medicine approach in reducing symptoms of depression in adolescents. *Psychiatry Res*, 239, 325–330. doi:10.1016/j.psychres.2016.03.044
- Chemtob, C. M., Nakashima, J., & Carlson, J. G. (2002). Brief treatment for elementary school children with disaster-related posttraumatic stress disorder: A field study. *Journal of Clinical Psychology*, 58(1), 99–112.
- Chen, Y., Shen, W. W., Gao, K., Lam, C. S., Chang, W. C., & Deng, H. (2014). Effectiveness RCT of a CBT intervention for youths who lost parents in the Sichuan, China, earthquake. *Psychiatric Services*, 65(2), 259–262. doi:10.1176/appi.ps.201200470
- Cho, B. H., Ku, J., Jang, D., Lee, J., Oh, M., Kim, H., . . . Kim, S. (2002). Clinical test for attention enhancement system. *Stud Health Technol Inform*, 85, 89–95.
- Clark, D. L., Arnold, L. E., Crowl, L., Bozzolo, H., Peruggia, M., Ramadan, Y., . . . Cook, A. (2008). Vestibular stimulation for ADHD: Randomized controlled trial of comprehensive motion apparatus. *Journal of Attention Disorders*, 11(5), 599–611.
- Clarke, G. N., Hawkins, W., Murphy, M., Sheeber, L. B., Lewinsohn, P. M., & Seeley, J. R. (1995). Targeted prevention of unipolar depressive disorder in an at-risk sample of high school adolescents: A randomized trial of group cognitive intervention. *Journal of the American Academy of Child & Adolescent Psychiatry*, 34(3), 312–321.

- Clarke, G. N., Hornbrook, M., Lynch, F., Polen, M., Gale, J., Beardslee, W., . . . Seeley, J. (2001). A randomized trial of a group cognitive intervention for preventing depression in adolescent offspring of depressed parents. *Archives of General Psychiatry*, 58(12), 1127–1134.
- Clarke, G. N., Hornbrook, M., Lynch, F., Polen, M., Gale, J., O'Connor, E., . . . Debar, L. (2002). Group cognitive-behavioral treatment for depressed adolescent offspring of depressed parents in a health maintenance organization. *Journal of the American Academy of Child & Adolescent Psychiatry*, 41(3), 305–313.
- Clarke, G. N., Rohde, P., Lewinsohn, P. M., Hops, H., & Seeley, J. R. (1999). Cognitive-behavioral treatment of adolescent depression: Efficacy of acute group treatment and booster sessions. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38(3), 272–279.
- Clement, P. W., Fazzone, R. A., & Goldstein, B. (1970). Tangible reinforcers and child group therapy. *Journal of the American Academy of Child Psychiatry*, 9(3), 409–427.
- Clement, P. W., & Milne, D. C. (1967). Group play rtherapy and tangible reinforcers used to modify the behavior of 8-yr-old boys. *Behaviour Research + Therapy*, 5(4), 301–312.
- Coats, K. I. (1979). Cognitive self-instructional training approach for reducing disruptive behavior of young children. *Psychological Reports*, 44(1), 127–134.
- Cobham, V. E. (2012). Do anxiety-disordered children need to come into the clinic for efficacious treatment? *Journal of Consulting and Clinical Psychology*, 80(3), 465–476.
doi:10.1037/a0028205
- Coleman, M., Pfeiffer, S., & Oakland, T. (1992). Aggression replacement training with behaviorally disordered adolescents. *Behavioral Disorders*, 18(1), 54–66.
- Connell, S., Sanders, M. R., & Markie-Dadds, C. (1997). Self-directed behavioral family intervention for parents of oppositional children in rural and remote areas. *Behavior Modification*, 21(4), 379–407.
- Conniff, K. M., Scarlett, J. M., Goodman, S., & Appel, L. D. (2005). Effects of a pet visitation program on the behavior and emotional state of adjudicated female adolescents. *AnthrozoÅ¶s*, 18(4), 379–395.
- Coplan, R. J., Schneider, B. H., Matheson, A., & Graham, A. (2010). ‘Play skills’ for shy children: Development of a social skills facilitated play early intervention program for extremely inhibited preschoolers. *Infant and Child Development*, 19(3), 223–237.
- Cornwall, E., Spence, S. H., & Schotte, D. (1996). The effectiveness of emotive imagery in the treatment of darkness phobia in children. *Behaviour Change*, 13(4), 223–229.
- Cotgrove, A. J., Zirinsky, L., Black, D., & Weston, D. (1995). Secondary prevention of attempted suicide in adolescence. *Journal of Adolescence*, 18(5), 569–577.
- Cradock, C., Cotler, S., & Jason, L. A. (1978). Primary prevention: Immunization of children for speech anxiety. *Cognitive Therapy and Research*, 2(4), 389–396.
- Cullinan, D., Epstein, M. H., & Silver, L. (1977). Modification of impulsive tempo in learning disabled pupils. *Journal of Clinical Psychology*, 5, 437–444.
- Cunningham, C. E., Bremner, R., & Boyle, M. (1995). Large group community-based parenting programs for families of preschoolers at risk for disruptive behaviour disorders: Utilization, cost effectiveness, and outcome. *Journal of Child Psychology & Psychiatry & Allied Disciplines*, 36(7), 1141–1159.
- Dadds, M. R., Heard, P. M., & Rapee, R. M. (1992). The role of family intervention in the treatment of child anxiety disorders: Some preliminary findings. *Behaviour Change*, 9(3), 171–177.

- Daley, D., & O'Brien, M. (2013). A small-scale randomized controlled trial of the self-help version of the New Forest Parent Training Programme for children with ADHD symptoms. *Eur Child Adolesc Psychiatry*, 22(9), 543–552. doi:10.1007/s00787-013-0396-8
- Day, C., Michelson, D., Thomson, S., Penney, C., & Draper, L. (2012). Evaluation of a peer led parenting intervention for disruptive behaviour problems in children: Community based randomised controlled trial. *BMJ: British Medical Journal*, 344(7849), 1–10.
- De Cuyper, S., Timbremont, B., Braet, C., De Backer, V., & Wullaert, T. (2004). Treating depressive symptoms in schoolchildren: A pilot study. *European Child & Adolescent Psychiatry*, 13(2), 105–114.
- Deblinger, E., Lippman, J., & Steer, R. (1996). Sexually abused children suffering posttraumatic stress symptoms: initial treatment outcome findings. *Child Maltreatment*, 1(4), 310–321.
- Deffenbacher, J. L., Lynch, R. S., Oetting, E. R., & Kemper, C. C. (1996). Anger reduction in early adolescents. *Journal of Counseling Psychology*, 43(2), 149–157.
- Deković, M., Asscher, J. J., Manders, W. A., Prins, P. J. M., & van der Laan, P. (2012). Within-intervention change: Mediators of intervention effects during multisystemic therapy. *Journal of Consulting and Clinical Psychology*, 80(4), 574–587. doi:10.1037/a0028482
- Dembo, R., Shemwell, M., Guida, J., Schmeidler, J., Pacheco, K., & Seeberger, W. (1998). A longitudinal study of the impact of a family empowerment intervention on juvenile offender psychosocial functioning: A first assessment. *Journal of Child & Adolescent Substance Abuse*, 8(1), 15–54.
- Denkowski, K. M., & Denkowski, G. C. (1984). Is group progressive relaxation training as effective with hyperactive children as individual EMG biofeedback treatment? *Biofeedback & Self Regulation*, 9(3), 353–364.
- Dewis, L. M., Kirkby, K. C., Martin, F., Daniels, B. A., Gilroy, L. J., & Menzies, R. G. (2001). Computer-aided vicarious exposure versus live graded exposure for spider phobia in children. *Journal of Behavior Therapy & Experimental Psychiatry*, 32(1), 17–27.
- Diamant, C., & Colletti, G. (1978). Evaluation of behavioral group counseling for parents of learning-disabled children. *Journal of Abnormal Child Psychology*, 6(3), 385–400.
- Diamond, G. S., Reis, B. F., Diamond, G. M., Siqueland, L., & Isaacs, L. (2002). Attachment-based family therapy for depressed adolescents: A treatment development study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 41(10), 1190–1196.
- Diamond, G. S., Wintersteen, M. B., Brown, G. K., Diamond, G. M., Gallop, R., Shelef, K., & Levy, S. (2010). Attachment-based family therapy for adolescents with suicidal ideation: A randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 49(2), 122–131. doi:10.1097/00004583-201002000-00006
- Dittman, C. K., Farruggia, S. P., Keown, L. J., & Sanders, M. R. (2016). Dealing with Disobedience: An Evaluation of a Brief Parenting Intervention for Young Children Showing Noncompliant Behavior Problems. *Child Psychiatry Hum Dev*, 47(1), 102–112. doi:10.1007/s10578-015-0548-9
- Donovan, C. L., & March, S. (2014). Online CBT for preschool anxiety disorders: A randomised control trial. *Behaviour Research and Therapy*, 58, 24–35. doi:10.1016/j.brat.2014.05.001
- Downing, C. J. (1977). Teaching children behavior change techniques. *Elementary School Guidance & Counseling*, 11(4), 277–283.
- Drugli, M. B., & Larsson, B. (2006). Children aged 4–8 years treated with parent training and child therapy because of conduct problems: Generalisation effects to day-care and school settings. *European Child & Adolescent Psychiatry*, 15(7), 392–399. doi:10.1007/s00787-006-0546-3

- Egeland, B. (1974). Training impulsive children in the use of more efficient scanning techniques. *Child Development*, 45(1), 165–171.
- Egeland, J., Aarlien, A. K., & Saunes, B.-K. (2013). Few effects of far transfer of working memory training in adhd: a randomized controlled trial.(Research Article). *PLOS ONE*, 8(10), e75660. doi:10.1371/journal.pone.0075660
- Eldar, S., Apter, A., Lotan, D., Edgar, K. P., Naim, R., Fox, N. A., . . . Bar-Haim, Y. (2012). Attention bias modification treatment for pediatric anxiety disorders: A randomized controlled trial. *The American Journal of Psychiatry*, 169(2), 213–220. doi:10.1176/appi.ajp.2011.11060886
- Emshoff, J. G., & Blakely, C. H. (1983). The diversion of delinquent youth: Family focused intervention. *Children & Youth Services Review*, 5(4), 343–356.
- Enebrink, P., Högström, J., Forster, M., & Ghaderi, A. (2012). Internet-based parent management training: A randomized controlled study. *Behaviour Research and Therapy*, 50(4), 240–249. doi:10.1016/j.brat.2012.01.006
- Evans, S. W., Langberg, J. M., Schultz, B. K., Vaughn, A., Altaye, M., Marshall, S. A., & Zoromski, A. K. (2016). Evaluation of a school-based treatment program for young adolescents with ADHD. *J Consult Clin Psychol*, 84(1), 15–30. doi:10.1037/ccp0000057
- Evans, S. W., Schultz, B. K., DeMars, C. E., & Davis, H. (2011). Effectiveness of the Challenging Horizons after-school program for young adolescents with ADHD. *Behavior Therapy*, 42(3), 462–474. doi:10.1016/j.beth.2010.11.008
- Eyberg, S. M., Boggs, S. R., & Algina, J. (1995). Parent-child interaction therapy: A psychosocial model for the treatment of young children with conduct problem behavior and their families. *Psychopharmacology Bulletin*, 31(1), 83–91.
- Fantuzzo, J., Sutton-Smith, B., Atkins, M., Meyers, R., Stevenson, H., Coolahan, K., . . . Manz, P. (1996). Community-based resilient peer treatment of withdrawn maltreated preschool children. *Journal of Consulting and Clinical Psychology*, 64(6), 1377–1386.
- Fehlings, D. L., Roberts, W., Humphries, T., & Dawe, G. (1991). Attention deficit hyperactivity disorder: Does cognitive behavioral therapy improve home behavior? *Journal of Developmental & Behavioral Pediatrics*, 12(4), 223–228.
- Feindler, E. L., Marriott, S. A., & Iwata, M. (1984). Group anger control training for junior high school delinquents. *Cognitive Therapy & Research*, 8(3), 299–311.
- Fernandes Azevedo, A., Seabra-Santos, M. J., Gaspar, M. F., & Homem, T. (2014). A parent-based intervention programme involving preschoolers with AD/HD behaviours: are children's and mothers' effects sustained over time? *European child & adolescent psychiatry*, 23(6), 437. doi:10.1007/s00787-013-0470-2
- Firestone, P., Kelly, M. J., & Fike, S. (1980). Are fathers necessary in parent training groups? *Journal of Clinical Child Psychology*, 9(1), 44–47.
- Flannery-Schroeder, E. C., & Kendall, P. C. (2000). Group and individual cognitive-behavioral treatments for youth with anxiety disorders: A randomized clinical trial. *Cognitive Therapy & Research*, 24(3), 251–278.
- Flatt, N., & King, N. (2010). Brief psycho-social interventions in the treatment of specific childhood phobias: A controlled trial and a 1-year follow-up. *Behaviour Change*, 27(3), 130–153.
- Fleming, T., Dixon, R., Frampton, C., & Merry, S. (2012). A pragmatic randomized controlled trial of computerized CBT (SPARX) for symptoms of depression among adolescents excluded from mainstream education. *Behavioural and Cognitive Psychotherapy*, 40(5), 529–541. doi:10.1017/S1352465811000695

- Fling, S., & Black, P. (1984). Relaxation covert rehearsal for adaptive functioning in fourth-grade children. *Psychology & Human Development, 1*(2), 113–123.
- Forehand, R. L., Merchant, M. J., Parent, J., Long, N., Linnea, K., & Baer, J. (2011). An examination of a group curriculum for parents of young children with disruptive behavior. *Behavior Modification, 35*(3), 235–251. doi:10.1177/0145445510393731
- Forman, S. G. (1980). A comparison of cognitive training and response cost procedures in modifying aggressive behavior of elementary school children. *Behavior Therapy, 11*(4), 594–600.
- Fox, J. E., & Houston, B. K. (1981). Efficacy of self-instructional training for reducing children's anxiety in an evaluative situation. *Behaviour Research & Therapy, 19*(6), 509–515.
- Franklin, M., Foa, E., & March, J. (2003). The pediatric obsessive-compulsive disorder treatment study: Rationale, design, and methods. *Journal Of Child And Adolescent Psychopharmacology, 13*, S39-S51.
- Friedling, C., & O'Leary, S. G. (1979). Effects of self-instructional training on second- and third-grade hyperactive children: A failure to replicate. *Journal of Applied Behavior Analysis, 12*(2), 211–219.
- Fujii, C., Renno, P., McLeod, B., Lin, C., Decker, K., Zielinski, K., & Wood, J. (2013). Intensive cognitive behavioral therapy for anxiety disorders in school-aged children with autism: a preliminary comparison with treatment-as-usual. *School Mental Health, 5*(1), 25–37. doi:10.1007/s12310-012-9090-0
- Furman, W., Rahe, D. F., & Hartup, W. W. (1979). Rehabilitation of socially withdrawn preschool children through mixed-age and same-age socialization. *Child Development, 50*(4), 915–922.
- Galla, B. M., Wood, J. J., Chiu, A. W., Langer, D. A., Jacobs, J., Ifekwunigwe, M., & Larkins, C. (2012). One year follow-up to modular cognitive behavioral therapy for the treatment of pediatric anxiety disorders in an elementary school setting. *Child Psychiatry and Human Development, 43*(2), 219–226. doi:10.1007/s10578-011-0258-x
- Gallagher, H. M., Rabian, B. A., & McCloskey, M. S. (2004). A brief group cognitive-behavioral intervention for social phobia in childhood. *Journal of Anxiety Disorders, 18*(4), 459–479.
- Gallart, S. C., & Matthey, S. (2005). The effectiveness of group Triple P and the impact of the four telephone contacts. *Behaviour Change, 22*(2), 71–80.
- Garber, J., Clarke, G. N., Weersing, V. R., Beardslee, W. R., Brent, D. A., Gladstone, T. R. G., . . . Iyengar, S. (2009). Prevention of depression in at-risk adolescents: A randomized controlled trial. *JAMA, 301*(21), 2215–2224. doi:10.1001/jama.2009.788
- Gardner, F., Burton, J., & Klimes, I. (2006). Randomised controlled trial of a parenting intervention in the voluntary sector for reducing child conduct problems: outcomes and mechanisms of change. *Journal of Child Psychology and Psychiatry, 47*(11), 1123–1132. doi:10.1111/j.1469-7610.2006.01668.x
- Gawrilow, C., Stadler, G., Langguth, N., Naumann, A., & Boeck, A. (2016). Physical Activity, Affect, and Cognition in Children With Symptoms of ADHD. *J Atten Disord, 20*(2), 151–162. doi:10.1177/1087054713493318
- Ghasemian, D., D'Souzaand, L., & Ebrahimi, S. (2012). Effectiveness of rational emotive therapy on shyness: Influence of gender. *Journal of the Indian Academy of Applied Psychology, 38*(1), 169–173.

- Gillham, J. E., Hamilton, J., Freres, D. R., Patton, K., & Gallop, R. (2006). Preventing depression among early adolescents in the primary care setting: A randomized controlled study of the Penn Resiliency Program. *Journal of Abnormal Child Psychology: An official publication of the International Society for Research in Child and Adolescent Psychopathology*, 34(2), 203–219. doi:10.1007/s10802-005-9014-7
- Gillham, J. E., Reivich, K. J., Brunwasser, S. M., Freres, D. R., Chajon, N. D., Kash-MacDonald, V. M., . . . Seligman, M. E. P. (2012). Evaluation of a group cognitive-behavioral depression prevention program for young adolescents: A randomized effectiveness trial. *Journal of Clinical Child and Adolescent Psychology*, 41(5), 621–639.
- Gillham, J. E., Reivich, K. J., Freres, D. R., Chaplin, T. M., Shatté, A. J., Samuels, B., . . . Seligman, M. E. P. (2007). School-based prevention of depressive symptoms: A randomized controlled study of the effectiveness and specificity of the Penn Resiliency Program. *Journal of Consulting and Clinical Psychology*, 75(1), 9–19. doi:10.1037/0022-006x.75.1.9
- Ginsburg, G. S., & Drake, K. L. (2002). School-based treatment for anxious African-American adolescents: A controlled pilot study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 41(7), 768–775.
- Ginther, L. J., & Roberts, M. C. (1983). A test of mastery versus coping modeling in the reduction of children's dental fears. *Child & Family Behavior Therapy*, 4(4), 41–52.
- Gordon, J. S., Staples, J. K., Blyta, A., Bytyqi, M., & Wilson, A. T. (2008). Treatment of posttraumatic stress disorder in postwar Kosovar adolescents using mind-body skills groups: A randomized controlled trial. *Journal of Clinical Psychiatry*, 69(9), 1469–1476. doi:10.4088/JCP.v69n0915
- Graybill, D., Jamison, M., & Swerdlik, M. E. (1984). Remediation of impulsivity in learning disabled children by special education resource teachers using verbal self-instruction. *Psychology in the Schools*, 21(2), 252–254.
- Graziano, A. M., & Mooney, K. C. (1980). Family self-control instruction for children's nighttime fear reduction. *Journal of Consulting & Clinical Psychology*, 48(2), 206–213.
- Green, C. T., Long, D. L., Green, D., Iosif, A.-M., Dixon, J. F., Miller, M. R., . . . Schweitzer, J. B. (2012). Will working memory training generalize to improve off-task behavior in children with attention-deficit/hyperactivity disorder? *Neurotherapeutics*, 9(3), 639–648. doi:10.1007/s13311-012-0124-y
- Green, J. M., Wood, A. J., Kerfoot, M. J., Trainor, G., Roberts, C., Rothwell, J., . . . Harrington, R. (2011). Group therapy for adolescents with repeated self harm: Randomised controlled trial with economic evaluation. *BMJ: British Medical Journal*, 342(7802), 1–12.
- Guerney, B. G. J., & Flumen, A. B. (1970). Teachers as psychotherapeutic agents for withdrawn children. *Journal of School Psychology*, 8(2), 107–113.
- Guerra, N. G., & Slaby, R. G. (1990). Cognitive mediators of aggression in adolescent offenders: II. Intervention. *Developmental Psychology*, 26(2), 269–277.
- Gundel, R. C. (1981). The interaction of locus of control with three behavioral procedures in the modification of disruptive behavior in emotionally disturbed boys. *Multivariate Experimental Clinical Research*, 5(3), 99–108.
- Harrington, R., Kerfoot, M., Dyer, E., McNiven, F., Gill, J., Harrington, V., . . . Byford, S. (1998). Randomized trial of a home-based family intervention for children who have deliberately poisoned themselves. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(5), 915–923.
- Harris, K. R., & Brown, R. D. (1982). Cognitive behavior modification and informed teacher treatments for shy children. *Journal of Experimental Education*, 50(3), 137–143.

- Havighurst, S. S., Wilson, K. R., Harley, A. E., Kehoe, C., Efron, D., & Prior, M. R. (2013). "Tuning into kids": Reducing young children's behavior problems using an emotion coaching parenting program. *Child Psychiatry and Human Development*, 44(2), 247–264. doi:10.1007/s10578-012-0322-1
- Heinrich, H., Gevensleben, H., Freisleder, F. J., Moll, G. H., & Rothenberger, A. (2004). Training of slow cortical potentials in attention-deficit/hyperactivity disorder: Evidence for positive behavioral and neurophysiological effects. *Biological Psychiatry* Vol 55(7) Apr 2004, 772–775.
- Henggeler, S. W., Borduin, C. M., Melton, G. B., Mann, B. J., & et al. (1991). Effects of multisystemic therapy on drug use and abuse in serious juvenile offenders: A progress report from two outcome studies. *Family Dynamics of Addiction Quarterly*, 1(3), 40–51.
- Henggeler, S. W., Melton, G. B., Brondino, M. J., Scherer, D. G., & Hanley, J. H. (1997). Multisystemic therapy with violent and chronic juvenile offenders and their families: The role of treatment fidelity in successful dissemination. *Journal of Consulting & Clinical Psychology*, 65(5), 821–833.
- Herbert, S. D., Harvey, E. A., Roberts, J. L., Wichowski, K., & Lugo-Candelas, C. I. (2013). A randomized controlled trial of a parent training and emotion socialization program for families of hyperactive preschool-aged children. *Behavior Therapy*, 44(2), 302–316. doi:10.1016/j.beth.2012.10.004
- Hiebert, B., Kirby, B., & Jaknavorian, A. (1989). School-based relaxation: Attempting primary prevention. *Canadian Journal of Counselling*, 23(3), 273–287.
- Hilyer, J. C., Wilson, D. G., Dillon, C., Caro, L., Jenkins, C., Spencer, W. A., Meadows, M. E., & Booker, W. (1982). Physical fitness training and counseling as treatment for youthful offenders. *Journal of Counseling Psychology*, 29(3), 292–303.
- Hinds, W. C., & Roehlke, H. J. (1970). A learning theory approach to group counseling with elementary school children. *Journal of Counseling Psychology*, 17(1), 49–55.
- Hirshfeld-Becker, D. R., Masek, B., Henin, A., Blakely, L. R., Pollock-Wurman, R. A., McQuade, J., . . . Biederman, J. (2010). Cognitive behavioral therapy for 4- to 7-year-old children with anxiety disorders: A randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 78(4), 498–510. doi:10.1037/a0019055
- Hiscock, H., Sciberras, E., Mensah, F., Gerner, B., Efron, D., Khano, S., & Oberklaid, F. (2015). Impact of a behavioural sleep intervention on symptoms and sleep in children with attention deficit hyperactivity disorder, and parental mental health: randomised controlled trial. *Bmj*, 350, h68. doi:10.1136/bmj.h68
- Hoath, F. E., & Sanders, M. R. (2002). A Feasibility Study of Enhanced Group Triple P - Positive parenting program for parents of children with attention-deficit/hyperactivity disorder. *Behaviour Change*, 19(4), 191–206.
- Horn, W. F., Ialongo, N. S., Pascoe, J. M., Greenberg, G., Packard, T., Lopez, M., . . . Puttler, L. (1991). Additive Effects of psychostimulants, parent training, and self-control therapy with ADHD children. *Journal of the American Academy of Child & Adolescent Psychiatry*, 30(2), 233–240. doi:10.1097/00004583-199103000-00011
- Hovik, K. T., Saunes, B.-K., Aarlien, A. K., & Egeland, J. (2013). RCT of working memory training in ADHD: Long-term near-transfer effects.(Research Article). *PLOS ONE*, 8(12), e80561. doi:10.1371/journal.pone.0080561
- Huey, W. C., & Rank, R. C. (1984). Effects of counselor and peer-led group assertive training on Black adolescent aggression. *Journal of Counseling Psychology*, 31(1), 95–98.

- Hughes, R. C., & Wilson, P. H. (1989). Behavioral parent training: Contingency management versus communication skills training with or without the participation of the child. *Child & Family Behavior Therapy*, 10(4), 11–23.
- Hutchings, J., Gardner, F., Bywater, T., Daley, D., Whitaker, C., Jones, K., . . . Edwards, R. T. (2007). Parenting intervention in Sure Start services for children at risk of developing conduct disorder: Pragmatic randomised controlled trial. *BMJ: British Medical Journal*, 334(7595). doi:10.1136/bmj.39126.620799.55
- Idowu, A. I., Durosaro, I., & Esere, M. O. (2010). Efficacy of group counselling interventions (positive reinforcement and self-control techniques) in remedying truancy among school- going adolescents in Ilorin, Nigeria. *IFE Psychologia: An International Journal*, 18(1), 54–65. doi:10.4314/ife.v18i1.51651
- Infantino, A., Donovan, C. L., & March, S. (2016). A randomized controlled trial of an audio-based treatment program for child anxiety disorders. *Behav Res Ther*, 79, 35–45. doi:10.1016/j.brat.2016.02.007
- Ingul, J. M., Aune, T., & Nordahl, H. M. (2014). A randomized controlled trial of individual cognitive therapy, group cognitive behaviour therapy and attentional placebo for adolescent social phobia. *Psychotherapy and Psychosomatics*, 83(1), 54–61. doi:10.1159/000354672
- Ison, M. S. (2001). Training in social skills: An alternative technique for handling disruptive child behavior. *Psychological Reports*, 88(3), 903–911.
- Israel, P., & Diamond, G. S. (2013). Feasibility of attachment based family therapy for depressed clinic-referred Norwegian adolescents. *Clinical Child Psychology and Psychiatry*, 18(3), 334–350. doi:10.1177/1359104512455811
- Jackson, R. L., & Beers, P. A. (1988). Focused videotape feedback psychotherapy: An integrated treatment for emotionally and behaviorally disturbed children. *Counselling Psychology Quarterly*, 1(1), 11–23.
- Jensen, T. K., Holt, T., Ormhaug, S. M., Egeland, K., Granly, L., Hoaas, L. C., . . . Wentzel-Larsen, T. (2014). A randomized effectiveness study comparing trauma-focused cognitive behavioral therapy with therapy as usual for youth. *Journal of Clinical Child & Adolescent Psychology*, 1–14. doi:10.1080/15374416.2013.822307
- Jeong, Y.-J., Hong, S.-C., Lee, M. S., Park, M.-C., Kim, Y.-K., & Suh, C.-M. (2005). Dance movement therapy improves emotional responses and modulates neurohormones in adolescents with mild depression. *International Journal of Neuroscience*, 115(12), 1711–1720. doi:10.1080/00207450590958574
- Johnson, T., Tyler, V., Thompson, R., & Jones, E. (1971). Systematic desensitization and assertive training in the treatment of speech anxiety in middle-school students. *Psychology in the Schools*, 8(3), 263–267.
- Johnstone, S. J., Roodenrys, S., Blackman, R., Johnston, E., Loveday, K., Mantz, S., & Barratt, M. F. (2012). Neurocognitive training for children with and without AD/HD. *Atten Defic Hyperact Disord*, 4(1), 11–23. doi:10.1007/s12402-011-0069-8
- Jonkman, L. M., Hurks, P. P., & Schleepen, T. M. (2016). Effects of memory strategy training on performance and event-related brain potentials of children with ADHD in an episodic memory task. *Neuropsychological rehabilitation*, 26(5–6), 910–941.
- Jouriles, E. N., McDonald, R., Rosenfield, D., Stephens, N., Corbitt-Shindler, D., & Miller, P. C. (2009). Reducing conduct problems among children exposed to intimate partner violence: A randomized clinical trial examining effects of Project Support. *Journal of Consulting and Clinical Psychology*, 77(4), 705–717.

- Jouriles, E. N., McDonald, R., Spiller, L., Norwood, W. D., Swank, P. R., Stephens, N., . . . Buzy, W. M. (2001). Reducing conduct problems among children of battered women. *Journal of Consulting & Clinical Psychology*, 69(5), 774–785.
- Jurbergs, N., Palcic, J. L., & Kelley, M. L. (2010). Daily behavior report cards with and without home-based consequences: Improving classroom behavior in low income, African American children with ADHD. *Child & Family Behavior Therapy*, 32(3), 177–195.
- Kaduson, H. G., & Finnerty, K. (1995). Self-control game interventions for attention-deficit hyperactivity disorder. *International Journal of Play Therapy*, 4(2), 15–29.
- Kahn, J. S., Kehle, T. J., Jenson, W. R., & Clark, E. (1990). Comparison of cognitive-behavioral, relaxation, and self-modeling interventions for depression among middle-school students. *School Psychology Review*, 19(2), 196–211.
- Kanfer, F. H., Karoly, P., & Newman, A. (1975). Reduction of children's fear of the dark by competence-related and situational threat-related verbal cues. *Journal of Consulting and Clinical Psychology*, 43(2), 251–258. doi:10.1037/h0076531
- Karoly, P., & Rosenthal, M. (1977). Training parents in behavior modification: Effects on perceptions of family interaction and deviant child behavior. *Behavior Therapy*, 8(3), 406–410.
- Kass, R. G., & Fish, J. M. (1991). Positive reframing and the test performance of test anxious children. *Psychology in the Schools*, 28(1), 43–52.
- Kassam-Adams, N., García-España, J. F., Marsac, M. L., Kohser, K. L., Baxt, C., Nance, M., & Winston, F. (2011). A pilot randomized controlled trial assessing secondary prevention of traumatic stress integrated into pediatric trauma care. *Journal of Traumatic Stress*, 24(3), 252–259. doi:10.1002/jts.20640
- Kazdin, A. E., Esveltd-Dawson, K., French, N. H., & Unis, A. S. (1987). Problem-solving skills training and relationship therapy in the treatment of antisocial child behavior. *Journal of Consulting & Clinical Psychology*, 55(1), 76–85.
- Kazdin, A. E., Esveltd-Dawson, K., French, N. H., & Unis, A. S. (1987). Effects of parent management training and problem-solving skills training combined in the treatment of antisocial child behavior. *Journal of the American Academy of Child & Adolescent Psychiatry*, 26(3), 416–424.
- Keller, M. F., & Carlson, P. M. (1974). The use of symbolic modeling to promote social skills in preschool children with low levels of social responsiveness. *Child Development*, 45, 912–919.
- Kelley, C. K. (1976). Play desensitization of fear of darkness in preschool children. *Behaviour Research & Therapy*, 14(1), 79–81.
- Kelley, T. M., Kennedy, D. B., & Homant, R. J. (2003). Evaluation of an individualized treatment program for adolescent shoplifters. *Adolescence*, 38(152), 725–733.
- Kendall, P. C. (1994). Treating anxiety disorders in children: Results of a randomized clinical trial. *Journal of Consulting & Clinical Psychology*, 62(1), 100–110.
- Kendall, P. C., & Braswell, L. (1982). Cognitive-behavioral self-control therapy for children: A components analysis. *Journal of Consulting & Clinical Psychology*, 50(5), 672–689.
- Kendall, P. C., & Finch, A. J. (1978). A cognitive-behavioral treatment for impulsivity: A group comparison study. *Journal of Consulting & Clinical Psychology*, 46(1), 110–118.
- Kendall, P. C., Flannery-Schroeder, E., Panichelli-Mindel, S. M., Southam-Gerow, M., Henin, A., & Warman, M. (1997). Therapy for youths with anxiety disorders: A second randomized clinical trial. *Journal of Consulting & Clinical Psychology*, 65(3), 366–380.

- Kendall, P. C., Hudson, J. L., Gosch, E., Flannery-Schroeder, E., & Suveg, C. (2008). Cognitive-behavioral therapy for anxiety disordered youth: A randomized clinical trial evaluating child and family modalities. *Journal of Consulting and Clinical Psychology, 76*(2), 282–297. doi:10.1037/0022-006x.76.2.282
- Kendall, P. C., & Wilcox, L. E. (1980). Cognitive-behavioral treatment for impulsivity: Concrete versus conceptual training in non-self-controlled problem children. *Journal of Consulting & Clinical Psychology, 48*(1), 80–91.
- Kendall, P. C., & Zupan, B. A. (1981). Individual versus group application of cognitive-behavioral self-control procedures with children. *Behavior Therapy, 12*(3), 344–359.
- Kennel, S., Taylor, A. G., Lyon, D., & Bourguignon, C. (2010). Pilot feasibility study of binaural auditory beats for reducing symptoms of inattention in children and adolescents with attention-deficit/hyperactivity disorder. *Journal of Pediatric Nursing, 25*(1), 3–11. doi:10.1016/j.pedn.2008.06.010
- Kent, R. N., & O'Leary, K. D. (1977). Treatment of conduct problem children: BA and/or PhD therapists. *Behavior Therapy, 8*(4), 653–658.
- Kern, L., DuPaul, G. J., Volpe, R. J., Sokol, N. G., Lutz, J. G., Arbolino, L. A., . . . VanBrakle, J. D. (2007). Multisetting assessment-based intervention for young children at risk for attention deficit hyperactivity disorder: Initial effects on academic and behavioral functioning. *School Psychology Review, 36*(2), 237–255.
- Kettlewell, P. W., & Kausch, D. F. (1983). The generalization of the effects of a cognitive-behavioral treatment program for aggressive children. *Journal of Abnormal Child Psychology, 11*(1), 101–114.
- King, C. A., Gipson, P. Y., Horwitz, A. G., & Opperman, K. J. (2015). Teen options for change: an intervention for young emergency patients who screen positive for suicide risk. *Psychiatr Serv, 66*(1), 97–100. doi:10.1176/appi.ps.201300347
- King, C. A., Kramer, A., Preuss, L., Kerr, D. C. R., Weisse, L., & Venkataraman, S. (2006). Youth-nominated support team for suicidal adolescents (Version 1): A randomized controlled trial. *Journal of Consulting and Clinical Psychology, 74*(1), 199–206. doi:10.1037/0022-006x.74.1.199
- King, N. J., Tonge, B. J., Heyne, D., Pritchard, M., Rollings, S., Young, D., . . . Ollendick, T. H. (1998). Cognitive-behavioral treatment of school-refusing children: A controlled evaluation. *Journal of the American Academy of Child & Adolescent Psychiatry, 37*(4), 395–403.
- King, N. J., Tonge, B. J., Mullen, P., Myerson, N., Heyne, D., Rollings, S., . . . Ollendick, T. H. (2000). Treating sexually abused children with posttraumatic stress symptoms: A randomized clinical trial. *Journal of the American Academy of Child & Adolescent Psychiatry, 39*(11), 1347–1355.
- Kjøbli, J., Hukkelberg, S., & Ogden, T. (2013). A randomized trial of group parent training: Reducing child conduct problems in real-world settings. *Behaviour Research and Therapy, 51*(3), 113–21. doi:10.1016/j.brat.2012.11.006
- Kjøbli, J., & Ogden, T. (2012). A randomized effectiveness trial of brief parent training in primary care settings. *Prevention Science, 13*(6), 616–626.
- Kjøbli, J., & Ogden, T. (2014). A randomized effectiveness trial of individual child social skills training: Six-month follow-up. *Child and Adolescent Psychiatry and Mental Health, 8*(31). doi:10.1186/s13034-014-0031-6
- Klarreich, S. H. (1981). A study comparing two treatment approaches with adolescent probationers. *Corrective & Social Psychiatry & Journal of Behavior Technology, Methods & Therapy, 27*(1), 1–13.

- Klein, S. A., & Deffenbacher, J. L. (1977). Relaxation and exercise for hyperactive impulsive children. *Perceptual & Motor Skills*, 45(3, Pt 2), 1159–1162.
- Kolko, D. J., Watson, S., & Faust, J. (1991). Fire safety/prevention skills training to reduce involvement with fire in young psychiatric inpatients: preliminary findings.
- Kushnir, J., & Sadeh, A. (2012). Assessment of brief interventions for nighttime fears in preschool children. *Eur J Pediatr*, 171(1), 67–75. doi:10.1007/s00431-011-1488-4
- Landy, S., & Menna, R. (2006). An evaluation of a group intervention for parents with aggressive young children: Improvements in child functioning, maternal confidence, parenting knowledge and attitudes. *Early Child Development and Care*, 176(6), 605–620.
- Lane, J., Turner, S., Fain, T., & Sehgal, A. (2007). The effects of an experimental intensive juvenile probation program on self-reported delinquency and drug use. *Criminal Justice and Behavior*, 34(1), 76–95.
- Langberg, J. M., Epstein, J. N., & Becker, S. P. (2012). Evaluation of the Homework, Organization, and Planning Skills (HOPS) intervention for middle school students with attention deficit hyperactivity disorder as implemented by school mental health providers. *School Psychology Review*, 41(3), 342–364.
- Lansbergen, M. M., Van Dongen-Boomsma, M., Buitelaar, J. K., & Slaats-Willemse, D. (2011). ADHD and EEG-neurofeedback: A double-blind randomized placebo-controlled feasibility study. *Journal of Neural Transmission*, 118, 275–284. doi:10.1007/s00702-010-0524-2
- Larkin, R., & Thyer, B. A. (1999). Evaluating cognitive-behavioral group counseling to improve elementary school students' self-esteem, self-control and classroom behavior. *Behavioral Interventions*, 14(3), 147–161.
- Larson, K. A., & Gerber, M. M. (1987). (Non-LD sample) Effects of social metacognitive training for enhancing overt behavior in learning disabled and low achieving delinquents. *Exceptional Children*, 54(3), 201–211.
- Last, C., Hansen, C., & Franco, N. (1998). Cognitive-behavioral treatment of school phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(4), 404–411.
- Lau, W.-y., Chan, C. K.-y., Li, J. C.-h., & Au, T. K.-f. (2010). Effectiveness of group cognitive-behavioral treatment for childhood anxiety in community clinics. *Behaviour Research and Therapy*, 48(11), 1067–1077. doi:10.1016/j.brat.2010.07.007
- Laxer, R. M., Quarter, J., Kooman, A., & Walker, K. (1969). Systematic desensitization and relaxation of high-test-anxious secondary school students. *Journal of Counseling Psychology*, 16(5, Pt. 1), 446–451.
- Laxer, R. M., & Walker, K. (1970). Counterconditioning versus relaxation in the desensitization of test anxiety. *Journal of Counseling Psychology*, 17(5, Pt. 1), 431–436.
- Leal, L. L., Baxter, E. G., Martin, J., & Marx, R. W. (1981). Cognitive modification and systematic desensitization with test anxious high school students. *Journal of Counseling Psychology*, 28(6), 525–528.
- Lee, D. Y., Hallberg, E. T., & Hassard, J. H. (1979). Effects of assertion training on aggressive behavior of adolescents. *Journal of Counseling Psychology*, 26(5), 459–461.
- Lee, R., & Haynes, N. M. (1978). Counseling juvenile offenders: An experimental evaluation of Project CREST. *Community Mental Health Journal*, 14(4), 267–271.
- Leeman, L. W., Gibbs, J. C., & Fuller, D. (1993). Evaluation of a multi-component group treatment program for juvenile delinquents. *Aggressive Behavior*, 19(4), 281–292.
- Leitenberg, H., & Callahan, E. J. (1973). Reinforced practice and reduction of different kinds of fears in adults. *Behaviour Research & Therapy*, 11(1), 19–30. Experiment 2.

- Leung, C., Sanders, M. R., Leung, S., Mak, R., & Lau, J. (2003). An outcome evaluation of the implementation of the triple P-Positive Parenting Program in Hong Kong. *Family Process*, 42(4), 531–544.
- Leve, L. D., Chamberlain, P., & Reid, J. B. (2005). Intervention outcomes for girls referred from juvenile justice: effects on delinquency. *Journal of Consulting and Clinical Psychology*, 73(6), 1181–1185. doi:10.1037/0022-006x.73.6.1181
- Lévesque, J., Beauregard, M., & Mensour, B. (2006). Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: A functional magnetic resonance imaging study. *Neuroscience Letters*, 394(3), 216–221. doi:10.1016/j.neulet.2005.10.100
- Lewin, A., Park, J., Jones, A., Crawford, E., De Nadai, A., Menzel, J., . . . Storch, E. (2014). Family-based exposure and response prevention therapy for preschool-aged children with obsessive-compulsive disorder: A pilot randomized controlled trial. *Behaviour Research and Therapy*, 56, 30.
- Lewinsohn, P. M., Clarke, G. N., Hops, H., & Andrews, J. (1990). Cognitive-behavioral treatment for depressed adolescents. *Behavior Therapy*, 21(4), 385–401.
- Lewis, R. E. (2005). The effectiveness of Families First services: An experimental study. *Children and Youth Services Review*, 27(5), 499–509.
- Lewis, R. V. (1983). Scared Straight--California style: Evaluation of the San Quentin Squires Program. *Criminal Justice & Behavior*, 10(2), 209–226.
- Liddle, B., & Spence, S. H. (1990). Cognitive-behaviour therapy with depressed primary school children: A cautionary note. *Behavioural Psychotherapy*, 18(2), 85–102.
- Listug-Lunde, L., Vogeltanz-Holm, N., & Collins, J. (2013). A cognitive-behavioral treatment for depression in rural american indian middle school students. *American Indian and Alaska Native Mental Health Research: The Journal of the National Center*, 20(1), 16–34.
- Lochman, J., Baden, R., Boxmeyer, C., Powell, N., Qu, L., Salekin, K., & Windle, M. (2014). Does a booster intervention augment the preventive effects of an abbreviated version of the coping power program for aggressive children? *J Abnorm Child Psychol*, 42(3), 367–381. doi:10.1007/s10802-013-9727-y
- Lochman, J. E., Coie, J. D., Underwood, M. K., & Terry, R. (1993). Effectiveness of a social relations intervention program for aggressive and nonaggressive, rejected children. *Journal of Consulting & Clinical Psychology*, 61(6), 1053–1058.
- Lochman, J. E., & Wells, K. C. (2002). The Coping Power Program at the middle school transition: universal and indicated prevention effects. *Development and Psychopathology*, 14(4), 945–967.
- Lochman, J. E., & Wells, K. C. (2004). The Coping Power Program for preadolescent aggressive boys and their parents: Outcome effects at the 1-year follow-up. *Journal of Consulting and Clinical Psychology*, 72(4), 571–578.
- Lowenstein, L. F. (1982). The treatment of extreme shyness in maladjusted children by implosive, counselling and conditioning approaches. *Acta Psychiatrica Scandinavica*, 66(3), 173–189.
- Luby, J., Lenze, S., & Tillman, R. (2012). A novel early intervention for preschool depression: Findings from a pilot randomized controlled trial. *Journal of Child Psychology and Psychiatry*, 53(3), 313–322. doi:10.1111/j.1469-7610.2011.02483.x
- Luk, E. S. L., Staiger, P., Mathai, J., Field, D., & Adler, R. (1998). Comparison of treatments of persistent conduct problems in primary school children: A preliminary evaluation of a modified cognitive-behavioural approach. *Australian & New Zealand Journal of Psychiatry*, 32(3), 379–386.

- Lyshak-Stelzer, F., Singer, P., St. John, P., & Chemtob, C. M. (2007). Art therapy for adolescents with posttraumatic stress disorder symptoms: A pilot study. *Art Therapy, 24*(4), 163–169.
- Madigan, S., Vaillancourt, K., McKibbin, A., & Benoit, D. (2015). Trauma and traumatic loss in pregnant adolescents: the impact of Trauma-Focused Cognitive Behavior Therapy on maternal unresolved states of mind and Posttraumatic Stress Disorder. *Attach Hum Dev, 17*(2), 175–198. doi:10.1080/14616734.2015.1006386
- Mann, J. (1972). Vicarious desensitization of test anxiety through observation of videotaped treatment. *Journal of Counseling Psychology, 19*(1), 1–7.
- Manning, B. H. (1988). Application of cognitive behavior modification: First and third graders' self-management of classroom behaviors. *American Educational Research Journal, 25*(2), 193–212. doi:10.2307/1163080
- March, H., Sonja, Spence, S. H., & Donovan, C. L. (2009). The efficacy of an Internet-based cognitive-behavioral therapy intervention for child anxiety disorders. *Journal of Pediatric Psychology, 34*(5), 474–487.
- Markie-Dadds, C., & Sanders, M. R. (2006). A controlled evaluation of an enhanced self-directed behavioural family intervention for parents of children with conduct problems in rural and remote areas. *Behaviour Change, 23*(1), 55–72.
- Martin, A. J., & Sanders, M. R. (2003). Balancing work and family: A controlled evaluation of the Triple P-Positive Parenting Program as a work-site intervention. *Child and Adolescent Mental Health, 8*(4), 161–169.
- Masia Warner, C., Fisher, P. H., Shrout, P. E., Rathor, S., & Klein, R. G. (2007). Treating adolescents with social anxiety disorder in school: An attention control trial. *Journal of Child Psychology and Psychiatry, 48*(7), 676–686.
- Masia-Warner, C., Klein, R. G., Dent, H. C., Fisher, P. H., Alvir, J., Albano, A. M., & Guardino, M. (2005). School-based intervention for adolescents with social anxiety disorder: Results of a controlled study. *Journal of Abnormal Child Psychology: An official publication of the International Society for Research in Child and Adolescent Psychopathology, 33*(6), 707–722.
- Massimo, J. L., & Shore, M. F. (1963). The effectiveness of a comprehensive, vocationally oriented psychotherapeutic program for adolescent delinquent boys. *American Journal of Orthopsychiatry, 33*, 634–642.
- McCabe, K., & Yeh, M. (2009). Parent-child interaction therapy for Mexican Americans: A randomized clinical trial. *Journal of Clinical Child and Adolescent Psychology, 38*(5), 753–759. doi:10.1080/15374410903103544
- McCarty, C. A., Violette, H. D., Duong, M. T., Cruz, R. A., & McCauley, E. (2013). A randomized trial of the positive thoughts and action program for depression among early adolescents. *Journal of Clinical Child & Adolescent Psychology, 1–10*. doi:10.1080/15374416.2013.782817
- McGilloway, S., Mhaille, G. N., Bywater, T., Furlong, M., Leckey, Y., Kelly, P., . . . Donnelly, M. (2012). A parenting intervention for childhood behavioral problems: A randomized controlled trial in disadvantaged community-based settings. *Journal of Consulting and Clinical Psychology, 80*(1), 116–127. doi:10.1037/a0026304
- McGrath, P. J., Lingley-Pottie, P., Thurston, C., MacLean, C., Cunningham, C., Waschbusch, D. A., . . . Chaplin, W. (2011). Telephone-based mental health interventions for child disruptive behavior or anxiety disorders: Randomized trials and overall analysis. *Journal of the American Academy of Child & Adolescent Psychiatry, 50*(11), 1162–1172. doi:10.1016/j.jaac.2011.07.013

- McMurray, N. E., Bell, R. J., Fusillo, A. D., Morgan, M., & Wright, F. A. C. (1986). Relationship between locus of control and effects of coping strategies on dental stress in children. *Child & Family Behavior Therapy*, 8(3), 1–17.
- McMurray, N. E., Lucas, J. O., Arbres-Duprey, V., & Wright, F. A. C. (1985). The effects of mastery and coping models on dental stress in young children. *Australian Journal of Psychology*, 37(1), 65–70.
- McNally Keehn, R. H., Lincoln, A. J., Brown, M. Z., & Chavira, D. A. (2013). The Coping Cat Program for children with anxiety and autism spectrum disorder: A pilot randomized controlled trial. *Journal of Autism and Developmental Disorders*, 43(1), 57–67. doi:10.1007/s10803-012-1541-9
- McNeilly, R. A., & Yorke, C. (1990). Social skills training and the role of a cognitive computer in developing school assertion in adolescents.
- Meany-Walen, K. K., Bratton, S. C., & Kottman, T. (2014). Effects of Adlerian play therapy on reducing students' disruptive behaviors. *Journal of Counseling & Development*, 92(1), 47–56. doi:10.1002/j.1556-6676.2014.00129.x
- Mehlum, L., Tørmoen, A. J., Ramberg, M., Haga, E., Diep, L. M., Laberg, S., . . . Grøholt, B. (2014). Dialectical behavior therapy for adolescents with repeated suicidal and self-harming behavior: A randomized trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 53(10), 1082–1091. doi:10.1016/j.jaac.2014.07.003
- Meichenbaum, D. H., & Goodman, J. (1971). Training impulsive children to talk to themselves: A means of developing self-control. *Journal of Abnormal Psychology*, 77(2), 115–126.
- Mejia, A., Calam, R., & Sanders, M. R. (2015). A pilot randomized controlled trial of a brief parenting intervention in low-resource settings in Panama. *Prev Sci*, 16(5), 707–717. doi:10.1007/s11121-015-0551-1
- Merry, S. N., Stasiak, K., Shepherd, M., Frampton, C., Fleming, T., & Lucassen, M. F. G. (2012). The effectiveness of SPARX, a computerised self help intervention for adolescents seeking help for depression: Randomised controlled non-inferiority trial. *BMJ: British Medical Journal*, 344(7857), 1–16.
- Miller, L. C., Barrett, C. L., Hampe, E., & Noble, H. (1972). Comparison of reciprocal inhibition, psychotherapy, and waiting list control for phobic children. *Journal of Abnormal Psychology*, 79(3), 269–279.
- Milos, M. E., & Reiss, S. (1982). Effects of three play conditions on separation anxiety in young children. *Journal of Consulting & Clinical Psychology*, 50(3), 389–395.
- Miran, M., Lehrer, P. M., Koehler, R., & Miran, E. (1974). What happens when deviant behavior begins to change? The relevance of a social systems approach for behavioral programs with adolescents. *Journal of Community Psychology*, 2(4), 370–375.
- Miranda, A., Presentación, M. J., Siegenthaler, R., & Jara, P. (2013). Effects of a psychosocial intervention on the executive functioning in children with ADHD. *Journal of Learning Disabilities*, 46(4), 363–376. doi:10.1177/0022219411427349
- Mishra, J., Sagar, R., Joseph, A. A., Gazzaley, A., & Merzenich, M. M. (2016). Training sensory signal-to-noise resolution in children with ADHD in a global mental health setting. *Transl Psychiatry*, 6, e781. doi:10.1038/tp.2016.45
- Moracco, J., & Kazandkian, A. (1977). Effectiveness of behavior counseling and consulting with non-Western elementary school children. *Elementary School Guidance & Counseling*, 11, 244–251.
- Morawska, A., Haslam, D., Milne, D., & Sanders, M. R. (2011). Evaluation of a brief parenting discussion group for parents of young children. *Journal of Developmental and Behavioral Pediatrics*, 32(2), 136–145. doi:10.1097/DBP.0b013e3181f17a28

- Moynahan, L., & Stromgren, B. (2005). Preliminary results of Aggression replacement training for Norwegian youth with aggressive behaviour and with a different diagnosis. *PSYCHOLOGY CRIME & LAW*, 11(4), 411–419. doi:10.1080/10683160500256784
- MTA Cooperative Group. (1999). A 14-month randomized clinical trial of treatment strategies for attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*, 56, 1073–1086. doi:10.1001/archpsyc.56.12.1073
- Mufson, L., Weissman, M. M., Moreau, D., & Garfinkel, R. (1999). Efficacy of interpersonal psychotherapy for depressed adolescents. *Archives of General Psychiatry*, 56(6), 573–579.
- Muller, S. D., & Madsen, C. H. (1970). Group desensitization for “anxious” children with reading problems. *Psychology in the Schools*, 7(2), 184–189.
- Muris, P., Meesters, C., & van Melick, M. (2002). Treatment of childhood anxiety disorders; A preliminary comparison between cognitive-behavioral group therapy and a psychological placebo intervention. *Journal of Behavior Therapy & Experimental Psychiatry*, 33(3–4), 143–158.
- Muris, P., Merckelbach, H., Holdrinet, I., & Sijsenaar, M. (1998). Treating phobic children: Effects of EMDR versus exposure. *Journal of Consulting & Clinical Psychology*, 66(1), 193–198.
- Murphy, C. M., & Bootzin, R. R. (1973). Active and passive participation in the contact desensitization of snake fear in children. 4(2), 203–211.
- Murray, L. K., Skavenski, S., Kane, J. C., Mayeya, J., Dorsey, S., Cohen, J. A., . . . Bolton, P. A. (2015). Effectiveness of Trauma-Focused Cognitive Behavioral Therapy Among Trauma-Affected Children in Lusaka, Zambia: A Randomized Clinical Trial. *JAMA Pediatr*, 169(8), 761–769. doi:10.1001/jamapediatrics.2015.0580
- Myers, K., Vander Stoep, A., Zhou, C., McCarty, C. A., & Katon, W. (2015). Effectiveness of a telehealth service delivery model for treating attention-deficit/hyperactivity disorder: a community-based randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 54(4), 263–274.
- Najavits, L. M., Gallop, R. J., & Weiss, R. D. (2006). Seeking safety therapy for adolescent girls with PTSD and substance use disorder: A randomized controlled trial. *The Journal of Behavioral Health Services & Research*, 33(4), 453–463. doi:10.1007/s11414-006-9034-2
- Nakaya, N., Kumano, H., Minoda, K., Koguchi, T., Tanouchi, K., Kanazawa, M., & Fukudo, S. (2004). Preliminary study: Psychological effects of muscle relaxation on juvenile delinquents. *International Journal of Behavioral Medicine*, 11(3), 176–180.
- Nelson, W. J., & Birkimer, J. C. (1978). Role of self-instruction and self-reinforcement in the modification of clinical impulsivity. *Journal of Consulting & Clinical Psychology*, 46(1), 183.
- Nickel, M. K., Muehlbacher, M., Kaplan, P., Krawczyk, J., Buschmann, W., Kettler, C., . . . Nickel, C. (2006). Influence of family therapy on bullying behaviour, cortisol secretion, anger, and quality of life in bullying male adolescents: A randomized, prospective, controlled study. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 51(6), 355–362.
- Nixon, R. D. V. (2001). Changes in hyperactivity and temperament in behaviourally disturbed preschoolers after parent-child interaction therapy (PCIT). *Behaviour Change*, 18(3), 168–176.
- O’Leary, K. D., Pelham, W. E., Rosenbaum, A., & Price, G. H. (1976). Behavioral treatment of hyperkinetic children. *Clinical Pediatrics*, 15, 510–514.
- Obler, M., & Terwilliger, R. F. (1969). Pilot study on the effectiveness of systematic desensitization among children with phobic disorders. *Proceedings of the Annual Convention of the American Psychological Association*, 4(Pt. 2), 501–502.

- Oerbeck, B., Stein, M. B., Wentzel-Larsen, T., Langsrud, Ø., & Kristensen, H. (2014). A randomized controlled trial of a home and school-based intervention for selective mutism—defocused communication and behavioural techniques. *Child and Adolescent Mental Health*, 19(3), 192–198.
- Ogden, T., & Hagen, K. A. (2008). Treatment effectiveness of parent management training in Norway: A randomized controlled trial of children with conduct problems. *Journal of Consulting and Clinical Psychology*, 76(4), 607–621. doi:10.1037/0022-006x.76.4.607
- Ogden, T., & Halliday-Boykins, C. A. (2004). Multisystemic treatment of antisocial adolescents in Norway: Replication of clinical outcomes outside of the US. *Child and Adolescent Mental Health*, 9(2), 77–83. doi:10.1111/j.1475-3588.2004.00085.x
- Oldfield, D. (1986). The effects of the relaxation response on self-concept and acting out behaviors. *Elementary School Guidance & Counseling*, 20(4), 255–260.
- Ollendick, T. H., Ost, L.-G., Reuterskiold, L., Costa, N., Cederlund, R., Sirbu, C., . . . Jarrett, M. A. (2009). One-session treatment of specific phobias in youth: A randomized clinical trial in the United States and Sweden. *Journal of Consulting and Clinical Psychology*, 77(3), 504–516.
- Omizo, M. M., Hershberger, J. M., & Omizo, S. A. (1988). Teaching children to cope with anger. *Elementary School Guidance & Counseling*, 22(3), 241–245.
- Omizo, M. M., & Michael, W. B. (1982). Biofeedback-induced relaxation training and impulsivity, attention to task, and locus of control among hyperactive boys. *Journal of Learning Disabilities*, 15(7), 414–416.
- Ost, L.-G., Svensson, L., Hellstroem, K., & Lindwall, R. (2001). One-session treatment of specific phobias in youths: A randomized clinical trial. *Journal of Consulting & Clinical Psychology*, 69(5), 814–824.
- Östberg, M., & Rydell, A.-M. (2012). An efficacy study of a combined parent and teacher management training programme for children with ADHD. *Nordic Journal of Psychiatry*, 66(2), 123–130. doi:10.3109/08039488.2011.641587
- Ostrom, T. M., Steele, C. M., Rosenblood, L. K., & Mirels, H. L. (1971). Modification of delinquent behavior. *Journal of Applied Social Psychology*, 1(2), 118–136.
- Packman, J., & Bratton, S. C. (2003). A school-based group play/activity therapy intervention with learning disabled preadolescents exhibiting behavior problems. *International Journal of Play Therapy*, 12(2), 7–29.
- Palkes, H., Stewart, M., & Freedman, J. (1971). Improvement in maze performance of hyperactive boys as a function of verbal-training procedures. *Journal of Special Education*, 5(4), 337–342.
- Palkes, H., Stewart, M., & Kahana, B. (1968). Porteus maze performance of hyperactive boys after training in self-directed verbal commands. *Child Development*, 39(3), 817–826.
- Pan, C.-Y., Chu, C.-H., Tsai, C.-L., Lo, S.-Y., Cheng, Y.-W., & Liu, Y.-J. (2016). A racket-sport intervention improves behavioral and cognitive performance in children with attention-deficit/hyperactivity disorder. *Res Dev Disabil*, 57, 1–10.
- Parrish, J. M., & Erickson, M. T. (1981). A comparison of cognitive strategies in modifying the cognitive style of impulsive third-grade children. *Cognitive Therapy & Research*, 5(1), 71–84.
- Patterson, G. R., Chamberlain, P., & Reid, J. B. (1982). A comparative evaluation of a parent-training program. *Behavior Therapy*, 13(5), 638–650.
- Patterson, J., Barlow, J., Mockford, C., Klimes, I., Pyper, C., & Stewart-Brown, S. (2002). Improving mental health through parenting programmes: block randomised controlled trial. *Arch Dis Child*, 87(6), 472–477.

- Perreau-Linck, E., Lessard, N., Lévesque, J., & Beauregard, M. (2010). Effects of neurofeedback training on inhibitory capacities in ADHD children: A single-blind, randomized, placebo-controlled study. *Journal of Neurotherapy*, 14(3), 229–242. doi:10.1080/10874208.2010.501514
- Perrino, T., Pantin, H., Huang, S., Brincks, A., Brown, C. H., & Prado, G. (2016). Reducing the Risk of Internalizing Symptoms among High-risk Hispanic Youth through a Family Intervention: A Randomized Controlled Trial. *Fam Process*, 55(1), 91–106. doi:10.1111/famp.12132
- Persons, R. W. (1966). Psychological and behavioral change in delinquents following psychotherapy. *Journal of Clinical Psychology*, 22(3), 337–340.
- Pityaratstian, N., Piyasil, V., Ketumarn, P., Sitdhiraksa, N., Ularntinon, S., & Pariwatcharakul, P. (2015). Randomized Controlled Trial of Group Cognitive Behavioural Therapy for Post-Traumatic Stress Disorder in Children and Adolescents Exposed to Tsunami in Thailand. *Behav Cogn Psychother*, 43(5), 549–561. doi:10.1017/s1352465813001197
- Pfeiffer, B., Henry, A., Miller, S., & Witherell, S. (2008). Effectiveness of Disc ‘O’ Sit cushions on attention to task in second-grade students with attention difficulties. *American Journal of Occupational Therapy*, 62(3), 274–281.
- Pfiffner, L. J., Mikami, A. Y., Huang-Pollock, C., Easterlin, B., Zalecki, C., & McBurnett, K. (2007). A randomized, controlled trial of integrated home-school behavioral treatment for ADHD, predominantly inattentive type. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(8), 1041–1050.
- Pincus, D. B., May, J. E., Whitton, S. W., Mattis, S. G., & Barlow, D. H. (2010). Cognitive-behavioral treatment of panic disorder in adolescence. *Journal of Clinical Child and Adolescent Psychology*, 39(5), 638–649. doi:10.1080/15374416.2010.501288
- Pineda, J., & Dadds, M. R. (2013). Family intervention for adolescents with suicidal behavior: A randomized controlled trial and mediation analysis. *Journal of the American Academy of Child & Adolescent Psychiatry*, 52(8), 851–862. doi:10.1016/j.jaac.2013.05.015
- Pisterman, S., Firestone, P., McGrath, P., Goodman, J. T., Webster, I., Mallory, R., & Goffin, B. (1992). The role of parent training in treatment of preschoolers with ADHD. *American Journal of Orthopsychiatry*, 62(3), 397–408.
- Pisterman, S., McGrath, P. J., Firestone, P., Goodman, J. T., Webster, I., & Mallory, R. (1989). Outcome of parent-mediated treatment of preschoolers with attention deficit disorder with hyperactivity. *Journal of Consulting & Clinical Psychology*, 57(5), 628–635.
- Porter, B. A., & Hoedt, K. C. (1985). Differential effects of an Adlerian counseling approach with preadolescent children. *Individual Psychology: Journal of Adlerian Theory, Research & Practice*, 41(3), 372–385.
- Porter, S. S., & Omizo, M. M. (1984). The effects of group relaxation training/large muscle exercise, and parental involvement on attention to task, impulsivity, and locus of control among hyperactive boys. *Exceptional Child*, 51(1), 54–64.
- Porzig-Drummond, R., Stevenson, R. J., & Stevenson, C. (2014). The 1–2–3 Magic parenting program and its effect on child problem behaviors and dysfunctional parenting: A randomized controlled trial. *Behaviour Research and Therapy*, 58, 52–64. doi:10.1016/j.brat.2014.05.004
- Poythress, N. G., Dembo, R., DuDell, G., & Wareham, J. (2006). Arbitration Intervention Worker (AIW) services: Case management overlay in a juvenile diversion program. *Journal of Offender Rehabilitation*, 43(4), 7–26. doi:10.1300/J076v43n04_02

- Rabiner, D. L., Murray, D. W., Skinner, A. T., & Malone, P. S. (2009). A randomized trial of two promising computer-based interventions for students with attention difficulties. *Journal of Abnormal Child Psychology: An official publication of the International Society for Research in Child and Adolescent Psychopathology*, 38(1), 131–142.
- Randell, B. P., Eggert, L. L., & Pike, K. C. (2001). Immediate post intervention effects of two brief youth suicide prevention interventions. *Suicide & Life-Threatening Behavior*, 31(1), 41- 61.
- Rapee, R. M., Abbott, M. J., & Lyneham, H. J. (2006). Bibliotherapy for children with anxiety disorders using written materials for parents: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 74(3), 436–444. doi:10.1037/0022-006x.74.3.436
- Raue, J., & Spence, S. H. (1985). Group versus individual applications of reciprocity training for parent-youth conflict. *Behaviour Research & Therapy*, 23(2), 177–186.
- Ray, D. C., Schottelkorb, A., & Tsai, M.-H. (2007). Play therapy with children exhibiting symptoms of attention deficit hyperactivity disorder. *International Journal of Play Therapy*, 16(2), 95–111.
- Reaven, J., Blakeley-Smith, A., Culhane-Shelburne, K., & Hepburn, S. (2012). Group cognitive behavior therapy for children with high-functioning autism spectrum disorders and anxiety: A randomized trial. *Journal of Child Psychology and Psychiatry*, 53(4), 410–419. doi:10.1111/j.1469-7610.2011.02486.x
- Redfering, D. (1972). Group counseling with institutionalized delinquent females. *American corrective therapy journal*, 160–163.
- Redfering, D. L., & Bowman, M. J. (1981). Effects of a meditative-relaxation exercise on non-attending behaviors of behaviorally disturbed children. *Journal of Clinical Child Psychology*, 10(2), 126–127.
- Reid, M., Webster-Stratton, C., & Hammond, M. (2003). Follow-up of children who received the Incredible Years intervention for oppositional-defiant disorder: maintenance and prediction of 2-year outcome. *Behavior Therapy Vol 34(4) Fal 2003*, 471–491.
- Reid, M. K., & Borkowski, J. G. (1987). Causal attributions of hyperactive children: Implications for teaching strategies and self-control. *Journal of Educational Psychology*, 79(3), 296–307.
- Reynolds, W. M., & Coats, K. I. (1986). A comparison of cognitive-behavioral therapy and relaxation training for the treatment of depression in adolescents. *Journal of Consulting & Clinical Psychology*, 54(5), 653–660.
- Rickson, D. J. (2006). Instructional and improvisational models of music therapy with adolescents who have attention deficit hyperactivity disorder (ADHD): A comparison of the effects on motor impulsivity. *Journal of Music Therapy*, 43(1), 39–62.
- Rickson, D. J., & Watkins, W. G. (2003). Music therapy to promote prosocial behaviors in aggressive adolescent boys-a pilot study. *Journal of Music Therapy*, 40(4), 283–301.
- Ridberg, E. H., Parke, R. D., & Hetherington, E. M. (1971). (STUDY 1: High IQ) Modification of impulsive and reflective cognitive styles through observation of film-mediated models. *Developmental Psychology*, 5(3), 369–377.
- Ritter, B. (1968). The group desensitization of children's snake phobias using vicarious and contact desensitization procedures. *Proceedings of the Annual Convention of the American Psychological Association*, 3.
- Ritter, B. (1968a). Effect of contact desensitization on avoidance behavior, fear ratings, and self-evaluative statements. *Behaviour Research + Therapy*, 6(1), 1–6.
- Rivera, E., & Omizo, M. M. (1980). The effects of relaxation and biofeedback on attention to task and impulsivity among male hyperactive children. *Exceptional Child*, 27(1), 41–51.

- Roberts, M. W., Hatzenbuehler, L. C., & Bean, A. W. (1981). The effects of differential attention and time out on child noncompliance. *Behavior Therapy*, 12(1), 93–99.
- Roberts, M. W., McMahon, R. J., Forehand, R., & Humphreys, L. (1978). The effect of parental instruction-giving on child compliance. *Behavior Therapy*, 9(5), 793–798.
- Rohde, P., Clarke, G. N., Mace, D. E., Jorgensen, J. S., & Seeley, J. R. (2004). An efficacy/effectiveness study of cognitive-behavioral treatment for adolescents with comorbid major depression and conduct disorder. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43(6), 660–668.
- Rohde, P., Jorgensen, J. S., Seeley, J. R., & Mace, D. E. (2004). Pilot evaluation of the coping course: a cognitive-behavioral intervention to enhance coping skills in incarcerated youth. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43(6), 669–676. doi:10.1097/01.chi.0000121068.29744.a5
- Rohde, P., Stice, E., Shaw, H., & Brière, F. N. (2014). Indicated cognitive behavioral group depression prevention compared to bibliotherapy and brochure control: acute effects of an effectiveness trial with adolescents. *Journal of Consulting and Clinical Psychology*, 82(1), 65–74. doi:10.1037/a0034640
- Rosal, M. L. (1993). Comparative group art therapy research to evaluate changes in locus of control in behavior disordered children. *Arts in Psychotherapy*, 20(3), 231–241.
- Rosenfarb, I., & Hayes, S. C. (1984). Social standard setting: The Achilles heel of informational accounts of therapeutic change. *Behavior Therapy*, 15(5), 515–528.
- Rosselló, J., & Bernal, G. (1999). The efficacy of cognitive-behavioral and interpersonal treatments for depression in Puerto Rican adolescents. *Journal of Consulting and Clinical Psychology*, 67(5), 734–745.
- Ruf, M., Schauer, M., Neuner, F., Catani, C., Schauer, E., & Elbert, T. (2010). Narrative exposure therapy for 7- to 16-year-olds: A randomized controlled trial with traumatized refugee children. *Journal of Traumatic Stress*, 23(4), 437–445.
- Sánchez-García, R., & Olivares, J. (2009). Effectiveness of a program for early detection/intervention in children/adolescents with generalized social phobia. *Anales de Psicología*, 25(2), 241–249.
- Saigh, P. A., & Antoun, F. T. (1984). Endemic images and the desensitization process. *Journal of School Psychology*, 22(2), 177–183.
- Salemink, E., Wolters, L., & de Haan, E. (2015). Augmentation of Treatment As Usual with online Cognitive Bias Modification of Interpretation training in adolescents with Obsessive Compulsive Disorder: A pilot study. *J Behav Ther Exp Psychiatry*, 49(Pt A), 112–119. doi:10.1016/j.jbtep.2015.02.003
- Sanders, M. R., Montgomery, D. T., & Brechman-Toussaint, M. L. (2000). The mass media and the prevention of child behavior problems: The evaluation of a television series to promote positive outcome for parents and their children. *Journal of Child Psychology and Psychiatry*, 41(7), 939–948.
- Sanford, M., Boyle, M., McCleary, L., Miller, J., Steele, M., Duku, E., & Offord, D. (2006). A pilot study of adjunctive family psychoeducation in adolescent major depression: Feasibility and treatment effect. *Journal of the American Academy of Child & Adolescent Psychiatry*, 45(4), 386–395. doi:10.1097/01.chi.0000198595.68820.10
- Santacruz, I., Méndez, F. J., & Sánchez-Meca, J. (2006). Play therapy applied by parents for children with darkness phobia: Comparison of two programmes. *Child & Family Behavior Therapy*, 28(1), 19–35. doi:10.1300/J019v28n01_02

- Santisteban, D. A., Coatsworth, J. D., Perez-Vidal, A., Kurtines, W. M., Schwartz, S. J., LaPerriere, A., & Szapocznik, J. (2003). Efficacy of brief strategic family therapy in modifying Hispanic adolescent behavior problems and substance use. *Journal of Family Psychology*, 17(1), 121–133. doi:10.1037/0893-3200.17.1.121
- Santomauro, D., Sheffield, J., & Sofronoff, K. (2016). Depression in Adolescents with ASD: A Pilot RCT of a Group Intervention. *J Autism Dev Disord*, 46(2), 572–588. doi:10.1007/s10803-015-2605-4
- Santucci, L. C., & Ehrenreich-May, J. (2013). A randomized controlled trial of the Child Anxiety Multi-Day Program (CAMP) for separation anxiety disorder. *Child Psychiatry and Human Development*, 44(3), 439–451. doi:10.1007/s10578-012-0338-6
- Sayger, T. V., Horne, A. M., Walker, J. M., & Passmore, J. L. (1988). Social learning family therapy with aggressive children: Treatment outcome and maintenance. *Journal of Family Psychology*, 1(3), 261–285.
- Saylor, C. F., Benson, B., & Einhaus, L. (1985). Evaluation of an anger management program for aggressive boys in inpatient treatment. *Journal of Child & Adolescent Psychotherapy*, 2(1), 5–15.
- Scahill, L., Sukhodolsky, D. G., Bearss, K., Findley, D., Hamrin, V., Carroll, D. H., & Rains, A. L. (2006). Randomized trial of parent management training in children with tic disorders and disruptive behavior. *Journal of Child Neurology*, 21(8), 650–656.
- Scheeringa, M. S., Weems, C. F., Cohen, J. A., Amaya-Jackson, L., & Guthrie, D. (2011). Trauma-focused cognitive-behavioral therapy for posttraumatic stress disorder in three-through six year-old children: A randomized clinical trial. *Journal of Child Psychology and Psychiatry*, 52(8), 853–860.
- Scherer, D. G., Brondino, M. J., Henggeler, S. W., Melton, G. B., & al., e. (1994). Multisystemic family preservation therapy: Preliminary findings from a study of rural and minority serious adolescent offenders. Special Series: Center for Mental Health Services Research Projects. *Journal of Emotional & Behavioral Disorders*, 2(4), 198–206.
- Schleser, R., Meyers, A. W., Cohen, R., & Thackwray, D. (1983). Self-instruction interventions with non-self-controlled children: Effects of discovery versus faded rehearsal. *Journal of Consulting & Clinical Psychology*, 51(6), 942–943.
- Schlichter, K. J., & Horan, J. J. (1981). Effects of stress inoculation on the anger and aggression management skills of institutionalized juvenile delinquents. *Cognitive Therapy & Research*, 5(4), 359–365.
- Schneider, B. H., & Bryne, B. M. (1987). Individualizing social skills training for behavior-disordered children. *Journal of Consulting & Clinical Psychology*, 55(3), 444–445.
- Schneider, S., Blatter-Meunier, J., Herren, C., Adornetto, C., In-Albon, T., & Lavallee, K. (2011). Disorder-specific cognitive-behavioral therapy for separation anxiety disorder in young children: A randomized waiting-list-controlled trial. *Psychotherapy and Psychosomatics*, 80(4), 206–215.
- Schramm, S. A., Hennig, T., & Linderkamp, F. (2016). Training problem solving and organizational skills in adolescents with attention-deficit/hyperactivity disorder: A randomized controlled trial. *Journal of Cognitive Education and Psychology*, 15(3), 391–411. doi:10.1891/1945-8959.15.3.391
- Schuhmann, E. M., Foote, R. C., Eyberg, S. M., Boggs, S. R., & Algina, J. (1998). Efficacy of parent-child interaction therapy: Interim report of a randomized trial with short-term maintenance. *Journal of Clinical Child Psychology*, 27(1), 34–45.

- Scott, S., Sylva, K., Doolan, M., Price, J., Jacobs, B., Crook, C., & Landau, S. (2010). Randomised controlled trial of parent groups for child antisocial behaviour targeting multiple risk factors: The SPOKES project. *Journal of Child Psychology and Psychiatry*, 51(1), 48–57.
- Sexton, T., & Turner, C. W. (2010). The effectiveness of functional family therapy for youth with behavioral problems in a community practice setting. *Couple and Family Psychology: Research and Practice*, 1(S), 3–15. doi:10.1037/2160-4096.1.S.3
- Shaffer, R. J., Jacokes, L. E., Cassily, J. F., Greenspan, S. I., Tuchman, R. F., & Stemmer, P. J. J. (2001). Effect of interactive metronome(R) training on children with ADHD. *American Journal of Occupational Therapy*, 55(2), 155–162.
- Shalev, L., Tsai, Y., & Mevorach, C. (2007). Computerized progressive attentional training (CPAT) program: Effective direct intervention for children with ADHD. *Child Neuropsychology*, 13(4), 382–388. doi:10.1080/09297040600770787
- Shechtman, Z. (1999). Bibliotherapy: An indirect approach to treatment of childhood aggression. *Child Psychiatry & Human Development*, 30(1), 39–53.
- Shechtman, Z. (2000). An innovative intervention for treatment of child and adolescent aggression: An outcome study. *Psychology in the Schools*, 37(2), 157–167.
- Shechtman, Z. (2006). The contribution of bibliotherapy to the counseling of aggressive boys. *Psychotherapy Research*, 16(5), 631–636. doi:10.1080/10503300600591312
- Shechtman, Z., & Ben-David, M. (1999). Individual and group psychotherapy of childhood aggression: A comparison of outcomes and processes. *Group Dynamics*, 3(4), 263–274.
- Sheslow, D. V., Bondy, A. S., & Nelson, R. O. (1982). A comparison of graduated exposure, verbal coping skills, and their combination in the treatment of children's fear of the dark. *Child & Family Behavior Therapy*, 4(2–3), 33–45.
- Shortt, A. L., Barrett, P. M., & Fox, T. L. (2001). Evaluating the FRIENDS Program: A cognitive-behavioral group treatment for anxious children and their parents. *Journal of Clinical Child Psychology*, 30(4), 525–535.
- Silverman, W. K., Kurtines, W. M., Ginsburg, G. S., Weems, C. F., Lumpkin, P. W., & Carmichael, D. H. (1999). Treating anxiety disorders in children with group cognitive-behavioral therapy: A randomized clinical trial. *Journal of Consulting & Clinical Psychology*, 67(6), 995–1003.
- Silverman, W. K., Kurtines, W. M., Ginsburg, G. S., Weems, C. F., Rabian, B., & Serafini, L. T. (1999). Contingency management, self-control, and education support in the treatment of childhood phobic disorders: A randomized clinical trial. *Journal of Consulting & Clinical Psychology*, 67(5), 675–687.
- Simon, E., Bögels, S. M., & Voncken, J. M. (2011). Efficacy of child-focused and parent-focused interventions in a child anxiety prevention study. *Journal of Clinical Child and Adolescent Psychology*, 40(2), 204–219. doi:10.1080/15374416.2011.546039
- Smith, P., Yule, W., Perrin, S., Tranah, T., Dalgleish, T., & Clark, D. M. (2007). Cognitive-behavioral therapy for PTSD in children and adolescents: A preliminary randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(8), 1051–1061.
- Snyder, J. J., & White, M. J. (1979). The use of cognitive self-instruction in the treatment of behaviorally disturbed adolescents. *Behavior Therapy*, 10(2), 227–235.
- Snyder, K. V., Kymissis, P., & Kessler, K. (1999). Anger management for adolescents: Efficacy of brief group therapy. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38(11), 1409–1416.

- Sofronoff, K., Attwood, T., & Hinton, S. (2005). A randomised controlled trial of a CBT intervention for anxiety in children with Asperger syndrome. *Journal of Child Psychology and Psychiatry*, 46(11), 1152–1160.
- Solomon, M., Ono, M., Timmer, S., & Goodlin-Jones, B. (2008). The effectiveness of parent--child interaction therapy for families of children on the autism spectrum. *Journal of Autism and Developmental Disorders*, 38(9), 1767–1776.
- Somech, L. Y., & Elizur, Y. (2012). Promoting self-regulation and cooperation in pre-kindergarten children with conduct problems: a randomized controlled trial.(New Research)(Report). *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(4), 412.
- Sourander, A., McGrath, P. J., Ristkari, T., Cunningham, C., Huttunen, J., Lingley-Pottie, P., . . . Unruh, A. (2016). Internet-Assisted Parent Training Intervention for Disruptive Behavior in 4-Year-Old Children: A Randomized Clinical Trial. *JAMA Psychiatry*, 73(4), 378–387. doi:10.1001/jamapsychiatry.2015.3411
- Southam-Gerow, M. A., Weisz, J. R., Chu, B. C., McLeod, B. D., Gordis, E. B., & Connor-Smith, J. K. (2010). Does cognitive behavioral therapy for youth anxiety outperform usual care in community clinics? an initial effectiveness test. *Journal of the American Academy of Child & Adolescent Psychiatry*, 49(10), 1043–1052. doi:10.1016/j.jaac.2010.06.009
- Spaccarelli, S., Cotler, S., & Penman, D. (1992). Problem-solving skills training as a supplement to behavioral parent training. *Cognitive Therapy & Research*, 16(1), 1–17.
- Spence, S. H., Donovan, C., & Brechman-Toussaint, M. (2000). The treatment of childhood social phobia: The effectiveness of a social skills training-based, cognitive-behavioral intervention, with and without parental involvement. *Journal of Child Psychology & Psychiatry & Allied Disciplines*, 41(6), 713–726.
- Spence, S. H., Donovan, C. L., March, S., Gamble, A., Anderson, R. E., Prosser, S., & Kenardy, J. (2011). A randomized controlled trial of online versus clinic-based CBT for adolescent anxiety. *Journal of Consulting and Clinical Psychology*, 79(5), 629–642. doi:10.1037/a0024512
- Spence, S. H., Holmes, J. M., March, S., & Lipp, O. V. (2006). The feasibility and outcome of clinic plus internet delivery of cognitive-behavior therapy for childhood anxiety. *Journal of Consulting and Clinical Psychology*, 74(3), 614–621. doi:10.1037/0022-006x.74.3.614
- Stanton, H. E. (1994). Self-hypnosis: One path to reduced test anxiety. *Contemporary Hypnosis*, 11(1), 14–18.
- Stark, K. D., Reynolds, W. M., & Kaslow, N. J. (1987). A comparison of the relative efficacy of self-control therapy and a behavioral problem-solving therapy for depression in children. *Journal of Abnormal Child Psychology*, 15(1), 91–113.
- Stasiak, K., Hatcher, S., Frampton, C., & Merry, S. N. (2014). A pilot double blind randomized placebo controlled trial of a prototype computer-based cognitive behavioural therapy program for adolescents with symptoms of depression. 42(4), 385–401. doi:10.1017/S1352465812001087
- Stein, B. D., Jaycox, L. H., Kataoka, S. H., Wong, M., Tu, W., Elliott, M. N., & Fink, A. (2003). A mental health intervention for schoolchildren exposed to violence: A randomized controlled trial. *JAMA: Journal of the American Medical Association*, 290(5), 603–611.
- Steiner, N. J., Sheldrick, R. C., Gotthelf, D., & Perrin, E. C. (2011). Computer-based attention training in the schools for children with attention deficit/hyperactivity disorder: a preliminary trial. *Clin Pediatr (Phila)*, 50(7), 615–622. doi:10.1177/0009922810397887
- Stice, E., Burton, E., Bearman, S. K., & Rohde, P. (2007). Randomized trial of a brief depression prevention program: An elusive search for a psychosocial placebo control condition. *Behaviour Research and Therapy*, 45(5), 863–876. doi:10.1016/j.brat.2006.08.008

- Storch, E. A., Arnold, E. B., Lewin, A. B., Nadeau, J., Jones, A. M., De Nadai, A. S., . . . Murphy, T. K. (2013). Effect of cognitive-behavioral therapy versus treatment as usual for anxiety in children with autism spectrum disorders: A randomized, controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*. doi:10.1016/j.jaac.2012.11.007
- Storch, E. A., Caporino, N. E., Morgan, J. R., Lewin, A. B., Rojas, A., Brauer, L., . . . Murphy, T. K. (2011). Preliminary investigation of web-camera delivered cognitive-behavioral therapy for youth with obsessive-compulsive disorder. *Psychiatry Research*, 189(3), 407–412. doi:10.1016/j.psychres.2011.05.047
- Storebø, O. J., Gluud, C., Winkel, P., & Simonsen, E. (2012). Social-Skills and Parental Training plus Standard Treatment versus Standard Treatment for Children with ADHD—The Randomised SOSTRA Trial. *PLOS One*, 7(6), e37280.
- Stuart, R. B., Tripodi, T., Jayaratne, S., & Camburn. (1976). An experiment in social engineering in serving the families of predelinquents.
- Sud, A. (1994). Attentional skills training/cognitive modeling: Short term therapeutic cognitive interventions for test anxiety. *Psychological Studies*, 39(1), 1–7.
- Sud, A., & Sharma, S. (1990). Two short-term, cognitive interventions for the reduction of test anxiety. *Anxiety Research*, 3(2), 131–147.
- Sukhodolsky, D. G., Vitulano, L. A., Carroll, D. H., McGuire, J., Leckman, J. F., & Scahill, L. (2009). Randomized trial of anger control training for adolescents with Tourette's syndrome and disruptive behavior. *Journal of the American Academy of Child & Adolescent Psychiatry*, 48(4), 413–421. doi:10.1097/CHI.0b013e3181985050
- Sundell, K., Hansson, K., Löfholm, C. A., Olsson, T., Gustle, L.-H., & Kadesjö, C. (2008). The transportability of multisystemic therapy to Sweden: Short-term results from a randomized trial of conduct-disordered youths. *Journal of Family Psychology*, 22(4), 550–560. doi:10.1037/a0012790
- Szigethy, E., Kenney, E., Carpenter, J., Hardy, D. M., Fairclough, D., Bousvaros, A., . . . DeMaso, D. R. (2007). Cognitive-behavioral therapy for adolescents with inflammatory bowel disease and subsyndromal depression. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(10), 1290–1298. doi:10.1097/chi.0b013e3180f6341f
- TADS Team. (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for adolescents with depression study (TADS) randomized control trial. *JAMA: Journal of the American Medical Association*, 292(7), 807–820. doi:10.1001/jama.292.7.807
- Tamm, L., Epstein, J. N., Peugh, J. L., Nakonezny, P. A., & Hughes, C. W. (2013). Preliminary data suggesting the efficacy of attention training for school-aged children with ADHD. *Developmental Cognitive Neuroscience*, 4, 16–28. doi:10.1016/j.dcn.2012.11.004
- Tamm, L., & Nakonezny, P. A. (2015). Metacognitive executive function training for young children with ADHD: a proof-of-concept study. *Atten Defic Hyperact Disord*, 7(3), 183–190. doi:10.1007/s12402-014-0162-x
- Tanner, V. L., & Holliman, W. B. (1988). Effectiveness of assertiveness training in modifying aggressive behaviors of young children. *Psychological Reports*, 62(1), 39–46.
- Taylor, A. J. (1967). An evaluation of group psychotherapy in a girls' borstal. *International Journal of Group Psychotherapy*, 17(2), 168–177.
- Taylor, T. K., Schmidt, F., Pepler, D., & Hodgins, C. (1998). A comparison of eclectic treatment with Webster-Stratton's parents and children series in a children's mental health center: A randomized controlled trial. *Behavior Therapy*, 29(2), 221–240.

- Taylor, W. F., & Hoedt, K. C. (1974). Classroom-related behavior problems: Counsel parents, teachers, or children? *Journal of Counseling Psychology*, 21(1), 3–8.
- Thirlwall, K., Cooper, P. J., Karalus, J., Voysey, M., Willetts, L., & Creswell, C. (2013). Treatment of child anxiety disorders via guided parent-delivered cognitive-behavioural therapy: randomised controlled trial. *The British journal of psychiatry : the journal of mental science*, 203(6), 436. doi:10.1192/bjp.bp.113.126698
- Thompson, M. J. J., Laver-Bradbury, C., Ayres, M., Le Poidevin, E., Mead, S., Dodds, C., . . . Sonuga-Barke, E. J. S. (2009). A small-scale randomized controlled trial of the revised new forest parenting programme for preschoolers with attention deficit hyperactivity disorder. *European Child & Adolescent Psychiatry*, 18(10), 605–616.
- Timmons-Mitchell, J., Bender, M. B., Kishna, M. A., & Mitchell, C. C. (2006). An independent effectiveness trial of multisystemic therapy with juvenile justice youth. *Journal of Clinical Child and Adolescent Psychology*, 35(2), 227–236.
- Tosi, D. J., Swanson, C., & McLean, P. (1970). Group counseling with nonverbalizing elementary school children. *Elementary School Guidance & Counseling*, 4(4), 260–266.
- Tosi, D. J., Upshaw, K., Lande, A., & Waldron, M. A. (1971). Group counseling with nonverbalizing elementary students: Differential effects of Premack and social reinforcement techniques. *Journal of Counseling Psychology*, 18(5), 437–440.
- Tremblay, R. E., Vitaro, F., Bertrand, L., LeBlanc, M., Beauchesne, H., Boileau, H., & David, H. (1992). Parent and child training to prevent early onset of delinquency: The Montreal longitudinal-experimental study. In J. McCord & R. E. Tremblay (Eds.), *Preventing antisocial behavior: Interventions from birth through adolescence* (pp. 117–138). New York: Guilford Press.
- Truax, C. B., Wargo, D. G., & Silber, L. D. (1966). Effects of group psychotherapy with high accurate empathy and nonpossessive warmth upon female institutionalized delinquents. *Journal of Abnormal Psychology*, 71, 267–274.
- Tutty, S., Gephart, H., & Wurzbacher, K. (2003). Enhancing behavioral and social skill functioning in children newly diagnosed with attention-deficit hyperactivity disorder in a pediatric setting. *Journal of Developmental & Behavioral Pediatrics Vol 24(1) Feb 2003*, 51–57.
- Ultee, C. A., Griffioen, D., & Schellekens, J. (1982). The reduction of anxiety in children: A comparison of the effects of “systematic desensitization in vitro” and “systematic desensitization in vivo.”. *Behaviour Research & Therapy*, 20(1), 61–67.
- van de Wiel, N. M. H., Matthys, W., Cohen-Kettenis, P., & Van Engeland, H. (2003). Application of the Utrecht Coping Power Program and care as usual to children with disruptive behavior disorders in outpatient clinics: A comparative study of cost and course of treatment. *Behavior Therapy*, 34(4), 421–436.
- van den Hoofdakker, B. J., Van Der Veen-Mulders, L., Sytema, S., Emmelkamp, P. M. G., Minderaa, R. B., & Nauta, M. H. (2007). Effectiveness of behavioral parent training for children with ADHD in routine clinical practice: A randomized controlled study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(10), 1263.
- van Dongen-Boomsma, M., Vollebregt, M. A., Buitelaar, J. K., & Slaats-Willemse, D. (2014). Working Memory Training in Young Children with ADHD: A randomized placebo-controlled trial. *Journal of Child Psychology and Psychiatry*, 55(8), 886–896. doi:10.1111/jcpp.12218
- van Manen, T. G., Prins, P. J. M., & Emmelkamp, P. M. G. (2004). Reducing aggressive behavior in boys with a social cognitive group treatment: Results of a randomized, controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43(12), 1478–1487.

- Vassilopoulos, S. P., Brouzos, A., & Andreou, E. (2015). A Multi-Session Attribution Modification Program for Children with Aggressive Behaviour: Changes in Attributions, Emotional Reaction Estimates, and Self-Reported Aggression. *Behav Cogn Psychother*, 43(5), 538–548. doi:10.1017/s1352465814000149
- Vigerland, S., Ljotsson, B., Thulin, U., Ost, L. G., Andersson, G., & Serlachius, E. (2016). Internet-delivered cognitive behavioural therapy for children with anxiety disorders: A randomised controlled trial. *Behav Res Ther*, 76, 47–56. doi:10.1016/j.brat.2015.11.006
- Vostanis, P., Feehan, C., Grattan, E., & Bickerton, W.-L. (1996). Treatment for children and adolescents with depression: Lessons from a controlled trial. *Clinical Child Psychology & Psychiatry*, 1(2), 199–212.
- Walkup, J. T., Albano, A. M., Piacentini, J., Birmaher, B., Compton, S. N., Sherrill, J. T., . . . Kendall, P. C. (2008). Cognitive behavioral therapy, sertraline, or a combination in childhood anxiety. *The New England Journal of Medicine*, 359(26), 2753–2766. doi:10.1056/NEJMoa0804633
- Warren, R., Deffenbacher, J. L., & Brading, P. (1976). Rational-emotive therapy and the reduction of test anxiety in elementary school students. *Rational Living*, 11(2), 26–29.
- Warren, R., Smith, G., & Velten, E. (1984). Rational-emotive therapy and the reduction of interpersonal anxiety in junior high school students. *Adolescence*, 19(76), 893–902.
- Waters, A. M., Ford, L. A., Wharton, T. A., & Cobham, V. E. (2009). Cognitive-behavioural therapy for young children with anxiety disorders: Comparison of a child + parent condition versus a parent only condition. *Behaviour Research and Therapy*, 47(8), 654–662.
- Waters, A. M., Pittaway, M., Mogg, K., Bradley, B. P., & Pine, D. S. (2013). Attention training towards positive stimuli in clinically anxious children. *Developmental Cognitive Neuroscience*, 4, 77–84. doi:10.1016/j.dcn.2012.09.004
- Webster-Stratton, C. (1981). Modification of mothers' behaviors and attitudes through a videotape modeling group discussion program. *Behavior Therapy*, 12(5), 634–642.
- Webster-Stratton, C. (1984). Randomized trial of two parent-training programs for families with conduct-disordered children. *Journal of Consulting & Clinical Psychology*, 52(4), 666–678.
- Webster-Stratton, C. (1990a). Enhancing the effectiveness of self-administered videotape parent training for families with conduct-problem children. *Journal of Abnormal Child Psychology*, 18(5), 479–492.
- Webster-Stratton, C. (1992). Individually administered videotape parent training: "Who benefits?". *Cognitive Therapy & Research*, 16(1), 31–52.
- Webster-Stratton, C., & Hammond, M. (1997). Treating children with early-onset conduct problems: A comparison of child and parent training interventions. *Journal of Consulting & Clinical Psychology*, 65(1), 93–109.
- Webster-Stratton, C., Kolpacoff, M., & Hollinsworth, T. (1988). Self-administered videotape therapy for families with conduct-problem children: Comparison with two cost-effective treatments and a control group. *Journal of Consulting & Clinical Psychology*, 56(4), 558–566.
- Webster-Stratton, C. H., Reid, M. J., & Beauchaine, T. (2011). Combining parent and child training for young children with ADHD. *Journal of Clinical Child & Adolescent Psychology*, 40(2), 191–203. doi:10.1080/15374416.2011.546044
- Weerdmeester, J., Cima, M., Granic, I., Hashemian, Y., & Gotsis, M. (2016). A feasibility study on the effectiveness of a full-body videogame intervention for decreasing attention deficit hyperactivity disorder symptoms. *Games for health journal*, 5(4), 258–269.
- Wehr, S. H., & Kaufman, M. E. (1987). The effects of assertive training on performance in highly anxious adolescents. *Adolescence*, 22(85), 195–205.

- Weiss, B., Han, S., Harris, V., Catron, T., Ngo, V. K., Caron, A., . . . Guth, C. (2013). An independent randomized clinical trial of multisystemic therapy with non-court-referred adolescents with serious conduct problems. *Journal of Consulting and Clinical Psychology, 81*(6), 1027.
- Weisz, J. R., Southam-Gerow, M. A., Gordis, E. B., Connor-Smith, J. K., Chu, B. C., Langer, D. A., . . . Weiss, B. (2009). Cognitive-behavioral therapy versus usual clinical care for youth depression: An initial test of transportability to community clinics and clinicians. *Journal of Consulting and Clinical Psychology, 77*(3), 383–396. doi:10.1037/a0013877
- Weisz, J. R., Thurber, C. A., Sweeney, L., Proffitt, V. D., & LeGagnoux, G. L. (1997). Brief treatment of mild-to-moderate child depression using primary and secondary control enhancement training. *Journal of Consulting & Clinical Psychology, 65*(4), 703–707.
- Wen, S.-S. (1974). Modifying children's impulsivity through redundancy and variability training. *Psychology in the Schools, 11*(4), 440–444.
- Wenck, L. S., Leu, P. W., & D'Amato, R. C. (1996). Evaluating the efficacy of a biofeedback intervention to reduce children's anxiety. *Journal of Clinical Psychology, 52*(4), 469–473.
- Wergeland, G., Fjermestad, K., Marin, C., Haugland, B., Bjaastad, J., Oeding, K., . . . Heiervang, E. (2014). An effectiveness study of individual vs. group cognitive behavioral therapy for anxiety disorders in youth. *Behaviour Research and Therapy, 57*, 1.
- Wessel, I., & Mersch, P. P. A. (1994). A cognitive-behavioural group treatment for test-anxious adolescents. *Anxiety, Stress & Coping: An International Journal, 7*(2), 149–160.
- White, S., Ollendick, T., Albano, A., Oswald, D., Johnson, C., Southam-Gerow, M., . . . Scahill, L. (2013). Randomized controlled trial: Multimodal anxiety and social skill intervention for adolescents with autism spectrum disorder. *J Autism Dev Disord, 43*(2), 382–394. doi:10.1007/s10803-012-1577-x
- White, W. C. J., & Davis, M. T. (1974). Vicarious extinction of phobic behavior in early childhood. *Journal of Abnormal Child Psychology, 2*, 25–32.
- Whitfield, G. W. (1999). Validating school social work: An evaluation of a cognitive-behavioral approach to reduce school violence. *Research on Social Work Practice, 9*(4), 399–426.
- Williams, C. E., & Jones, R. T. (1989). Impact of self-instructions on response maintenance and children's fear of fire. *Journal of Clinical Child Psychology, 18*(1), 84–89.
- Williams, T. I., Salkovskis, P. M., Forrester, L., Turner, S., White, H., & Allsopp, M. A. (2010). A randomised controlled trial of cognitive behavioural treatment for obsessive compulsive disorder in children and adolescents. *European Child & Adolescent Psychiatry, 19*(5), 449–456.
- Wilson, N. H., & Rotter, J. C. (1986). Anxiety management training and study skills counseling for students on self-esteem and test anxiety and performance. *School Counselor, 34*(1), 18–31.
- Windheuser, H.J. (1977). Anxious mothers as models for coping with anxiety. *Behavioural Analysis & Modification, 2*(1), 39–58.
- Wood, J. J., Drahota, A., Sze, K., Har, K., Chiu, A., & Langer, D. A. (2009). Cognitive behavioral therapy for anxiety in children with autism spectrum disorders: A randomized, controlled trial. *Journal of Child Psychology and Psychiatry, 50*(3), 224–234.
- Wood, A., Trainor, G., Rothwell, J., Moore, A., & Harrington, R. (2001). Randomized trial of group therapy for repeated deliberate self-harm in adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry, 40*(11), 1246–1253.
- Wuthrich, V. M., Rapee, R. M., Cunningham, M. J., Lyneham, H. J., Hudson, J. L., & Schniering, C. A. (2012). A randomized controlled trial of the Cool Teens CD-ROM computerized program for adolescent anxiety. *Journal of the American Academy of Child & Adolescent Psychiatry, 51*(3), 261–270. doi:10.1016/j.jaac.2011.12.002

- Yang, W., Zhang, J. X., Ding, Z., & Xiao, L. (2016). Attention bias modification treatment for adolescents with major depression: A randomized controlled trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 55(3), 208–218.e202.
doi:10.1016/j.jaac.2015.12.005
- Yu, D. L., & Seligman, M. E. P. (2002). Preventing depressive symptoms in Chinese children. *Prevention & Treatment*, 5(1), Article 9.