

Glaucoma type	Time	n	Mean	Std. Error	95% Confidence interval
POAG ¹	A) Baseline	67	21,35	0,72	19,92 to 22,78
	B) 1st Day	67	11,83	0,72	10,40 to 13,26
	C) 1-3 Months	64	15,45	0,77	13,92 to 16,97
	D) 3-6 Months	53	15,66	0,85	13,98 to 17,33
	E) 9-12 Months	45	15,40	0,92	13,58 to 17,21
LTG ²	A) Baseline	4	10,00	6,20	-2,19 to 22,19
	B) 1st Day	4	7,00	6,20	-5,19 to 19,19
	C) 1-3 Months	4	6,00	6,20	-6,19 to 18,19
	D) 3-6 Months	4	8,00	6,20	-4,19 to 20,19
	E) 9-12 Months	4	8,00	6,20	-4,19 to 20,19
PEX ³	A) Baseline	13	23,80	1,60	20,65 to 26,94
	B) 1st Day	13	14,40	1,60	11,25 to 17,54
	C) 1-3 Months	13	14,92	1,65	11,67 to 18,18
	D) 3-6 Months	12	13,00	1,79	9,48 to 16,51
	E) 9-12 Months	9	12,77	2,06	8,71 to 16,84
PDG ⁴	A) Baseline	5	23,66	3,58	16,62 to 30,70
	B) 1st Day	5	14,66	3,58	7,62 to 21,70
	C) 1-3 Months	5	27,33	3,58	20,29 to 34,37
	D) 3-6 Months	5	18,00	3,58	10,96 to 25,03
	E) 9-12 Months	5	18,33	3,58	11,29 to 25,37
OHT ⁵	A) Baseline	6	28,00	2,53	23,02 to 32,97
	B) 1st Day	6	16,66	2,53	11,68 to 21,64
	C) 1-3 Months	6	19,66	2,53	14,68 to 24,64
	D) 3-6 Months	5	23,20	2,77	17,74 to 28,65
	E) 9-12 Months	4	27,00	3,10	20,90 to 33,09
Preperimetric ⁶	A) Baseline	7	17,25	3,10	11,15 to 23,34
	B) 1st Day	7	10,75	3,10	4,65 to 16,84
	C) 1-3 Months	7	16,25	3,10	10,15 to 22,34
	D) 3-6 Months	7	17,25	3,10	11,15 to 23,34
	E) 9-12 Months	5	16,33	3,58	9,29 to 23,37

Table 5. Glaucoma type estimated marginal means of IOP following Canaloplasty with two microcatheters (iTRACK™ 250A and GlaucoLight) over Follow up in 2 Ways ANOVA

1. POAG – Primary open angle glaucoma
2. LTG – Low tension glaucoma
3. PEX – Pseudoexfoliation glaucoma
4. OHT – Ocular hypertension syndrome
5. PDG – Pigmentary dispersion glaucoma
6. Preperimetric – Preperimetric open angle glaucoma