Alcohol-related hospital episodes

Prior to 01/04/1996

ICD-9 codes 2651 (other and unspecified manifestations of thiamine deficiency); 3039 (alcohol dependence syndrome);

(hospital episodes) 3050 (nondependent abuse of alcohol);

2918 (other specified alcoholic psychoses);

2910 (delirium tremens);

2913 (other alcoholic hallucinosis):

2915 (alcoholic jealousy);

2919 (alcoholic psychoses, unspecified);

2911 (korsakov's psychosis, alcoholic);

2912 (other alcoholic dementia);

3575 (alcoholic polyneuropathy);

4255 (alcoholic cardiomyopathy);

5353 (alcoholic gastritis);

5710 (alcoholic fatty liver);

5711 (acute alcoholic hepatitis);

5712 (alcoholic cirrhosis of liver);

5713 (alcoholic liver damage, unspecified);

7607 (fetus/newborn aff. by noxious influences trans. by

placenta/breast milk);

7598 (other specified anomalies);

7903 (excessive blood level of alcohol);

9800 (toxic effect of ethyl alcohol);

9801 (toxic effect of isopropyl alcohol);

9809 (toxic effect of unspecified alcohol);

E860 (accidental poisoning by alcohol, not elsewhere classified);

V57 (care involving use of rehabilitation procedures);

E9473 (adverse effects in therapeutic use of alcohol deterrents);

E9509 (suicide and s.i. poisoning by other/unspec. solid and liquid substances);

E9809 (poisoning undet. acc./purp. by other/unspec. solid and liquid substances):

E8600* (accidental poisoning by alcoholic beverages);

E8601*(acc. pois. other/unspec. ethyl alcohol);

E8609* (accidental poisoning by unspecified alcohol);

E9509*(suicide and s.i. poisoning by other/unspec. solid and liquid substances);

5711\(\(\) (acute alcoholic hepatitis);

6554\(\\$\) (suspected damage to fetus from other disease in the mother);

2550\(\) (cushing's syndrome);

3594\(\) (toxic myopathy);

5709\((acute and subacute necrosis of liver);

3483\(\) (encephalopathy, unspecified);

D3039+A3317^a (alcohol dependence syndrome+cerebral

degeneration in other diseases classified elsewhere); D3039+A3344^a (alcohol dependence syndrome+cerebellar ataxia in disease classified elsewhere).

01/04/1996 onward

ICD-10 codes (hospital episodes)

F10 (Mental & behavioural disorders due to use of alcohol); K70

(Alcoholic liver disease);

X45 (Accidental poisoning by and exposure to alcohol);

X65 (Intentional self-poisoning by and exposure to alcohol);

Y15 (Poisoning by and exposure to alcohol undetermined intent);

Y90 (Evidence of alcohol involvement determined by blood alcohol

level);

Y91 (Evidence of alcohol involvement determined by level

intoxication);

E244 (alcohol induced Pseudo-Cushing's syndrome);

E512 (Wernicke's Encephalopathy);

G312 (Degeneration of nervous system due to alcohol);

G621 (Alcoholic polyneuropathy);

G721 (Alcoholic myopathy);

I426 (Alcoholic cardiomyopathy);

K292 (Alcoholic gastritis);

K860 (Alcohol-induced chronic pancreatitis);

O354 (Maternal care for (suspected) damage to foetus from alcohol);

P043 (Foetus and newborn affected by maternal use of alcohol);

Q860 (Fetal alcohol syndrome (dysmorphic));

R780 (Finding of alcohol in blood);

T510 (Toxic effect of ethanol);

T511 (Toxic effect of methanol);

T519 (Toxic effect of alcohol; unspecified);

Y573 (Alcohol deterrents);

Z502 (Alcohol rehabilitation);

Z714 (Alcohol abuse counselling and surveillance);

Z721 (Alcohol Use).

Alcohol-related deaths

Prior to 01/01/2000

ICD-9 codes (deaths

4255 (alcoholic cardiomyopathy);

-primary cause)

5710 (alcoholic fatty liver); 5711 (acute alcoholic hepatitis);

5712 (alcoholic cirrhosis of liver);

5712 (alcoholic cirrnosis of liver); 5713 (alcoholic liver damage; unspecified);

5714 (chronic hepatitis);

5715 (cirrhosis of liver without mention of alcohol);

5718 (other chronic nonalcoholic liver disease);

5719 (unspecified chronic liver disease without mention of alcohol);

E860 (accidental poisoning by alcohol; not elsewhere classified);

291 (alcoholic psychoses);

303 (alcohol dependence syndrome);

305 (non-dependent abuse of alcohol).

01/01/2000 onward

ICD-10 codes (deaths-primary cause)

F10 (Mental & behavioural disorders due to use of alcohol); K70

(Alcoholic liver disease);

K73 (Chronic hepatitis; not elsewhere classified);

X45 (Accidental poisoning by and exposure to alcohol);

X65 (Intentional self-poisoning by and exposure to alcohol); Y15 (Poisoning by and exposure to alcohol; undetermined intent);

G312 (Degeneration of nervous system due to alcohol);

G621 (Alcoholic polyneuropathy); I426 (Alcoholic cardiomyopathy);

K292 (Alcoholic gastritis); K740 (Hepatic fibrosis); K741 (Hepatic sclerosis); K742 (Hepatic fibrosis with hepatitic sclerosis); K746 (Other and unspecified cirrhosis of liver); K860 (Alcohol induced chronic pancreatitis).

The ICD-codes here follow those used by Information Services Division NHS National Services Scotland and the National Records of Scotland at the time of data acquisition, for alcohol-related hospital episodes and alcohol-related deaths respectively. Any pair of an *external alcohol code** and *external code*\$ constitutes an alcohol-related episode.

^a Combination of these codes in consecutive diagnoses listed constitutes an alcohol-related episode.