

Table 2. Serum markers according to the groups

	Control	Bipolar Depression	Unipolar Depression
BDNF	25.1±7.1	25.9±8.5	27.4±7.1
TBARS	10.27 (8.27;12.27)	10.27 (7.27;14.9)	10.27 (8.7;12.9)
PCC	0.04 (0.02;0.06)	0.05 (0.03;0.07)	0.06 (0.03;0.08)
IL-2	0.26 (0.21;0.3)	0.26 (0.22;0.29)	0.26 (0.23;0.33)
IL-4	0.64 (0.57;0.78)	0.78 (0.65;0.86)	0.66 (0.55;0.81)
IL-6	0.87 (0.53;1.23)	1.13 (0.8;1.76)	1.34 (0.89;1.91)
IL-10	0.37 (0.25;0.5)	0.4 (0.3;0.5)	0.3 (0.23;0.52)
TNFα	0.98 (0.88;1.2)	0.98 (0.9;1.12)	0.94 (0.84;1.10)
IFN	1.64 (1.5;1.8)	1.62 (1.44;1.88)	1.66 (1.5;1.9)
IL-17	12.8 (6.2;23.3)	8.6 (5.89;15.7)	8.13 (4.8;16.8)

BDNF = Displayed as mean $\pm$ standard deviation; other variables displayed as median and interquartile range. BDNF - Brain derived neurotrophic factor and values are expressed in ng/mL; TBARS - Thiobarbituric acid reactive substances and values are expressed in μ M of MDA; PCC -Protein carbonyl content and values are expressed in nmol/mg of protein; IL-2 - Interleukin 2; IL-4 - Interleukin 4; IL-6 - Interleukin 6; IL-10 - Interleukin 10; IL-17 - Interleukin 17; TNF α -Tumor necrosis factor α . All cytokines values are expressed in pg/mL.