

Supplementary table. Mechanism of injury, anatomical location of injury, and imaging modalities used in 443 patients with penetrating trauma. The total number is more 443 since some patients had injuries in more than one body part.

* impalement, miscellaneous penetrating sharp objects etc. Percentages in parentheses (%).

	Head & Face	Neck	Torso	Extremities
MECHANISM OF INJURY	n (%)	n (%)	n (%)	n (%)
Shooting	8 (17.4)	-	37 (13)	70 (40.5)
Stabbing	24 (52.2)	28 (75.7)	233 (83)	81 (46.8)
Other*	12 (26.1)	7 (18.9)	11 (4)	19 (11)
Missing	2 (4.3)	2 (5.4)	1 (0.3)	3 (1.7)
Total	46 (100)	37 (100)	282 (100)	173 (100)
IMAGING PERFORMED BY MODALITY				
Radiographs	-	-	4 (1)	7 (4)
Ultrasound	2 (4.3)	3 (8.1)	1 (0.3)	23 (13.3)
Radiographs and ultrasound	-	1 (2.7)	17 (6)	10 (5.8)
Radiographs, ultrasound and CT	15 (32.6)	9 (24.3)	193 (68)	52 (30.1)
Ultrasound and CT	5 (10.9)	6 (16.2)	18 (6)	17 (9.8)
Radiographs and CT	2 (4.3)	2 (5.4)	18 (6)	11 (6.4)
CT and angiography	-	1 (2.7)	1 (0.3)	1 (0.6)
CT	-	-	24 (8)	46 (26.6)
Radiographs, ultrasound, CT, angiography	-	-	4 (1)	4 (32.3)
Ultrasound and angiography	-	-	-	1 (0.6)
Ultrasound, radiographs and angiography	-	-	-	1 (0.6)
Data not available	-	-	2 (0.7)	-
Total	46 (100)	37 (100)	282 (100)	173 (100)