

Supplement File 2: Discharge opioid prescription characteristics

	All discharge prescriptions^a (n=71), <i>N</i> (%)	Discharge prescriptions with opioids^b (n=32), <i>N</i> (%)
Type of opioid		
Hydrocodone	3 (4)	3 (9.3)
Oxycodone	29 (41)	29 (90.6)
None	39 (55)	-
Non-opioid prescribed		
Any	41 (57.7)	26 (72.2)
Acetaminophen	31 (43.7)	23 (71.9)
NSAID	9 (12.7)	4 (12.5)
GABA analog	8 (11.3)	4 (12.5)
None	30 (42.3)	6 (18.8)
Laxative		
Any	26 (36.6)	20 (62.5)
Senna	6 (8.5)	3 (9.4)
Docusate	16 (22.5)	14 (43.8)
General regimen ^c	4 (5.6)	2 (6.3)
Other	4 (5.6)	1 (3.1)
None	45 (63.4)	12 (3.8)

Characteristics of discharge opioid prescriptions. Characteristics of discharge prescriptions reviewed, in (a) all prescriptions, regardless if an opioid prescription was included and (b) only prescriptions that included opioids. (c) General regimen refers to a general recommendation in patient discharge handouts, “bowel regimen.”

