Supplementary material

	ICD-10 code
CCI conditions included	ICD-10 code
	C00–76
Solid tumor, non-metastatic	
Solid tumor, metastatic	C77–79
Leukemia/myeloma	C88–96
Lymphoma	C81–86
Chronic liver disease	B18, K70, K72, K73, K74
Chronic kidney failure	N18
COPD	J44
Rheumatoid arthritis	M04, M05
Peripheral vascular disease	173
Congestive heart failure	150
Myocardial infarction	I21, I22
Diabetes	Data obtained from Riksstroke
Dementia	F00–03
Previous stroke	Data obtained from Riksstroke
CCI conditions not included	
Ulcer disease	-
Hemiplegia	-
AIDS	-
Non-CCI conditions included	
Atrial fibrillation/flutter	Data obtained from Riksstroke
Angina pectoris	I20
Hypertension	Data obtained from Riksstroke
CCI=Charlson comorbidity inde	ex, COPD=chronic obstructive

Supplementary table I. List of the 17 included conditions and ICD-10 codes.

CCI=Charlson comorbidity index, COPD=chronic obstructive pulmonary disease.

Supplementary table II. Primary diagnosis of each readmission, presented as diagnostic groups.

	n=30 287
Infectious	3414 (11.
Intestinal	237 (0.8)
Sepsis	345 (1.1)
Skin infection, erysipelas and mycosis	264 (0.9)
Acute upper respiratory and influenza	213 (0.7)
Pneumonia and acute bronchitis	1609 (5.3
Cystitis and pyelonephritis	326 (1.1)
Miscellaneous	420 (1.4)
Neoplasm	1647 (5.4
Malignant solid neoplasm	1201 (4.0
Leukemia/lymphoma	313 (1.0)
Benign neoplasm	133 (0.4)
Endocrine/nutritional and metabolic	695 (2.3)
Diabetes mellitus	361 (1.2)
Nutritional/metabolic disease	272 (0.9)
Miscellaneous	62 (0.2)
Mental and behavioral disorders	757 (2.5)
Mood disorders	160 (0.5)
Mental and behavioral disorders due to use of alcohol	192 (0.6)
Miscellaneous	405 (1.3)
Nervous system other than stroke	3309 (7.6
Dementia	179 (0.6)
Epilepsy	670 2.2)
TIA and related syndromes	600 (2.0)
Paresis	82 (0.3)
Sequelae of CVD	473 (1.6)
Miscellaneous	305 (1.0)
Stroke	2392 (7.9
Stroke: ICH	288 (0.9)
Stroke: IS	2104 (6.9
Diseases of the eye	105 (0.3)
Diseases of the ear	125 (0.4)
Circulatory	5007 (16.
Ischemic heart disease	1196 (3.9
Atrial fibrillation and other arrhythmias	923 (3.0)
Heart failure	1242 (4.1
PE/Venous thrombosis	186 (0.6)
PVD	561 (1.9)
Hypertension	147 (0.5)
Hypotension	183 (0.6)
Miscellaneous	569 (1.9)
Gastrointestinal	1922 (6.3
Peptic ulcer	131 (0.4)
Non infective enteritis and colitis	451 (1.5)

Factors influencing health status and contact with health services	1011 (3.3	
Complication medical of surgical care	452 (1.5)	
Miscellaneous	183 (0.6)	
Other injury	731 (2.4)	
Other fracture	630 (210	
Hip fracture	846 (2.8)	
Injury of external cause (Trauma)	2390 (7.9	
Miscellaneous	1187 (3.9	
Anemia	368 (1.2)	
Convulsions	221 (0.7)	
Syncope	379 (1.2)	
Malaise and fatigue	164 (0.5)	
Headache	497 (1.6) 109 (0.4)	
Vertigo	497 (1.6)	
Dysphagia	57 (0.2)	
Hematuria	166 (0.5)	
Nausea and vomiting	78 (0.3)	
Abdominal and pelvic pain	298 (1.0)	
Pain in throat and chest	658 (2.2)	
Symptoms and findings not elsewhere specified	28 (0.1) 4182 (13	
Congenital malformations	· · · · · · · · · · · · · · · · · · ·	
Miscellaneous	1116 (3.7	
Chronic kidney failure Acute kidney failure	226 (0.7) 79 (0.3)	
Urolithiasis Chronic kidney, failure	104(0.3)	
Genitourinary Unalithingia	1525 (5.0	
Miscellaneous	584 (1.9)	
	. ,	
Spondylopathies	135 (0.4) 219 (0.7)	
Back pain (dorsalis)	229(0.8) 135(0.4)	
Osteoarthritis		
Rheumatoid arthritis	1208 (3.9 41 (0.1)	
Musculoskeletal	423 (1.4)	
Respiratory insufficiency Miscellaneous	88 (0.3)	
	459 (1.5)	
Respiratory COPD, emphysema and chronic bronchitis	970 (3.2)	
Skin other than infection		
Miscellaneous	401 (1.3)	
GI bleed	306 (1.0)	
Gallbladder and biliary tract	354 (1.2)	
Paralytic Ileus	146 (0.4)	
~	116 10 1	

From day 22 to 1825 (five years) after index stro Presented as No. (%). COPD=chronic obstructive pulmonary disease,

CVD=cerebrovascular disease, ICH=intracerebral hemorrhage,

IS=ischemic stroke, PVD=peripheral vascular disease, TIA=transient ischemic attack

Supplementary table III. Proportions of patients readmitted or deceased at different time points after index stroke.

	Admitted			Not admitted			Readmitted or dead
	Total	Alive	Dead	Total	Alive	Dead	
6 months	3031 (30.0)	2562 (25.4)	469 (4.6)	7061 (70.0)	6447 (63.9)	614 (6.1)	3645 (36.1)
12 months	4411 (43.7)	3491 (34.6)	920 (9.1)	5681 (56.3)	4959 (49.1)	722 (7.2)	5133 (50.9)
3 years	6569 (65.1)	4232 (41.9)	2337 (23.2)	3523 (34.9)	2571 (25.5)	952 (9.4)	7521 (74.5)
5 years	7464 (74.0)	3907 (38.7)	3557 (35.2)	2628 (26.0)	1567 (15.5)	1061 (10.5)	8525 (84.5)

n=10 092. Presented as no. (%).