

## Appendix

A primary care randomised control trial of Hall and conventional restorative techniques.

Boyd DH, Thomson WM, Leon de la Barra S, Fuge K, van den Heever R, Butler B, Leov F, Foster Page LA.

### Contents:

Figure 1. CONSORT Flow Diagram of children in study

Figure 2. CONSORT Flow Diagram of teeth in study

Table 1. Attrition analysis at 24 months

Figure 1. CONSORT flow diagram of children in study





Figure 2. CONSORT flow diagram of teeth in study



Appendix Table 1a. Attrition analysis at 24 months

	Baseline N (%)	Followed-up N (%)	Not followed-up N (%)
Total	295 (100)	269 (91.2)	26 (8.8)
Sex			
Male	157 (53.2)	144 (53.5)	13 (50.0)
Female	138 (46.8)	125 (46.5)	13 (50.0)
Age			
Preschool	38 (12.9)	35 (13.0)	3 (11.5)
5 years	92 (31.2)	84 (31.2)	8 (30.8)
6 years	86 (29.2)	79 (29.4)	7 (26.9)
7-8 years	79 (26.8)	71 (26.4)	8 (30.8)
Ethnicity			
Māori	116 (39.3)	101 (37.5)	15 (57.7) <sup>a</sup>
Non-Māori	179 (60.7)	168 (62.5)	11 (42.3)
NZDep13			
High	124 (42.0)	110 (40.8)	14 (53.8)
Medium	116 (39.3)	106 (39.4)	10 (38.5)
Low	52 (17.6)	50 (18.6)	2 (7.7)
Not specified	3 (1.0)	3 (1.1)	0 (0.0)
Group			
Hall	149 (50.5)	131 (48.7)	18 (69.2) <sup>a</sup>
Non-Hall	146 (49.5)	138 (51.3)	8 (30.8)

<sup>a</sup>p<0.05